An American Vanguard Company

SAFETY DATA SHEET

1. Identification

Product identifier ACTION

Other means of identification

SDS number 504

Product registration

number

59639-82-5481

Cotton Defoliant. Recommended use

Recommended restrictions No other uses are advised.

Keep out of the Reach of Children!

EPA: 59639-82-5481 **EPA Registration number** Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **AMVAC Chemical Corporation**

Address 4695 MacArthur Court

Suite 1200

Newport Beach, CA 92660

AMVAC Chemical Corp 949-260-1200 Telephone

> **AMVAC Chemical Corp** 949-260-6270(FAX)

Website www.amvac.com

E-mail CustServ@amvac.com

Emergency phone number Medical 888-681-4261 **CHEMTREC®** 800-424-9300

(USA+Canada)

Product Use

888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Not classified. **Physical hazards**

Health hazards Acute toxicity, inhalation Category 3

> Germ cell mutagenicity Category 1B Carcinogenicity Category 1B Aspiration hazard Category 1

> > Category 2

Category 2

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Toxic if inhaled.

May be fatal if swallowed and enters airways.

May cause genetic defects.

May cause cancer. Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Read label before use.

Avoid breathing vapors.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Chamical mana

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Flumiclorac Pentyl Ester		87546-18-7	10.1
Additional components			
Chemical name	Common name and synonyms	CAS number	%
Total Hydrocarbons	Aromatic Solvent	64742-94-5	35 - 40
2-Methylnaphthalene		91-57-6	18 - 23
Methyl Naphthalene, Alpha-		90-12-0	6 - 12
Naphthalene		91-20-3	10 - 15
Others		N/A	1 - 10
2-Ethyl hexanol		104-76-7	1 - 4

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a poison center or doctor/physician.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Aspiration may cause pulmonary edema and pneumonitis.

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. FOR SPILLS ON LAND:

FOR SPILLS IN WATER:

CONTAINMENT: This product forms an emulsion in water. Stop or reduce contamination of any

water. Isolate contaminated water.

CLEANUP: Remove contaminated water for treatment or disposal.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Additional components	Туре	Value	
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3	
		10 ppm	
Total Hydrocarbons (CAS 64742-94-5)	PEL	400 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Values			
Additional components	Type	Value	Form
Additional components	туре	Value	
Methyl Naphthalene, Alpha- (CAS 90-12-0)	TWA	0.5 ppm	
Methyl Naphthalene, Alpha-			
Methyl Naphthalene, Alpha- (CAS 90-12-0)	TWA	0.5 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards Additional components Type Value

Additional components	туре	value	
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3	
		15 ppm	
	TWA	50 mg/m3	
		10 ppm	

Biological limit values

ACGIH Biological Exposur Additional components	Value	Determinant	Specimen	Sampling Time
2-Methylnaphthalene (CAS 91-57-6)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

2-Methylnaphthalene (CAS 91-57-6)

Methyl Naphthalene, Alpha- (CAS 90-12-0)

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Do not get this material in contact with skin or clothing. Use of an impervious apron is

recommended. Long-sleeved shirt and long pants or coveralls, socks and closed toe shoes are

required.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.

Color Medium red to dark brown

Odor Aromatic
Odor threshold Not available.
pH 6.1 1% emulsion
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point > 199 °F (> 93 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Material name: ACTION SDS US

1554 Version #: 1.0 Revision date: Aug-31-2018 Issue date: Jul-15-2015

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 1.10E-05 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

11 cP 30 rpm
14 cP 60 rpm

Viscosity temperature 77 °F (25 °C)

Other information

Density 8.51 lb/gal @ 20°C Explosive properties Not explosive.

Flammability class Combustible IIIA estimated

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

Emits hazardous fumes and smoke of unknown composition when heated to decomposition or

burned.

11. Toxicological information

Information on likely routes of exposure

Inhalation Toxic if inhaled.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Toxic if inhaled.

Product Species Test Results

ACTION

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg (Tox Category III)

Product Species Test Results

Oral

Liquid

LD50 Rat 4100 mg/kg Male

3200 mg/kg Female (Tox Category III)

Additional components Species Test Results

2-Methylnaphthalene (CAS 91-57-6)

Acute Oral

LD50 Rat 1630 mg/kg

Skin corrosion/irritationCauses skin irritation.

Irritation Corrosion - Skin

ACTION , (Tox Category II)

Result: Irritating Species: Rabbit Organ: skin

Severity: Moderately

Serious eye damage/eye

irritation

Causes serious eye irritation.

Irritation Corrosion - Eye

ACTION , (Tox Category II)

Result: Irritating Species: Rabbit Organ: eye Severity: Severely

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

ACTION , Non-sensitizer (Buehler)

Species: Guinea pig Organ: skin

Organ: skir

Germ cell mutagenicity

May cause genetic defects. Flumiclorac Pentyl Technical was not mutagenic in most assays: gene

mutation (with and without S-o activation), unscheduled DNA synthesis, in vitro chromosomal aberration (with S-9), and in vivo mouse absence of S-o metabolic activation. Overall, Flumiclorac

Pentyl Technical is not a genetic hazard.

Carcinogenicity Effects of long-term high dose exposures to Flumiclorac pentyl Technical in rodents and/or dogs

consisted primarily of increases in kidney and liver weights, slight changes in blood biochemistry,

and histological changes in the liver. the lowest NOEL was 300 ppm in the mouse study.

Flumiclorac Pentyl Technical was not carcinogenic in either rats or mice.

Chronic (long-term) exposure of workers and rodents to naphthalene has been reported to cause cataracts and damage to the retina. Lesions in the kidneys and thymus, signs of anemia, and reduced spleen weights have been observed in rats and mice chronically exposed via gavage. A National Toxicology Program (NTP) report states that lifetime inhalation exposure to naphthalene resulted in increases in tumors of the nose in rats. In another NTP study, lifetime inhalation exposure to naphthalene increased lung tumors in female mice. The relevance of the rodent findings to humans is unknown. Naphthalene has been listed by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B).

IARC Monographs. Overall Evaluation of Carcinogenicity

Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

2-Methylnaphthalene (CAS 91-57-6) Known To Be Human Carcinogen.

Naphthalene (CAS 91-20-3) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity

Reproductive toxicity (higher rate of F1 pup deaths on Day 0 of lactation) as well as systemic toxicity were observed in rats at doses of 10,000 and 20,000 ppm Flumiclorac Pentyl Technical in a two-generation rat reproduction study. A repeat study for one generation did not confirm the reproductive toxicity finding. Thus, Flumiclorac Pentyl Technical is not considered a reproductive toxicant.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

Aspiration hazard

May be fatal if swallowed and enters airways.

Chronic effects

This product contains a solvent. Solvents, when inhaled, can cause nasal and respiratory irritation and central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possibly unconsciousness and even death. ingestion of solvents can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Prolonged or repeated dermal exposures may cause drying, scaling and even blistering of the skin. Aspiration of low viscosity products can cause chemical pneumonitis which can be fatal. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Symptoms include fatigue, concentration difficulties, anxiety, depression, rapid mood swings and short-term memory loss. The reports are not clear with regard to the types of solvents that may cause these symptoms, and there is controversy among scientists to whether the condition exists or is caused by this type of product. Since many other diseases cause some or all of these conditions, a doctor should be consulted if any appear. Acute exposure to naphthalene by inhalation, ingestion, and dermal contact has been associated with hemolytic anemia, damage to the kidneys, cataracts, and, in infants, brain damage. There is limited evidence of fetal and maternal toxicity from exposure to naphthalene.

12. Ecological information

Ecotoxicity

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment.

Product		Species	Test Results
ACTION			
Other	LC50	Duck	> 5620 ppm
	LD50	Quail	> 2250 mg/kg
	NOEC	Duck	250 ppm
		Quail	500 ppm
Aquatic			
Crustacea	LC50	Daphnia magna	> 38 mg/l, 48 hours
		Shrimp (Mysidopsis juniae)	0.56 mg/l, 96 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	17.4 mg/l, 96 hours
		Rainbow Trout (oncorhynchus mykiss)	1.1 mg/l, 96 hours
		Sheepshead minnow (Cyprinodon variegatus)	> 24 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

Flumiclorac Pentyl Technical is practically non-toxic to bees. The acute contact LD50 is greater than 106 µg/bee.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with all applicable regulations.

Material name: ACTION SDS US

1554 Version #: 1.0 Revision date: Aug-31-2018 Issue date: Jul-15-2015

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Triple rinse (or equivalent).

14. Transport information

DOT

UN3082 **UN** number

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Flumiclorac Pentyl)

Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 Ш Packing group **Environmental hazards**

> Marine pollutant Yes (in bulk or non-bulk by water)

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155 Packaging non bulk 203 241 Packaging bulk

IATA

UN number UN3082

Environmentally hazardous substance, liquid, n.o.s. (Flumiclorac pentyl) **UN proper shipping name**

Transport hazard class(es)

9 **Class** Subsidiary risk Ш Packing group Yes **Environmental hazards ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN3082 **UN number**

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flumiclorac pentyl),

MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant Yes F-A. S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

Do not get in eyes, on skin, or on clothing.

This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

EPA FIFRA SIGNAL WORD: WARNING

Causes substantial but temporary eye injury.

Causes skin irritation

Harmful if swallowed or absorbed through skin.

KEEP OUT OF REACH OF CHILDREN! This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Naphthalene (CAS 91-20-3)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

categories

Acute toxicity (any route of exposure)

Germ cell mutagenicity Carcinogenicity Aspiration hazard

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Naphthalene	91-20-3	10 - 15	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-Methylnaphthalene (CAS 91-57-6)

Naphthalene (CAS 91-20-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-Methylnaphthalene (CAS 91-57-6) Methyl Naphthalene, Alpha- (CAS 90-12-0)

Naphthalene (CAS 91-20-3)

Total Hydrocarbons (CAS 64742-94-5)

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Jul-15-2015 Issue date **Revision date** Aug-31-2018

References ACGIH®: American Conference of Governmental Industrial Hygienists

> CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

Environmental Protection Agency EPA:

Federal Insecticide, Fungicide, and Rodenticide Act FIFRA:

IARC: International Agency for Research on Cancer

National Toxicology Program NTP:

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act **Department of Transportation** DOT:

IMDG: International Maritime Dangerous Goods International Air Transport Association IATA:

Version # 1.0

Health: 2 **HMIS®** ratings

> Flammability: 1 Physical hazard: 0

Health: 2 NFPA ratings

Flammability: 1 Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2018 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Action is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.