

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

1/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** ADAMENT® 50 WG FUNGICIDE  
**Product code (UVP)** 79255896  
**SDS Number** 102000014008  
**EPA Registration No.** 264-1052

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide  
**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer CropScience LP  
800 North Lindbergh Blvd.  
St. Louis, MO 63167  
USA  
**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577  
**Product Information Telephone Number** 1-866-99BAYER (1-866-992-2937)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity: Category 2, Effects on or via lactation  
Acute toxicity(Inhalation): Category 4

#### Labelling in accordance with regulation HCS 29CFR §1910.1200



**Signal word:** Warning

#### Hazard statements

Suspected of damaging fertility or the unborn child.  
May cause harm to breast-fed children.

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

2/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

Harmful if inhaled.

### Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not breathe dust or mist.  
Avoid contact during pregnancy/ while nursing.  
Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
IF exposed or concerned: Get medical advice/ attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor/physician if you feel unwell.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tebuconazole	107534-96-3	25.0
Trifloxystrobin	141517-21-7	25.0
Sulfonated aromatic polymer, sodium salt	68425-94-5	9.0
Citric acid	77-92-9	1.0

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

3/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

### Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

### Indication of any immediate medical attention and special treatment needed

**Treatment** There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

**Suitable** Water spray, Foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical

**Unsuitable** High volume water jet

**Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>)

### Advice for firefighters

**Special protective equipment for firefighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point** Not applicable

**Auto-ignition temperature** No data available

**Lower explosion limit** No data available

**Upper explosion limit** No data available

**Explosivity** No data available

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

4/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Advice on protection against fire and explosion** Take measures to prevent the build up of electrostatic charge.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
------------	---------	--------------------	--------	-------

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

5/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

Tebuconazole	107534-96-3	0.2 mg/m <sup>3</sup> (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical resistant nitrile rubber gloves

#### Eye protection

Safety glasses with side-shields

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	tan
Physical State	water-dispersible granules
Odor	characteristic
Odour Threshold	No data available
pH	5.3 - 5.7 (10 %)
Viscosity, kinematic	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	No data available
Bulk density	0.432 - 0.513 g/ml (loose)
Evaporation rate	Not applicable
Boiling Point	Not applicable
Melting / Freezing Point	Not applicable
Water solubility	No data available
Minimum Ignition Energy	No data available

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

6/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

---

<b>Decomposition temperature</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Flammability</b>	No data available
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	No data available
<b>Particle size</b>	No data available
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	No data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	Oxidizing agents, Acids
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Ingestion, Inhalation, Eye contact, Skin Absorption
<b>Immediate Effects</b>	
<b>Eye</b>	May cause eye irritation.
<b>Skin</b>	May be harmful if absorbed through skin.
<b>Ingestion</b>	May be harmful if swallowed.

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

7/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

**Inhalation** May be harmful if inhaled.

### Information on toxicological effects

**Acute oral toxicity** LD50 (female Rat) > 5,000 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 2.03 mg/l  
Exposure time: 4 h  
Determined in the form of dust.  
highest concentration tested  
No deaths

**Acute dermal toxicity** LD50 (Rat) > 5,000 mg/kg

**Skin corrosion/irritation** slight irritation (Rabbit)

**Serious eye damage/eye irritation** Mild eye irritation. (Rabbit)

**Respiratory or skin sensitisation** Skin: Non-sensitizing. (Guinea pig)

### Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.  
Trifloxystrobin: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.  
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.  
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

None.

### NTP

None.

### IARC

None.

### OSHA

None.

### Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

8/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

toxicity.

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

### Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

### Further information

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient tebuconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient trifloxystrobin.

### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2.79 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient tebuconazole.

EC50 (Daphnia magna (Water flea)) 0.016 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient trifloxystrobin.

### Chronic toxicity to aquatic invertebrates

NOEC (Daphnia (water flea)): 0.01 mg/l  
Exposure time: 21 d  
The value mentioned relates to the active ingredient tebuconazole.

### Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient tebuconazole.

EC50 (Lemna gibba (gibbous duckweed)) 0.237 mg/l  
Growth rate; Exposure time: 7 d  
The value mentioned relates to the active ingredient tebuconazole.

IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l  
Growth rate; Exposure time: 72 h



# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

9/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

---

	The value mentioned relates to the active ingredient trifloxystrobin. EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient trifloxystrobin.
<b>Biodegradability</b>	Trifloxystrobin: Not rapidly biodegradable Tebuconazole: Not rapidly biodegradable
<b>Koc</b>	Trifloxystrobin: Koc: 2377 Tebuconazole: Koc: 769
<b>Bioaccumulation</b>	Trifloxystrobin: Bioconcentration factor (BCF) 431 Does not bioaccumulate. Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate.
<b>Mobility in soil</b>	Trifloxystrobin: Slightly mobile in soils Tebuconazole: Slightly mobile in soils
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Product</b>	Dispose in accordance with all local, state/provincial and federal regulations.
<b>Contaminated packaging</b>	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

### SECTION 14: TRANSPORT INFORMATION

<b>49CFR</b>	Not dangerous goods / not hazardous material
<b>IMDG</b>	
UN number	<b>3077</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
10200014008

10/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

(TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)

### IATA

UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

## SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1052

### US Federal Regulations

#### TSCA list

Diatomaceous earth	61790-53-2
Sodium lignosulphonate	8061-51-6
Sulfonated aromatic polymer, sodium salt	68425-94-5
Dimethyl silicones and siloxane, reaction products with silica	67762-90-7
Citric acid	77-92-9

### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

### SARA Title III - Section 302 - Notification and Information

Not applicable.

### SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

### US States Regulatory Reporting

#### CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

### US State Right-To-Know Ingredients

Diatomaceous earth	61790-53-2	CA, MN, RI
--------------------	------------	------------

None.

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

11/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Moderate eye irritation.  
Harmful if swallowed, inhaled or absorbed through the skin.  
Avoid contact with skin, eyes and clothing.  
Avoid inhalation of vapour or mist.  
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove and wash contaminated clothing before re-use.

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 2      Flammability - 1      Instability - 0      Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2      Flammability - 1      Physical Hazard - 1      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

# SAFETY DATA SHEET



## ADAMENT® 50 WG FUNGICIDE

Version 2.0 / USA  
102000014008

12/12  
Revision Date: 01/15/2020  
Print Date: 01/15/2020

---

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 01/15/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.