

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19
Version: 1.2

Page: 1/10
(30788635/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

AEGOS Buffering Technology

Recommended use of the chemical and restriction on use

Recommended use*: adjuvant

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Met. Corr.	1	Corrosive to metals
Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Skin Corr./Irrit.	2	Skin corrosion/irritation

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 2/10

(30788635/SDS_GEN_US/EN)

Label elements

Pictogram:



Signal Word:

Warning

Hazard Statement:

H290	May be corrosive to metals.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection.
P260	Do not breathe dust/gas/mist/vapours.
P273	Avoid release to the environment.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P234	Keep only in original packaging.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in a corrosion-resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Liquid Buffer Solution

Content (W/W): 47.0 %

Synonym: No data available.

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19
Version: 1.2

Page: 3/10
(30788635/SDS_GEN_US/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If on skin:

Remove contaminated clothing. Wash thoroughly with soap and water Wash off thoroughly with ample water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Remove contact lenses, if present. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. If you feel unwell, seek medical advice (show the label where possible)

Most important symptoms and effects, both acute and delayed

Symptoms: irritates the eyes and respiratory tract, skin irritation, coughing, hoarseness, gastrointestinal complaints, abdominal cramps, vomiting, Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. If burn is present, treat as any thermal burn, after decontamination.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen oxides, potassium oxides, carbon oxides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 4/10

(30788635/SDS_GEN_US/EN)

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

If without risk, remove intact containers from exposure to fire, or spray unopened containers with water mist to keep cool. Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Use personal protective clothing. Avoid breathing dust/fume/gas/mist/vapours/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of dusts/mists/vapours. Wash off any skin contamination immediately. Wash hands before breaks and at end of work. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Store in a dry, well ventilated place. Keep container tightly closed in a cool, well-ventilated place. Store protected against freezing.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 5/10

(30788635/SDS_GEN_US/EN)

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep separated from food stuffs and feed stocks.

9. Physical and Chemical Properties

Form:	liquid
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable
Colour:	colourless clear
pH value:	approx. 11.5 (1 %(m), 22 °C)
freezing range:	approx. -21 - 17 °C
Boiling range:	approx. 105 - 116 °C
Flash point:	Non-flammable.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	Based on the water content the product does not ignite.
Vapour pressure:	approx. 12.9 - 20.4 hPa (20.5 °C)

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 6/10

(30788635/SDS_GEN_US/EN)

Density:	approx. 1.43 g/cm ³ (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 10.4 mPa.s
Solubility in water:	(20 °C) completely soluble
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, copper alloys, aluminum compounds, brass, bronze, zinc alloys

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 7/10

(30788635/SDS_GEN_US/EN)

Oral

Type of value: LD50

Species: rat

Value: 1,870 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 4.96 mg/l

Exposure time: 4.5 h

An aerosol was tested.

No mortality was observed.

Dermal

Type of value: LD50

Species: rabbit

Value: > 2,000 mg/kg

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Corrosive! Damages skin and eyes. Eye contact causes irritation.

Skin

Result: Corrosive.

Eye

Result: Irritant.

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Species: guinea pig

Result: Non-sensitizing.

Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Page: 8/10

Version: 1.2

(30788635/SDS_GEN_US/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:
Harmful to aquatic life.

Toxicity to fish

LC50 (24 h) 940 mg/l, Pimephales promelas

LC50 (48 h) 820 mg/l, Pimephales promelas

LC50 (96 h) 68 mg/l, Oncorhynchus mykiss

LC50 (96 h) 230 mg/l, Lepomis macrochirus

LC50 (96 h) < 510 mg/l, Pimephales promelas

Aquatic invertebrates

EC50 (48 h) 200 - 430 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Version: 1.2

Page: 9/10

(30788635/SDS_GEN_US/EN)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

USDOT

Hazard class:	8
Packing group:	II
ID number:	UN 1760
Hazard label:	8
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains POTASSIUM CARBONATE)

Sea transport

IMDG

Hazard class:	8
Packing group:	II
ID number:	UN 1760
Hazard label:	8
Marine pollutant:	NO
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains POTASSIUM CARBONATE)

Air transport

IATA/ICAO

Hazard class:	8
Packing group:	II
ID number:	UN 1760
Hazard label:	8
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains POTASSIUM CARBONATE)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Safety Data Sheet

AEGOS Buffering Technology

Revision date : 2020/11/19

Page: 10/10

Version: 1.2

(30788635/SDS_GEN_US/EN)

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2020/11/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET