

# SAFETY DATA SHEET



## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

### SECTION 1. IDENTIFICATION

Product name : Afforia

#### Manufacturer or supplier's details

##### COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

Customer Information : 1-800-258-3033

Number

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).  
800-992-5994 or 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Skin sensitization : Sub-category 1B

Reproductive toxicity : Category 1B

# SAFETY DATA SHEET



## Afforia

Version 1.0      Revision Date: 06/29/2022      SDS Number: 800080000562      Date of last issue: -  
Date of first issue: 06/29/2022

### GHS label elements

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H360 May damage fertility or the unborn child.

Precautionary Statements

:

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide	103361-09-7	40.8

# SAFETY DATA SHEET



## Afforia

Version 1.0      Revision Date: 06/29/2022      SDS Number: 800080000562      Date of last issue: -  
Date of first issue: 06/29/2022

methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate	101200-48-0	5
thifensulfuron-methyl (ISO)	79277-27-3	5
Kaolin	1332-58-7	$\geq 10 - < 20$
Sodium lauryl sulfate	151-21-3	$\geq 3 - < 10$
Trisodium orthophosphate	10101-89-0	$\geq 1 - < 3$
sodium carbonate	497-19-8	$\geq 1 - < 3$
Balance	Not Assigned	$> 10$

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.  
For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- If inhaled : Move to fresh air.  
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.  
Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off all contaminated clothing immediately.  
Rinse skin immediately with plenty of water for 15-20 minutes.  
Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
Call a poison control center or doctor for treatment advice.
- If swallowed : No specific intervention is indicated as the compound is not likely to be hazardous.  
Consult a physician if necessary.
- Most important symptoms and effects, both acute and delayed : None known.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

- Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, undewater. See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
Pick up and arrange disposal without creating dust.  
Recovered material should be stored in a vented container.  
The vent must prevent the ingress of water as further reaction

**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
See Section 13, Disposal Considerations, for additional information.

**SECTION 7. HANDLING AND STORAGE**

- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.  
Avoid exposure - obtain special instructions before use.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not get on skin or clothing.  
Avoid inhalation of vapor or mist.  
Do not swallow.  
Do not get in eyes.  
Avoid contact with skin and eyes.  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents  
Organic peroxides  
Explosives
- Packaging material : Unsuitable material: None known.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

# SAFETY DATA SHEET



## Afforia

Version 1.0      Revision Date: 06/29/2022      SDS Number: 800080000562      Date of last issue: -  
Date of first issue: 06/29/2022

Kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		PEL (respirable)	0.05 mg/m3	OSHA CARC
Trisodium orthophosphate	10101-89-0	STEL	5 mg/m3	US WEEL
sodium carbonate	497-19-8	TWA	10 mg/m3	Dow IHG

**Engineering measures** : Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### Personal protective equipment

**Skin and body protection** : PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:  
Coveralls  
Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.  
Shoes plus socks  
Mixers, loaders, applicators and other handlers must wear:  
Long sleeved shirt and long pants  
Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.  
Shoes plus socks

**Protective measures** : Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.  
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

# SAFETY DATA SHEET



## Afforia

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000562	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.  
Remove clothing/PPE immediately if material gets inside.  
Wash thoroughly and put on clean clothing.  
Remove personal protective equipment immediately after handling this product.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granules
Color	: light brown, off-white
Odor	: Faint odour
Odor Threshold	: No data available
pH	: 7.5 - 8.5
Melting point/range	: No data available
Freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Bulk density	: 750 kg/m3
Solubility(ies)	

**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

Water solubility	:	soluble
Autoignition temperature	:	Not applicable
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials.

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate (Rat): > 1.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403  Acute toxicity estimate: 105 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method



**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

**Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 3.93 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Acute oral toxicity	: (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**thifensulfuron-methyl (ISO):**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: Remarks: Dust may cause irritation to upper respiratory tract (nose and throat).  LC50 (Rat): > 7.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

**Kaolin:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

**Sodium lauryl sulfate:**

Acute oral toxicity	: LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	: Remarks: No adverse effects are anticipated from single exposure to dust. Dust may cause irritation to upper respiratory tract (nose and throat).  LC0 (Rat): > 0.975 mg/l Exposure time: 4 h

**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

Test atmosphere: dust/mist  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

**Trisodium orthophosphate:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No deaths occurred at this concentration.

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Maximum attainable concentration.  
No deaths occurred at this concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No deaths occurred at this concentration.

**sodium carbonate:**

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : slight irritation

**Components:****Kaolin:**

Species : Rabbit  
Result : No skin irritation

**Sodium lauryl sulfate:**

Result : Skin irritation

**sodium carbonate:**

Result : No skin irritation

**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

**Serious eye damage/eye irritation****Product:**

Species	: Rat
Result	: slight to moderate irritation

**Components:****Kaolin:**

Species	: Rabbit
Result	: No eye irritation

**Sodium lauryl sulfate:**

Result	: Corrosive
--------	-------------

**Trisodium orthophosphate:**

Result	: Eye irritation
--------	------------------

**sodium carbonate:**

Result	: Eye irritation
--------	------------------

**Respiratory or skin sensitization****Product:**

Species	: Guinea pig
Result	: The product is a skin sensitizer, sub-category 1B.

**Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Remarks	: Did not cause allergic skin reactions when tested in guinea pigs.
---------	---

Remarks	: For respiratory sensitization: No relevant data found.
---------	---

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Assessment	: May cause sensitization by skin contact.
Remarks	: Has caused allergic skin reactions when tested in guinea pigs.

Remarks	: For respiratory sensitization: No relevant data found.
---------	---

**Sodium lauryl sulfate:**

Assessment	: Does not cause skin sensitization.
Remarks	: For skin sensitization: For similar material(s):

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:  
No data available.

**Trisodium orthophosphate:**

Remarks : For skin sensitization:  
Did not demonstrate the potential for contact allergy in mice.

**Germ cell mutagenicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were predominantly negative.,  
Animal genetic toxicity studies were negative.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

**Sodium lauryl sulfate:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

**Trisodium orthophosphate:**

Germ cell mutagenicity - Assessment : Did not show mutagenic effects in animal experiments.

**sodium carbonate:**

Germ cell mutagenicity - Assessment : No relevant data found.

**Carcinogenicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

**thifensulfuron-methyl (ISO):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

**Kaolin:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Available data suggest that the material is unlikely to cause cancer.

**Sodium lauryl sulfate:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

<b>IARC</b>	Group 1: Carcinogenic to humans	
	Kaolin (Silica dust, crystalline)	1332-58-7
<b>OSHA</b>	OSHA specifically regulated carcinogen	
	Kaolin (crystalline silica)	1332-58-7
<b>NTP</b>	Known to be human carcinogen	
	Kaolin (Silica, Crystalline (Respirable Size))	1332-58-7

**Reproductive toxicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Reproductive toxicity - Assessment : Presumed human reproductive toxicant

In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.  
Has caused birth defects in laboratory animals at doses non-toxic to the mother., Has been toxic to the fetus in lab animals at doses nontoxic to the mother.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Reproductive toxicity - Assessment : Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

**Sodium lauryl sulfate:**

Reproductive toxicity - Assessment : Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

**Trisodium orthophosphate:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.  
Did not cause birth defects in laboratory animals.

**sodium carbonate:**

Reproductive toxicity - Assessment : Did not cause birth defects or any other fetal effects in laboratory animals.

**STOT-single exposure****Components:****methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**thifensulfuron-methyl (ISO):**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

**Kaolin:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Sodium lauryl sulfate:**

Routes of exposure : Inhalation  
Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

**Trisodium orthophosphate:**

Assessment : May cause respiratory irritation.

**sodium carbonate:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

**STOT-repeated exposure****Components:****Trisodium orthophosphate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

**Repeated dose toxicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Remarks : In animals, effects have been reported on the following organs:  
Blood.  
Liver.  
Kidney.

**thifensulfuron-methyl (ISO):**

Remarks : No relevant data found.

**Kaolin:**

Remarks : Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

**Sodium lauryl sulfate:**

Remarks : May cause abdominal discomfort or diarrhea.

**Trisodium orthophosphate:**

Remarks : No relevant data found.

**sodium carbonate:**

Remarks : No relevant data found.

**Aspiration toxicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Based on physical properties, not likely to be an aspiration hazard.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Based on physical properties, not likely to be an aspiration hazard.

**thifensulfuron-methyl (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

**Kaolin:**

Based on physical properties, not likely to be an aspiration hazard.

**Sodium lauryl sulfate:**

Based on physical properties, not likely to be an aspiration hazard.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

**sodium carbonate:**

Based on physical properties, not likely to be an aspiration hazard.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).   |
|  |   | LC50 (Oncorhynchus mykiss (rainbow trout)): 2.7 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 5.9 mg/l<br>Exposure time: 48 h   |
|  |   | LC50 (saltwater mysid Mysidopsis bahia): 0.23 mg/l<br>Exposure time: 96 h  |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.000852 mg/l<br>Exposure time: 72 h   |
|  |   | EC50 (Lemna gibba): 0.00035 mg/l<br>Exposure time: 14 d  |
| M-Factor (Acute aquatic toxicity)                                      | : | 1,000  |
| Toxicity to fish (Chronic toxicity)                                    | : | (Oncorhynchus mykiss (rainbow trout)): 0.37 mg/l<br>Exposure time: 21 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | (Daphnia magna (Water flea)): 0.057 mg/l<br>Exposure time: 21 d  |
| M-Factor (Chronic aquatic toxicity)                                    | : | 1,000  |
| Toxicity to soil dwelling organisms                                    | : | LC50 (Eisenia fetida (earthworms)): > 982 mg/kg<br>Exposure time: 14 d   |
| Toxicity to terrestrial organisms                                      | : | Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm). |
|  |   | oral LD50 (Colinus virginianus (Bobwhite quail)): > 2250 mg/kg bodyweight.   |



**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

dietary LC50 (*Colinus virginianus* (Bobwhite quail)): > 5620 mg/kg diet.

oral LD50 (*Apis mellifera* (bees)): > 100 µg/bee  
Exposure time: 48 d

(*Apis mellifera* (bees)): > 105 µg/bee  
Exposure time: 48 d

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (water flea *Daphnia magna*): 720 mg/l  
End point: Immobilization  
Exposure time: 96 h  
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (algae): > 0.0208 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

**thifensulfuron-methyl (ISO):**

Toxicity to fish : Remarks: Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50 (Fish): 0.1 mg/l  
Exposure time: 96 h  
Remarks: estimated

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.1 mg/l  
Exposure time: 28 d  
Remarks: Estimated value

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Sodium lauryl sulfate:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 4.6 mg/l  
Exposure time: 96 h  
Method: Method Not Specified.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

LC50 (Pimephales promelas (fathead minnow)): 29 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.2 - 49.4 mg/l  
 Exposure time: 48 h  
 Method: Method Not Specified.

LC50 (saltwater mysid Mysidopsis bahia): 6.1 - 18.3 mg/l  
 Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 117 mg/l  
 End point: Biomass  
 Exposure time: 96 h

Toxicity to microorganisms : EC50 (activated sludge): 130 - 170 mg/l  
 Exposure time: 30 min  
 Method: OECD 209 Test

### Trisodium orthophosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EyC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
 Exposure time: 72 h

### sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 265 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Method: Method Not Specified.

EC50 (Daphnia magna (Water flea)): 390 mg/l  
 Exposure time: 48 h  
 Test Type: Immobilization  
 Method: Method Not Specified.

### Persistence and degradability

#### Components:

**N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Biodegradability : Result: Not readily biodegradable.

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

Remarks: Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

**Sodium lauryl sulfate:**

Biodegradability : Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

aerobic  
Concentration: 100 mg/l  
Result: Readily biodegradable.  
Biodegradation: 85 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C or Equivalent  
Remarks: 10-day Window: Not applicable

Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Pass

Biochemical Oxygen Demand (BOD) : 57 - 97 %  
Incubation time: 5 d

Chemical Oxygen Demand (COD) : 0.68 mg/g

ThOD : 2.00 kg/kg

**sodium carbonate:**

Biodegradability : Remarks: Biodegradation is not applicable.

**Bioaccumulative potential****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Partition coefficient: n-octanol/water :

log Pow: 2.55  
Remarks: Bioconcentration potential is low (BCF < 100 or Log

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

Pow &lt; 3).

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Bioaccumulation : Bioconcentration factor (BCF): 3  
 Method: Estimated.  
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water : log Pow: 2.55  
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Kaolin:**

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

**Sodium lauryl sulfate:**

Bioaccumulation : Bioconcentration factor (BCF): 70  
 Method: Estimated.

Partition coefficient: n-octanol/water : Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

log Pow: 1.60  
 Method: Measured

**sodium carbonate:**

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

**Balance:**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

**Mobility in soil****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Distribution among environmental compartments : Koc: 739 - 983  
 Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Distribution among environmental compartments : Koc: 94.69  
 Method: Estimated.  
 Remarks: Potential for mobility in soil is high (Koc between 50 and 150).

## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

**Sodium lauryl sulfate:**

Distribution among environmental compartments : Remarks: Expected to be relatively immobile in soil (Koc > 5000).  
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Koc: > 5000  
Method: Estimated.

**sodium carbonate:**

Distribution among environmental compartments : Remarks: Relevant data not available.

**Balance:**

Distribution among environmental compartments : Remarks: No relevant data found.

**Other adverse effects****Components:****N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Kaolin:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Sodium lauryl sulfate:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Afforia**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

**sodium carbonate:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Balance:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flumioxazin, Tribenuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9

**IATA-DGR**

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Flumioxazin, Tribenuron-methyl)
Class	: 9
Packing group	: III

# SAFETY DATA SHEET



## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Flumioxazin, Tribenuron-methyl)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : Stowage category A

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Reproductive toxicity  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

# SAFETY DATA SHEET



## Afforia

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000562	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate	101200-48-0	>= 5 - < 10 %
---	-------------	---------------

### US State Regulations

#### Pennsylvania Right To Know

Kaolin	1332-58-7
Trisodium orthophosphate	10101-89-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including Kaolin, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-889

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### CAUTION

Harmful if absorbed through skin  
Causes moderate eye irritation.  
Harmful if inhaled  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### SECTION 16. OTHER INFORMATION

#### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

#### Full text of other abbreviations



# SAFETY DATA SHEET



## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
Dow IHG	:	Dow Industrial Hygiene Guideline
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
Dow IHG / TWA	:	Time weighted average
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / STEL	:	Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/29/2022

Product code: GF-4248

# SAFETY DATA SHEET



## Afforia

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000562	Date of first issue: 06/29/2022

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN