

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Agri-Mycin<sup>®</sup> 17 Agricultural Streptomycin

**EPA Reg. No.:** 55146-96

**Product Type:** Agricultural Antibiotic

Company Name: Nufarm Americas Inc., AGT Division

11901 S. Austin Avenue

Alsip, IL 60803 1-800-345-3330

Telephone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,

Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

### 2. HAZARDS IDENTIFICATION

### PHYSICAL HAZARDS:

None

## **HEALTH HAZARDS:**

Eye IrritationCategory 2BReproductive ToxicityCategory 2CarcinogenCategory 1ASpecific Target Organ Toxicity – Repeat ExposureCategory 1

## **ENVIRONMENTAL HAZARDS:**

Hazardous to aquatic environment, acute

Category 1

Hazardous to aquatic environment, chronic

Category 1

## **SIGNAL WORD:**

WARNING

### **HAZARD STATEMENTS:**

Causes eye irritation. May cause cancer by inhalation. Causes damage to lungs through prolonged or repeated inhalation. Suspected of damaging the unborn child. Very toxic to aquatic life with long lasting effects.







## PRECAUTIONARY STATEMENTS

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly after handling.

Avoid release to the environment.

IF exposed or concerned: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

Collect spillage.

Store locked up.

Dispose of contents in accordance with local, state, and federal regulations.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Streptomycin Sulfate	3810-74-0	17.9 - 23.1
Crystalline silica (quartz)	14808-60-7	33 - 42
Pyrophyllite	12269-78-2	<28
Mica	12001-26-2	12 – 17.5
Kaolin	1332-58-7	0.6 - 3.5
Other Ingredients	Trade Secret	Trade Secret

**Synonyms:** Streptomycin Sulfate; O-2-deoxy-2-methylamino-alpha-L-glucopyranosyl-(1->2)-O-5-deoxy-3-C-

formyl-alpha-L-lyxofuranosyl-(1->4)-N3, N3-diamidino-D-streptamine-sulfate (2:3)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

**If in Eyes:** Hold eye open and rinse slowly and gently with water. Remove contact lenses, if present, then continue rinsing eye. Get medical attention if irritation occurs.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If symptoms develop, get medical advice.

If Inhaled: Move person to fresh air. If breathing is difficult, administer oxygen. If symptoms develop, get medical advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin with plenty of water. If irritation occurs, get medical advice.

**Most important symptoms/effects, acute and delayed:** Causes eye irritation. May cause cancer and lung damage by inhalation. Suspected of damaging the unborn child.

**Indication of immediate medical attention and special treatment needed, if necessary:** Immediate medical attention should not be required.

## 5. FIRE FIGHTING MEASURES

Extinguishing Media: Dry chemical, foam or carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion Hazards:** If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

Hazardous Decomposition Materials (Under Fire Conditions): Irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Environmental Precautions:** Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

**Methods for Containment:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Methods for Cleanup and Disposal:** If dry, sweep or scoop up material and place into container for disposal. If wet, pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

**Other Information:** Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

### HANDLING:

Avoid contact with eyes, skin, or clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### STORAGE:

Keep tightly closed. Store at a cool temperature when possible, and with minimum exposure to the atmosphere. Do not contaminate water, food, or feed by storage or disposal.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Engineering Controls:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

# **Personal Protective Equipment:**

**Eye/Face Protection:** To avoid contact with eyes, wear chemical goggles or shielded safety glasses. An emergency eyewash or water supply should be readily accessible to the work area.

**Skin Protection:** To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves made of waterproof material. An emergency shower or water supply should be readily accessible to the work area.

**Respiratory Protection:** Dust/mist filtering respirator (NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P or HE filter.

**General Hygiene Considerations:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

### **Exposure Guidelines:**

·	OSHA		ACGIH		
Component	TWA	STEL	TWA	STEL	Unit
Streptomycin Sulfate	NE	NE	NE	NE	
Crystalline silica (quartz)	50 (R) %SiO <sub>2</sub> +2	NE	25 (R)	NE	μg/m³
Pyrophyllite*	5(R) 15(T) 30 mppcf	NE	3(R) 10(l)	NE	mg/m³
Mica	20 mppcf**	NE	3(R)	NE	mg/m³
Kaolin	5(R) 15 (T)	NE	2 (R)	NE	mg/m³
Other Ingredients	NE	NE	NE	NE	

NE = Not Established R = Respirable Fraction

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Tan colored powderOdor:Fermentation-like odorOdor threshold:No data available

pH: 4.67 (1% w/w dispersion in DIW)

Melting point/freezing point:No data availableInitial boiling point and boiling rangeNo data available

Flash point: Not applicable due to product form

Evaporation rate:

Flammability (solid, gas):

Upper/lower flammability or explosive limits:

No data available

No data available

T = Total Dust I = Inhalable particles

<sup>\*\*</sup> Regulated as PNOR (Particulates Not Otherwise Regulated

<sup>\*\*&</sup>lt;1% crystalline silica

# Agri-Mycin® 17 Agricultural Streptomycin

Vapor pressure:No data availableVapor density:No data available

Relative density: 1.00 g/ml

Solubility(ies):

Partition coefficient: n-octanol/water:

Autoignition temperature:

No data available

No data available

No data available

No data available

Viscosity: Not applicable due to product form

**Note:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

# 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: This material is stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Keep away from heat, sparks and open flame. Minimize dust generate and accumulation.

Incompatible Materials: Not known.

Hazardous Decomposition Products: Under fire conditions may produce oxides of carbon and nitrogen.

## 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact

**Eye Contact:** Causes eye irritation. May cause pain, redness and tearing. **Skin Contact:** Slightly toxic and slightly irritating based on toxicity studies.

Ingestion: Slightly toxic based on toxicity studies. May cause digestive tract irritation.

**Inhalation:** Low inhalation toxicity. Dust may cause irritation.

Delayed, immediate and chronic effects of exposure: None expected.

**Toxicological Data:** 

Data from laboratory studies on this product are summarized below:

**Oral:** Rat LD<sub>50</sub>: >5,000 mg/kg **Dermal:** Rabbit LD<sub>50</sub>: >2,000 mg/kg

**Inhalation:** Rat 4-hr LC<sub>50</sub>: >2.72 mg/l (no mortalities from exposure to this concentration).

**Eye Irritation:** Rabbit: Moderate irritating **Skin Irritation:** Rabbit: Slightly irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Other Acute Effects: Streptomycin may cause severe allergic reactions (anaphylactic) in sensitive individuals.

**Subchronic (Target Organ) Effects:** Clinical studies reported kidney damage and ear damage manifested by nausea, vomiting, dizziness, numbness/tingling of face. Inhalation of excessive amounts of kaolin dust may produce coughing, sneezing and nasal irritation. Chronic exposure to mica may cause persistent cough, possible difficulty in breathing.

Carcinogenicity / Chronic Health Effects: Prolonged overexposure to streptomycin may cause effects to kidneys, ears and skin. Streptomycin did not cause cancer in laboratory animals. Long-term over-exposure to kaolin dust may affect the lungs. The diluent as a whole is not listed as a carcinogen. However, it does contain crystalline silica (e.g. quartz), a naturally occurring component. Inhalation of crystalline silica may cause pulmonary fibrosis (silicosis). Crystalline silica has been classified by IARC as carcinogenic to humans (Group 1), by the U.S. National Toxicology Program as a known human carcinogen and by ACGIH as a suspected human carcinogen (A2).

Reproductive Toxicity: Streptomycin may cause auditory nerve damage in the developing fetus.

**Developmental Toxicity:** None observed.

**Genotoxicity:** None observed. **Assessment Carcinogenicity:** 

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

	Regulatory Agency Listing As Carcinogen			
Component	ACGIH	IARC	NTP	OSHA
Streptomycin Sulfate	No	No	No	No
Crystalline Silica, Quartz	A2	1	Known	No

# Agri-Mycin® 17 Agricultural Streptomycin

Pyrophyllite	No	No	No	No
Mica	No	No	No	No
Kaolin	A4	No	No	No
Other Ingredients	No	No	No	No

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity:**

Data on Streptomycin:

96-hour LC $_{50}$  Bluegill: > 180 ppm Bobwhite Quail Acute Oral LC $_{50}$ : >2,000 mg/kg 96-hour LC $_{50}$  Rainbow Trout: >180 ppm Bobwhite Quail 8-day Dietary LC $_{50}$ : >5,620 ppm 96-hour EC50 FW Alga: 6.9 ppb Mallard Duck 8-day Dietary LC $_{50}$ : 4,640 ppm

### **Environmental Fate:**

Streptomycin degradation in soil and water is mediated by bacterial decomposition with degradation typically occurring in 2-3 weeks. Streptomycin does not leach but binds tightly to soil and particulates. The major degradate in water and soil is methylamine.

## 13. DISPOSAL CONSIDERATIONS

# **Waste Disposal Method:**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

# **Container Handling and Disposal:**

**Nonrefillable bags of granular or dry formulation:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinance. If burned, stay out of smoke.

**Nonrefillable Containers 5 gallons or less**: Nonrefillable container. Do no reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows**: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration. Do not burn unless allowed by state and local ordinance. If burned, stay out of smoke.

Nonrefillable containers larger than 5 Gallons: Nonrefillable container. Do not reuse or refill this container.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration. Do not burn unless allowed by state and local ordinance. If burned, stay out of smoke.

## 14. TRANSPORTATION INFORMATION

# DOT:

Non Regulated

#### IMDG:

UN3077, Environmentally Hazardous Substance, Solid, n.o.s. (Streptomycin Sulfate), 9, III, Marine Pollutant

### IATA:

UN3077, Environmentally Hazardous Substance, Solid, n.o.s. (Streptomycin Sulfate), 9, III

### 15. REGULATORY INFORMATION

## **EPA FIFRA INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of

# Agri-Mycin® 17 Agricultural Streptomycin

non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not breathe dust or spray mist. Avoid contact with eyes, skin, or clothing.

## **U.S. FEDERAL REGULATIONS**

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

## **SARA Hazard Notification/Reporting:**

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370.66):

Acute Health, Chronic Health

# Section 313 Toxic Chemical(s):

None

### Reportable Quantity (RQ) under U.S. CERCLA:

None

### **RCRA Waste Code:**

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

### **State Information:**

Other state regulations may apply. Check individual state requirements.

California Proposition 65: ATTENTION. This product can expose you to chemicals including streptomycin sulfate which is known to the State of California to cause birth defects or other reproductive harm; and crystalline silica (quartz) which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### 16. OTHER INFORMATION

## National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 1 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

**Date of Issue:** November 15, 2017 **Supersedes:** May 16, 2017

Agri-Mycin is a registered trademark of Nufarm Americas Inc.