

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : AMISTAR TOP
Design code. : A13703O

Product Registration number : 100-1313

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|-------------|-----------------------|
| Azoxystrobin | 131860-33-8 | 18.1818 |
| difenoconazole | 119446-68-3 | 11.3636 |
| propane-1,2,3-triol | 56-81-5 | >= 1 - < 5 |
| Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts | 68425-94-5 | >= 1 - < 5 |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | >= 0.05 - < 0.1 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Most important symptoms and effects, both acute and delayed : Do NOT induce vomiting.
 Notes to physician : Nonspecific
 : No symptoms known or expected.
 : There is no specific antidote available.
 : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires
 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
 Extinguishing media - large fires
 Alcohol-resistant foam
 or
 Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
 Exposure to decomposition products may be a hazard to health.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
 Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
 Do not flush into surface water or sanitary sewer system.
 If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
 Clean contaminated surface thoroughly.
 Clean with detergents. Avoid solvents.
 Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
 Avoid contact with skin and eyes.
 When using do not eat, drink or smoke.
 For personal protection see section 8.

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Conditions for safe storage : No special storage conditions required.
 Keep containers tightly closed in a dry, cool and well-ventilated place.
 Keep out of the reach of children.
 Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|-------------|----------------------------------|--|----------|
| Azoxystrobin | 131860-33-8 | TWA | 4 mg/m ³ | Syngenta |
| difenoconazole | 119446-68-3 | TWA | 5 mg/m ³ | Syngenta |
| propane-1,2,3-triol | 56-81-5 | TWA (mist, respirable fraction) | 5 mg/m ³ | OSHA Z-1 |
| | | TWA (mist, total dust) | 15 mg/m ³ | OSHA Z-1 |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.
 Maintain air concentrations below occupational exposure standards.
 Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local

AMISTAR TOP

| | | | |
|---------|----------------|--------------|--|
| Version | Revision Date: | SDS Number: | This version replaces all previous versions. |
| 2.0 | 09/17/2020 | S00041517350 | |

conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 6.0 - 9.0
Concentration: 100 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.10 - 1.14 g/cm³ (68 °F / 20 °C)

Solubility(ies)

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 932 °F / 500 °C

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Mouse, male and female): 1,424 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): 2.06 - < 5.17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Components:

Azoxystrobin:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat, male): 0.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 1,020 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

Azoxystrobin:

Species : Rabbit
Result : No skin irritation

difenoconazole:

Species : Rabbit
Result : No skin irritation

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

1,2-benzisothiazol-3(2H)-one:

Result : Irritating to skin.

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:**Azoxystrobin:**

Species : Rabbit
Result : No eye irritation

difenoconazole:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Eye irritation

1,2-benzisothiazol-3(2H)-one:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization**Components:****Azoxystrobin:**

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

difenoconazole:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity**Components:****Azoxystrobin:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

difenoconazole:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****Azoxystrobin:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females., The observed tumors do not appear to be relevant for men.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****Azoxystrobin:**

Reproductive toxicity - Assessment : No toxicity to reproduction

difenoconazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

Repeated dose toxicity**Components:****Azoxystrobin:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

difenoconazole:

Remarks : No adverse effect has been observed in chronic toxicity tests.

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Azoxystrobin:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Americamysis): 0.055 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.038 mg/l End point: Growth rate Exposure time: 96 h ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.301 mg/l Exposure time: 96 h |
| M-Factor (Acute aquatic toxicity) | : | 10 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l Exposure time: 28 d NOEC (Pimephales promelas (fathead minnow)): 0.147 mg/l Exposure time: 33 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.044 mg/l Exposure time: 21 d NOEC (Americamysis): 0.0095 mg/l Exposure time: 28 d |
| M-Factor (Chronic aquatic toxicity) | : | 10 |
| Toxicity to microorganisms | : | IC50 (Pseudomonas putida): > 3.2 mg/l Exposure time: 6 h |
| difenoconazole: | | |
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.77 mg/l Exposure time: 48 h EC50 (Americamysis): 0.15 mg/l Exposure time: 96 h |

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

- Toxicity to algae/aquatic plants : EC50 (*Navicula pelliculosa* (Freshwater diatom)): 0.091 mg/l
Exposure time: 72 h
- NOEC (*Navicula pelliculosa* (Freshwater diatom)): 0.053 mg/l
Exposure time: 72 h
- ErC50 (*Desmodesmus subspicatus* (green algae)): 0.0876 mg/l
Exposure time: 72 h
- NOEC (*Desmodesmus subspicatus* (green algae)): 0.0086 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.0076 mg/l
Exposure time: 34 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.0056 mg/l
Exposure time: 21 d
- NOEC (*Americamysis*): 0.0023 mg/l
Exposure time: 28 d
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- 1,2-benzisothiazol-3(2H)-one:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2.18 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.94 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 0.15 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.3 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia*): 1.7 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

Azoxystrobin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 214 d

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

Remarks: The substance is stable in water.

difenoconazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d
Remarks: Product is not persistent.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential

Components:

Azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

difenoconazole:

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 4.4 (77 °F / 25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

Azoxystrobin:

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 149 - 187 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

Azoxystrobin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

difenoconazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN AND DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN AND DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN AND DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : 9

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Wear protective eyewear.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
| sodium hydroxide | 1310-73-2 | 1000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA

AMISTAR TOP

Version 2.0 Revision Date: 09/17/2020 SDS Number: S00041517350 This version replaces all previous versions.

inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

| | | |
|-----------------|---|---|
| HEALTH | / | 2 |
| FLAMMABILITY | | 0 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
 OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Me-

AMISTAR TOP

| | | | |
|---------|----------------|--------------|--|
| Version | Revision Date: | SDS Number: | This version replaces all previous versions. |
| 2.0 | 09/17/2020 | S00041517350 | |

dian Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/17/2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8