

Revision date: 2025/11/24 Page: 1/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Aramax Intrinsic Brand Fungicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 1021944

Registration number: EPA Registration number: 7969-488 Synonyms: Pyraclostrobin + Triticonazole

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (Inhalation - mist) Acute toxicity
Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit.

2 Skin corrosion/irritation
Skin Sens.

1 Skin sensitization
Repr.

2 (unborn child) Reproductive toxicity

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 2/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Repr. 2 (fertility) Reproductive toxicity

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

respiratory system)

STOT RE 2 Specific target organ toxicity — repeated

exposure

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:





Signal Word: Warning

Hazard Statement:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility. Suspected of damaging the unborn

child.

H302 + H332 Harmful if swallowed or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.
P260 Do not breathe dust/gas/mist/vapours.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash contaminated body parts thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P314 Get medical attention if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

P330 Rinse mouth. P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 3/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Triticonazole

CAS Number: 138182-18-0 Content (W/W): 17.95 % Synonym: Triticonazole

Pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 15.8 % Synonym: No data available.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde,

sodium salts

CAS Number: 68425-94-5 Content (W/W): > 1.0 - <= 3.0% Synonym: No data available.

bronopol

CAS Number: 52-51-7 Content (W/W): < 0.1%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): < 0.1%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 4/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen bromide, Hydrogen chloride, nitrogen oxides, halogenated compounds, silica compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date: 2025/11/24 Page: 5/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 6/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Pyraclostrobin TWA value 0.13 mg/m3;

Triticonazole TWA value 0.335 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Physical state: liquid Form: liquid Odour: flowery

Odour threshold: Not determined since harmful by inhalation.

Colour: white

pH value: approx. 5.5 - 7.5

(1 %(m), 20 °C)

Freezing point: < 0 °C

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 7/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: 143.5 °C Flammability: not flammable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 490 °C SADT: > 75 °C

Vapour pressure: approx. 23.4 hPa

(20 °C)

Density: approx. 1.12 g/cm3

(20 °C)

Relative vapour density: not determined

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: 150 °C, 130 kJ/kg

(onset temperature) 300 °C, 210 kJ/kg (onset temperature)

Not a substance liable to self-decomposition according to UN

dynamic viscosity))

transport regulations, class 4.1.

Viscosity, dynamic: approx. 115 mPa.s

(20 °C)

Viscosity, kinematic: approx. 102.68 mm2/s (calculated (from

(20 °C)

Solubility in water: (20 °C)

dispersible

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 8/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

150 °C

(onset temperature)

300 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 300 - < 500 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat

Value: 1.913 mg/l (OECD Guideline 403)

An aerosol was tested.

<u>Dermal</u>

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 9/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Skin contact causes slight irritation.

Skin

Species: rabbit

Result: Slightly irritating. Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: skin sensitizing

Method: OECD Guideline 429

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Triticonazole

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 10/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Assessment of reproduction toxicity: The potential to impair fertility cannot be excluded when given at maternally toxic doses.

<u>Teratogenicity</u>

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Triticonazole

Assessment of teratogenicity: The substance did not cause malformations in animal studies;

however, toxicity to development was observed at high doses that were toxic to the parental animals.

Information on: Pyraclostrobin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen

in animal studies.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Triticonazole

LC50 (96 h) > 3.6 mg/l, Oncorhynchus mykiss

Information on: Pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Toxicity to fish

Information on: Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with

formaldehyde, sodium salts

LC50 (96 h) > 10 - 100 mg/l, Danio rerio (zebra fish) (OECD Guideline 203)

Aquatic invertebrates

Information on: Triticonazole

EC50 (96 h) 6.6 mg/l, Americamysis bahia

Information on: Pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0.00416 mg/l, Americamysis bahia

Revision date: 2025/11/24 Page: 11/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Aquatic plants

Information on: Triticonazole

EC50 (120 h) 0.31 mg/l. Skeletonema costatum

No observed effect concentration (120 h) 0.031 mg/l, Skeletonema costatum

EC50 (14 d) 1.4 mg/l, Lemna gibba

No observed effect concentration (14 d) 0.33 mg/l, Lemna gibba

EC50 (72 h) 10 mg/l, Pseudokirchneriella subcapitata

No observed effect concentration (72 h) 3.2 mg/l, Pseudokirchneriella subcapitata

Information on: Pyraclostrobin

EC10 (7 d) 0.82 mg/l (growth rate), Lemna gibba EC50 (7 d) > 1.007 mg/l (growth rate), Lemna gibba EC50 (72 h) 0.011 mg/l (growth rate), Navicula pelliculosa

Chronic toxicity to fish

Information on: Triticonazole

No observed effect concentration (28 d) 0.01 mg/l, Oncorhynchus mykiss No observed effect concentration (175 d) 0.0114 mg/l, Pimephales promelas

Information on: Pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: Triticonazole

No observed effect concentration (28 d) 0.041 mg/l, Mysidopsis bahia

Information on: Pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2,

semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Triticonazole

Not readily biodegradable (by OECD criteria).

Information on: Pyraclostrobin

Not readily biodegradable (by OECD criteria).

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 12/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Triticonazole

Bioconcentration factor: 72.55 (42 d), Lepomis macrochirus

Does not accumulate in organisms.

Information on: Pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Triticonazole

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Aramax Intrinsic Brand Fungicide

Revision date: 2025/11/24 Page: 13/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN, TRITICONAZOLE)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN, TRITICONAZOLE)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK	CAS Number	Chemical name
NJ PA	57-55-6	Propylene glycol
PA	57-55-6	Propylene glycol

Revision date: 2025/11/24 Page: 14/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

NFPA Hazard codes:

Health: 3 Fire: 1 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

May be fatal if swallowed.

HARMFUL IF INHALED.

Avoid inhalation of mists/vapours.

Causes moderate eye irritation.

Avoid contact with the skin, eyes and clothing.

Remove personal protective equipment and decontaminate prior to reuse.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Wash the outside of gloves before removing.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/11/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED

Revision date: 2025/11/24 Page: 15/15 Version: 4.0 (30796475/SDS_CPA_US/EN)

WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/11/24 Version: 4.0

Date / Previous version: 2022/04/13 Previous version: 3.0

END OF DATA SHEET