

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date : 2025/11/13  
Version: 7.0

Page: 1/13  
(30219849/SDS\_CPA\_US/EN)

### 1. Identification

**Product identifier used on the label**

**ARSENAL® RAILROAD**

**Recommended use of the chemical and restriction on use**

Recommended use\*: crop protection product, herbicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

**Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

**Other means of identification**

Substance number:	63388
Registration number:	EPA Registration number: 241-273
Molecular formula:	C(13) H(15) N(3) O(3).C(3) H(9) N
Synonyms:	Isopropylamine salt of imazapyr

### 2. Hazards Identification

**According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Skin Corr./Irrit.	2	Skin corrosion/irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 2/13  
(30219849/SDS\_CPA\_US/EN)

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P273	Avoid release to the environment.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical attention.
P337 + P313	If eye irritation persists: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

### Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 13 - 16 %

## 3. Composition / Information on Ingredients

**According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

| Imazapyr

| CAS Number: 81334-34-1  
Content (W/W): 27.6 %  
Synonym: Imazapyr

isopropylamine

CAS Number: 75-31-0  
Content (W/W): 1.0 - < 7.0%  
Synonym: 2-Propanamine; Isopropylamine

Acetic acid

CAS Number: 64-19-7

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 3/13  
(30219849/SDS\_CPA\_US/EN)

Content (W/W): 0.1 - < 1.0%  
Synonym: Acetic acid; Glacial acetic acid

The actual concentration is withheld as a trade secret.

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Wash thoroughly with soap and water

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No applicable information available.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, To be archived: Hydrocarbons, If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

#### Advice for fire-fighters

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 4/13  
(30219849/SDS\_CPA\_US/EN)

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 5/13  
(30219849/SDS\_CPA\_US/EN)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C  
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

#### **Components with occupational exposure limits**

isopropylamine	OSHA Z1:	PEL 5 ppm 12 mg/m <sup>3</sup> ;
	ACGIH, US:	TWA value 2 ppm ;
	ACGIH, US:	STEL value 5 ppm ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	NIO ID, US:	IDLH 750 ppm ; IDLH values based on the 1994 Revised Criteria

#### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### **Personal protective equipment**

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### **Eye protection:**

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 6/13  
(30219849/SDS\_CPA\_US/EN)

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Physical state:	liquid
Form:	liquid
Odour:	faint odour, ammonia-like
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	blue, clear
pH value:	approx. 6 - 8 ( 20 °C) The statements are based on the properties of the individual components.
Melting point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 100 °C Information applies to the solvent.
Sublimation point:	No applicable information available.
Flash point:	Non-flammable.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	Information applies to the solvent. not applicable
Vapour pressure:	approx. 23.3 hPa ( 20 °C) Information applies to the solvent.
Density:	approx. 1.06 - 1.09 g/cm <sup>3</sup> ( 20 °C)
Relative vapour density:	not applicable
Self-ignition temperature:	not self-igniting

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 7/13  
(30219849/SDS\_CPA\_US/EN)

Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.
Viscosity, dynamic:	approx. 1 mPa.s ( 20 °C) Information applies to the solvent.
Viscosity, kinematic:	No data available.
Solubility in water:	soluble
Solubility (quantitative):	No data available.
Solubility (qualitative):	No data available.
Molecular weight:	320.4 g/mol
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
Not an oxidizer.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.  
Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong bases, strong acids, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:  
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:  
Possible thermal decomposition products:

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 8/13  
(30219849/SDS\_CPA\_US/EN)

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, To be archived: Hydrocarbons  
Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

#### Inhalation

*Information on: Imazapyr technical*

*Type of value: LC50*

*Species: rat (male/female)*

*Value: > 2.4 mg/l (mean aerosol conc) (similar to OECD guideline 403)*

*Exposure time: 4 h*

*An aerosol was tested.*

*No mortality was observed.*

#### Dermal

Type of value: LD50

Species: rabbit

Value: > 2,000 mg/kg

No mortality was observed.

#### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

#### Skin

Species: rabbit

Result: Slightly irritating.



# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 9/13  
(30219849/SDS\_CPA\_US/EN)

Method: Primary skin irritation test

### Eye

Species: rabbit  
Result: Irritant.

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

*Information on: Imazapyr technical*

*Buehler test*

*Species: guinea pig*

*Result: Non-sensitizing.*

*Method: OECD Guideline 406*

### Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

---

## **12. Ecological Information**

### **Toxicity**

#### Aquatic plants

EC50 14.1 mg/l, Selenastrum capricornutum

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 10/13  
(30219849/SDS\_CPA\_US/EN)

### Toxicity to fish

Information on: Imazapyr technical  
LC50 (96 h) >100PPM, *Oncorhynchus mykiss* (static)  
LC50 (96 h) >100 ppm, *Lepomis macrochirus* (static)  
-----

### Aquatic invertebrates

Information on: Imazapyr technical  
EC50 (24 h) > 100 ppm, *Daphnia magna*  
-----

### Aquatic plants

Information on: Imazapyr technical  
EC50 (96 h) >1 ppm, *Selenastrum capricornutum* (static)  
EC50 (14 d) 24, *Lemna gibba*  
-----

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### Other terrestrial non-mammals

Information on: Imazapyr technical  
LD50 > 2,150 mg/kg, *Colinus virginianus* (OECD Guideline 205)  
LD50 > 2,150 mg/kg, *Anas platyrhynchos* (OECD Guideline 205)  
LD50 (48 h) > 100 mg/kg >100, *Apis mellifera*  
-----

## **Persistence and degradability**

### Elimination information

Not readily biodegradable (by OECD criteria).

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment bioaccumulation potential

Information on: Imazapyr technical

Does not accumulate in organisms.  
-----

## **Mobility in soil**

### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 11/13  
(30219849/SDS\_CPA\_US/EN)

*Information on: Imazapyr technical*

*The substance will not evaporate into the atmosphere from the water surface.  
Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

-----

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### RCRA:

This product is not regulated by RCRA.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

### Registration status:

Crop Protection      TSCA, US    released / exempt

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 12/13  
(30219849/SDS\_CPA\_US/EN)

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
100 LBS	75-31-0	isopropylamine

### State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	75-31-0	isopropylamine
	75-21-8	Ethylene Oxide
	123-91-1	1,4-dioxane
NJ	75-31-0	isopropylamine

### **Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### **Labeling requirements under FIFRA**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco.

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

## 16. Other Information

### **SDS Prepared by:**

BASF NA Product Regulations

SDS Prepared on: 2025/11/13

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

ARSENAL® RAILROAD is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED  
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS

# Safety Data Sheet

## ARSENAL® RAILROAD

Revision date: 2025/11/13  
Version: 7.0

Page: 13/13  
(30219849/SDS\_CPA\_US/EN)

PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/11/13  
Date / Previous version: 2022/10/26

Version: 7.0  
Previous version: 6.0

---

END OF DATA SHEET