

# Atrazine 90 DF Herbicide

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name	Mixture
Trade Names	Atrazine 90 DF Herbicide
CAS No.	Mixture
EPA Identification Number	EPA Reg. No. 35915-3-60063

**Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	Herbicide
Uses Advised Against	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Details of the supplier of the safety data sheet**

Company Identification	Sipcam Agro USA, Inc. 2525 Meridian Parkway Durham, NC 27713 United States of America
Telephone	(919) 226-1195

**Emergency telephone number**

Emergency Phone No.	CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	---

### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200)	Acute Tox. 4; STOT RE 2
-----------------------------	-------------------------

**Label elements**

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS) and for workplace labels of non pesticide chemicals. The labeling information below applies to non-pesticide workplace labels. For pesticide label information, refer to Section 15.

Hazard Symbol(s)



Signal Word(s)

**WARNING**

Hazard Statement(s)

Harmful if swallowed.  
May cause damage to organs through prolonged or repeated exposure: Heart

Precautionary Statement(s)

Do not breathe dust.  
Wash hands and exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not eat, drink or smoke when using this product.  
IF ON SKIN: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If irritation (redness, rash, blistering) develops, get

# Atrazine 90 DF Herbicide

medical attention. Treat symptomatically. Contaminated clothing should be laundered before reuse.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Do not give anything by mouth to an unconscious person. Treat symptomatically.

Get medical advice/attention if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice. Observe directions on label and instructions for use. See Also Section 15.

## Other hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Contains: Atrazine. May produce an allergic reaction in persons already sensitised.

## Additional Information

None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Atrazine-1,3,5-Triazine-2,4-diamine, 6-chloro-N2-ethyl-N4-(1-methylethyl)-	~ 88	1912-24-9	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT- RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Additional Information – None

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. If breathing is laboured, administer oxygen. Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

Skin Contact

Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Treat symptomatically. Contaminated clothing should be laundered before reuse.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Do not give anything by mouth to an unconscious person. Treat symptomatically.

**Most important symptoms and effects, both acute and delayed**

Harmful if swallowed. Contains: Atrazine. May produce an allergic reaction in persons already sensitised.

**Indication of any immediate medical attention and special treatment needed**

Call a POISON CENTER or doctor/physician if you feel unwell.

# Atrazine 90 DF Herbicide

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

- Suitable Extinguishing Media
- Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray.  
None known.

### Special hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds. Decontaminate equipment or materials used in pesticide fires.

### Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Wear suitable respiratory protective equipment if exposure to high levels of material are likely.

### Environmental precautions

Observe directions on label and instructions for use. See Also Section 15.

### Methods and material for containment and cleaning up

Observe directions on label and instructions for use. See Also Section 15.

### Reference to other sections

Observe directions on label and instructions for use. See Also Section 15.

### Additional Information

None

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Observe directions on label and instructions for use. See Also Section 15.

### Conditions for safe storage, including any incompatibilities

- Storage temperature
- Incompatible materials

Store at room temperature. Do not allow material to freeze.  
Strong oxidising agents. Substances that react with water.

### Specific end use(s)

Herbicide

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Atrazine	1912-24-9	-----	2 mg/m3 <sup>(1)</sup>	-----	-----	<sup>(1)</sup> Inhalable

### Exposure controls

# Atrazine 90 DF Herbicide

## Appropriate engineering controls

Do **NOT** aerosolize or atomize to produce inhalable-size particles. Use low-pressure coarse spray only. Observe directions on label and instructions for use. See Also Section 15.

## Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Gloves. Observe directions on label and instructions for use. See Also Section 15.

Respiratory protection



Observe directions on label and instructions for use. See Also Section 15.

Thermal hazards

Not normally required.

## Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses. Observe directions on label and instructions for use. See Also Section 15.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Solid Granules
Colour.	Beige
Odour	Mild
Odour Threshold (ppm)	Not available.
pH (Value)	8.99
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.
Flash Point (°C)	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Explosive Limit Ranges	Not available.
Vapour pressure (Pascal)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	0.470 g/mL (pour density) – 0.512 g/mL (tap density)
Solubility (Water)	Not available.
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Point (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity (cSt)	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
<b>Other information</b>	Not available.

# Atrazine 90 DF Herbicide

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	No hazardous reactions known if used for its intended purpose.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Incompatible materials
<b>Incompatible materials</b>	Strong oxidising agents. Substances that react with water.
<b>Hazardous decomposition product(s)</b>	Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds. Decontaminate equipment or materials used in pesticide fires.

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

### Information on toxicological effects

**Substances** Not applicable.

**Mixtures** Not available.

### Substances in preparations / mixtures

Atrazine (CAS# 1912-24-9):

Acute toxicity (calculated / estimated)	Oral LD50: 714 - >1869 mg/kg-bw (rat) Dermal LD50: >2000 mg/kg-bw (rat) Inhalation LC50: > 5.8 mg/L (4 hr) (rat)
Irritation/Corrosivity	Unlikely to cause skin irritation. Unlikely to cause eye irritation.
Sensitization	May cause an allergic skin reaction.
Repeated dose toxicity	May cause damage to organs through prolonged or repeated exposure: Oral, Heart
Carcinogenicity	Not to be expected.

NTP	IARC	ACGIH	OSHA
No	No	No	No

Mutagenicity Not to be expected.

Reproductive toxicity Not to be expected.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Atrazine (CAS#1912-24-9):

Short term	LC50 (96 hour): 4.5 - 11 mg/L(fish) EC50 (48 hour): 0.7 – 8.1 mg/L (crustacea) EC50 (72 hour): 0.043 mg/l (algae)
Long Term	Very toxic to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	Part of the components are poorly biodegradable.
<b>Bioaccumulative potential</b>	Not determined.
<b>Mobility in soil</b>	Not determined.
<b>Results of PBT and vPvB assessment</b>	Not classified as PBT.
<b>Other adverse effects</b>	None known.

# Atrazine 90 DF Herbicide

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>Waste treatment methods</b>	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice. Observe directions on label and instructions for use. See Also Section 15.
<b>Additional Information</b>	None known.

## SECTION 14: TRANSPORT INFORMATION

	<b>Land transport (U.S. DOT) *</b>	<b>Sea transport (IMDG)</b>	<b>Air transport (ICAO/IATA)</b>
<b>UN number</b>	Not classified as dangerous for transport. *	UN 3077	UN 3077
<b>Proper Shipping Name</b>		Environmentally hazardous substance, solid, n.o.s. (Atrazine)	
<b>Transport hazard class(es)</b>		9	9
<b>Packing group</b>		III	III
<b>Hazard label(s)</b>		Marine Pollutant	Marine Pollutant
<b>Environmental hazards</b>		Yes	Yes
<b>Special precautions for user</b>		None Assigned	None Assigned

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable

\* For bulk shipments in U.S., can be shipped as UN3077, Environmentally hazardous substance, solid, n.o.s. (Atrazine), 9, PG III

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture:

**TSCA (Toxic Substance Control Act) - Inventory Status:** This is a registered pesticide product regulated under Federal Insecticide, Fungicide, and Rodenticide Act and, therefore, the components of this product are not subject to listing on the TSCA inventory.

### EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

**CAUTION:** Harmful if swallowed. Harmful if absorbed through skin. Causes moderate irritation. Avoid contact with skin, eyes, or clothing.

### Personal Protective Equipment (PPE):

Mixers, loaders, cleaners of equipment or spills, and other handlers exposed to the concentrate must wear:

- Coveralls over long sleeved shirt and long pants,
- Chemical-resistant gloves, made of barrier laminate, or butyl rubber ≥ 14 mils, or nitrile rubber ≥ 14 mils, or neoprene rubber ≥ 14 mils, or polyvinyl chloride (PVC) ≥ 14 mils, or viton ≥ 14 mils,
- Chemical resistant footwear plus socks,
- Chemical – resistant apron, and
- Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any R or P filter; OR a NIOSH-approved elastomeric particulate respirator with any R or P filter; OR a NIOSH-approved powered air purifying respirator with HE filters.

Applicators using spray equipment mounted on their backs must wear:

- Coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or viton ≥ 14 mils, and
- Chemical-resistant footwear plus socks.

For groundboom applications to corn, sorghum, fallow, and sugarcane:



# Atrazine 90 DF Herbicide

- Long sleeved shirt and long pants,
- Shoes plus socks
- Chemical resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or viton  $\geq$  14 mils, and
- Particulate filtering facepiece.

All other applicators and all other handlers exposed to the dilute product must wear:

- Long sleeved shirt and long pants,
- Shoes plus socks, and
- Chemical resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or viton  $\geq$  14 mils.

Respirator fit testing, medical qualification, and training

- Using a program that conforms to OSHA's requirements (see 29 CFR Part), employers must verify that any handler who uses a respirator is:
  - Fit-tested and fit-checked,
  - Trained, and
  - Examined by a qualified medical practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional who will evaluate the ability of a worker to wear a respirator. The initial evaluation consists of a questionnaire that asks about medical conditions (such as a heart condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary. The initial evaluation must be done before respirator use begins. Handlers must be reexamined by a qualified medical practitioner if their health status or respirator style or use conditions change.
- Upon request by local/state/federal/tribal enforcement personnel, employers must provide documentation demonstrating how they have complied with these requirements.

Aerial application is prohibited.

See engineering controls for addition requirements.

## Engineering Controls:

When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## Environmental Hazards:

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

Product must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other suitable crop. Product must not be mixed or loaded, or used within 50 feet of all wells including abandoned wells, drainage wells, and sink holes. Operations that involve mixing, loading, rinsing, or washing of this product into or from pesticide handling or application equipment or containers within 50 ft. of any well are prohibited, unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water, and rain water that may fall on the pad. Surface water shall not be allowed to either flow over or from the pad, which means the pad must be self-contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain at a minimum 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above-specified minimum containment capacities do not apply to vehicles when delivering pesticide to the mixing/ loading sites.

Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed.

An in-field downwind buffer of 15 feet (4.6 meters) for ground applications and 150 feet (46 meters) for aerial applications is required:

- from the edge of all streams and rivers as well as the high-tide line for all estuarine/marine environments, and
- from threatened and endangered species critical habitat and/or species locations.

One of the following restrictions must be used in applying atrazine to tile-outletted terraced fields containing standpipes:



# Atrazine 90 DF Herbicide

- Do not apply this product within 66 feet of standpipes in tile outletted terraced fields.
- Apply this product to the entire tile-outletted terraced field and immediately incorporate it to a depth of 2-3 inches in the entire field.
- Apply this product to the entire tile outletted terraced field under a no till practice only when a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest.

Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.

#### Non-Target Organism Advisory Statement

This product is toxic to plant and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

The pesticide label also includes other important information, including directions for use.

#### Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	-----	-----

**SARA 311/312 - Hazard Categories:** See SECTION 2 - HAZARDS IDENTIFICATION

#### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	----	-----

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None	----	-----	-----	

#### Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
None	----	-----	-----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

**Date of preparation:** December 1, 2021

**Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:**

#### Hazard Statement(s)

- H302: Harmful if swallowed.
- H317: May cause an allergic skin reaction.
- H373: May cause damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Sipcarn Agro USA, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Sipcarn Agro USA, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.