



Safety Data Sheet

Preparation Date 03-Feb-2020

Revision date 07-Jun-2022

Revision Number: 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Identification of the product

Product Description Audit 4:1 Herbicide

Other means of identification

Internal SDS code 12-0436
Registration number(s) 70506-436

Recommended use of the chemical and restrictions on use

Recommended use Herbicide.
Uses advised against Activities contrary to label recommendation

Details of the Supplier of the Safety Data Sheet

Supplier Address

UPL NA Inc.
630 Freedom Business Center
Suite 402
King of Prussia, PA 19406

Emergency telephone number

Company Phone Number 1-800-438-6071
Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887
Medical: Rocky Mountain Poison and Drug Safety (866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Carcinogenicity	Category 1A

Label elements

EMERGENCY OVERVIEW

DANGER

Hazard Statements

May cause an allergic skin reaction
May cause cancer by inhalation



Appearance Granule

Physical state solid

Odor Slight

Precautionary Statements - Prevention

Do not get in eyes, on skin, or on clothing
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)**OTHER INFORMATION**

- MAY BE HARMFUL IF SWALLOWED
- May be harmful in contact with skin
- Very toxic to aquatic life
- Very toxic to aquatic life with long lasting effects

3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Tribenuron-methyl	101200-48-0	5-15
Thifensulfuron methyl	79277-27-3	30-50
Titanium dioxide	13463-67-7	<1
Silicon dioxide (Cristobalite)	14808-60-7	<1

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Clean mouth with water. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and Effects May cause cancer by inhalation - TiO₂ and SiO₂ are identified as inhalation of dust hazards under IARC (see Section 11).

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Combustible material. Dust explosion characteristics vary with the particle size, particle shape, moisture content, contaminants, and other variables. Dust clouds generated during handling and/or storage can form explosive mixtures with air. Avoid creating dust.

Hazardous combustion products Carbon oxides. Sulfur oxides. Irritating gases may be formed if product is involved in a fire.

Explosion data

Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin and eyes. Use personal protective equipment. Avoid dust formation. Remove all sources of ignition.

Environmental Precautions

Environmental precautions Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Handling Keep out of reach of children. Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Wash thoroughly after handling. Avoid dust formation. In case of inadequate ventilation wear respiratory protection.

Conditions for safe storage, including any incompatibilities

Storage Keep in a dry, cool and well-ventilated place. Keep away from contact with oxidizing materials. Do not store near strong acids.

incompatible materials Strong oxidizing agents. Acids.

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust
Silicon dioxide (Cristobalite)	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ Action Level: 25 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction

Engineering controls Investigate engineering techniques to reduce exposures. Local mechanical exhaust

ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal protective equipment

Eye/Face Protection

Use eye protection to avoid eye contact. Where there is potential for eye contact have eye flushing equipment available. If splashes are likely to occur, wear: Goggles.

Skin protection

Long sleeved clothing. Long pants. waterproof gloves. Socks and footwear.

Respiratory protection

Avoid breathing dust. Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Granule
Physical state	solid
Odor	Slight
color	Light brown

<u>Property</u>	<u>VALUES</u>	<u>Remarks/ Method</u>
pH	5.16	1% suspension
Melting point/freezing point		None known
Boiling Point/Range		None known
Flash Point	No information available	None known
Evaporation Rate		None known
Flammability (solid, gas)		None known
Specific gravity		None known
Bulk density	40 lb/ft3	None known
Water solubility		partially miscible
None known		Solubility in Other Solvents Soluble
None known		Partition coefficient: n-octanol/water
None known		Autoignition temperature
None known		Decomposition temperature
None known		Viscosity
None known		Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

9.2 OTHER INFORMATION

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

incompatible materials

Strong oxidizing agents. Acids.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information	Audit 1:1 and Audit 4:1 Acute oral LD50 (rat) = >5000 mg/kg Acute dermal LD50 (rat) = >5000 mg/kg Acute inhalation LC50 (rat) = >2.05 mg/L/4hr
Inhalation	May be harmful if inhaled.
Eye contact	Moderately irritating to the eyes.
Skin contact	Slightly irritating.
Ingestion	MAY BE HARMFUL IF SWALLOWED.

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Mutagenic effects no data available.
Carcinogenicity The information below indicates whether any agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B		X
Silicon dioxide (Cristobalite) 14808-60-7	A2	Group 1	Known	X

Reproductive effects Not Available.
STOT - Single Exposure no data available.
STOT - Repeated Exposure no data available.
Aspiration hazard No information available.

Numerical Measures of Toxicity - Product information

LD50 Oral > 5000 mg/kg (rat)
LD50 Dermal > 5000 mg/kg 20

12. Ecological Information

ecotoxicity

Thifensulfuron methyl
 FISH (rainbow trout) LC50 = >100 mg/L 96 hr
 DAPHNIA EC50 = 470 mg/L 48hr

Thibenuron methyl
 FISH (rainbow trout) LC50 = >1000 mg/L 96 hr
 DAPHNIA EC50 = 720 mg/l 48 hr

Persistence/Degradability

no data available.

Bioaccumulation/ Accumulation

No information available.

Other Adverse Effects

no data available

13. Disposal Considerations

Waste Treatment Methods**Waste Disposal Method**

Pesticide wastes can be hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging

Refer to product label.

14. Transport Information

DOT

NOT REGULATED

TDG

NOT REGULATED

IATA

NOT REGULATED

IMDG

NOT REGULATED

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word

CAUTION

Causes moderate eye irritation. Keep out of Reach of Children. For terrestrial uses, do not apply directly to water, or to

areas where surface water is present, or to intertidal areas below mean high water mark.

International Inventories

USINV	Not present
DSL/NDSL	Not present
EINECS/ ELINCS	Not Present
ENCS	Not Present
China	Not Present
KECL	Not Present
PICCS	Not Present
AICS	Not Present
TSCA	Not Present

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CERCLA

Not applicable

CERCLA

RCRA

Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Tribenuron-methyl 101200-48-0 (5-15)			X	
Thifensulfuron methyl 79277-27-3 (30-50)			X	
Titanium dioxide 13463-67-7 (<1)			X	

State Regulations

Component	California Prop. 65
Titanium dioxide 13463-67-7 (<1)	Carcinogen
Chemical name	CAS No
Titanium dioxide	13463-67-7
	CATEGORY
	Carcinogen

Prop 65 Pictogram



**Prop 65 Warning Statement
California Proposition 65**

WARNING
 This product can expose you to chemicals which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tribenuron-methyl - 101200-48-0		X			
Titanium dioxide - 13463-67-7	X	X	X		
Silicon dioxide (Cristobalite) - 14808-60-7	X	X	X	X	

International regulations

U.S. EPA Label information

EPA Pesticide registration number 70506-436

16. Other Information

NFPA **HEALTH 1** **flammability 0** **Instability 0** **Physical hazard -**

Preparation Date 03-Feb-2020

Revision date 07-Jun-2022

Revision Summary

Update registration number

Disclaimer

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of SDS