

SAFETY DATA SHEET

Authority® Elite Herbicide

SDS #: 7479-1-A
Revision date: 2021-02-11
Format: NA
Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Authority® Elite Herbicide

Formula code 50001814

Other means of identification

Product Code(s) 7479-1-A

Synonyms SULFENTRAZONE (FMC 97285):
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)
methanesulfonanilide (IUPAC name);
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name),

, s-METOLACHLOR: Acetamide,
2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-(S)

Active Ingredient(s) Sulfentrazone, s-Metolachlor

Chemical Family Triazolinones, Chloroacetanilide herbicide

Alternate Commercial Name F7583-3 Herbicide

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2B
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements
 H317 - May cause an allergic skin reaction
 H320 - Causes eye irritation
 H332 - Harmful if inhaled
 H351 - Suspected of causing cancer
 H373 - May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P271 - Use only outdoors or in a well-ventilated area
- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

- P308 + P313 - If exposed or concerned: Get medical advice/attention
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 - If eye irritation persists: Get medical advice/ attention
- P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P363 - Wash contaminated clothing before reuse
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

- P405 - Store locked up

Precautionary Statements - Disposal

- P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Triazolinones, Chloroacetanilide herbicide.

Chemical name	CAS-No	Weight %
s-Metolachlor	87392-12-9	68.25
Sulfentrazone	122836-35-5	7.55
Naphtha (petroleum), heavy aromatic	64742-94-5	<5
Naphthalene*	91-20-3	<1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	If swallowed, do not induce vomiting - seek medical advice Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	None known.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. Dry powder. Water spray.
Small Fire	Dry chemical. Carbon dioxide (CO ₂).
Large Fire	Water spray. Foam.
Unsuitable extinguishing media	Avoid heavy hose streams.
Specific Hazards Arising from the Chemical	None known
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container.
Packaging material	Must only be kept in original packaging.
Incompatible products	None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Naphthalene* (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Naphthalene* (91-20-3)	TWA: 10 ppm Skin	TWA: 10 ppm Skin	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.
Respiratory Protection	For dust, splash, mist or spray exposures, wear a filtering mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Amber Liquid
Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	No information available
pH	4.78
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	94-98 °C
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	9.24 lb/gal (1.11 g/mL) @ 23.1 degrees C
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known
Incompatible materials	None known.
Hazardous Decomposition Products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 3129 mg/kg (rat)
 LD50 Dermal > 5000 mg/kg (rat)
 LC50 Inhalation (dust) > 2.02 mg/L (rat)

Serious eye damage/eye irritation Moderately irritating.
 Skin corrosion/irritation Moderately irritating (rabbit).
 Sensitization Sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
s-Metolachlor (87392-12-9)	= 2267 mg/kg (Rat)		
Naphtha (petroleum), heavy aromatic (64742-94-5)	300-2000 mg/kg	> 2 mL/kg (Nyúl)	>5,2 mg/L
Naphthalene* (91-20-3)	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Prolonged exposure may cause chronic effects.
Mutagenicity Sulfentrazone: Did not show mutagenic effects in animal experiments
Carcinogenicity s-Metolachlor produced benign liver tumors in female rats administered high doses. Sulfentrazone: Did not show carcinogenic effects in animal experiments.
Neurological effects Sulfentrazone: Altered motor activity and FOB effects, which reverse after single exposure, with no signs of histopathology
Reproductive toxicity s-Metolachlor: No toxicity to reproduction in animal studies. Offspring Toxicity (sulfentrazone): LOAEL = 33 mg/kg/day for males; 40 mg/kg/day for females.
Developmental toxicity s-Metolachlor: Not teratogenic in animal studies. Sulfentrazone: NOAEL of 10 mg/kg/day in the developmental toxicity study in rat. NOAEL of 14 mg/kg/day in a 2-generation reproduction study.
STOT - single exposure Not classified.
STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects s-Metolachlor: Liver. Sulfentrazone: Hematopoietic system.
Neurological effects Sulfentrazone: Altered motor activity and FOB effects, which reverse after single exposure, with no signs of histopathology
Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene* 91-20-3	A3	Group 2B	Reasonably Anticipated	X

Legend:

- ACGIH (American Conference of Governmental Industrial Hygienists)**
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
- Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
- X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

s-Metolachlor (87392-12-9)				
Active Ingredient(s)	Duration	Species	Value	Units
s-Metolachlor	96 h LC50	Rainbow trout	11.9	mg/L

	5 d EC50	Algae	0.008	mg/L
	48 h EC50	Water flea	26	mg/L
	LD50 Oral	Bobwhite quail	>2510	mg/kg

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
	96 h LC50	<i>Onchorhynchus mykiss</i>	> 120	mg/L
	99 d NOAEC	<i>Onchorhynchus mykiss</i>	2.95	mg/L
	48 h EC50	<i>Daphnia magna</i>	60.4	mg/L
	21 d NOAEC	<i>Daphnia magna</i>	0.2	mg/L
	120 h EC50	<i>Pseudokirchneriella subcapitata</i>	0.031	mg/L
	120 h EC50	<i>Navivula pelliculosa</i>	0.042	mg/L
	14-day EC50	<i>Lemna gibba</i> (duckweed)	0.0288	mg/L
	14-d NOAEL	<i>Lemna gibba</i> (duckweed)	0.019	mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Toluene 108-88-3	72 h EC50: = 12.5 mg/L (<i>Pseudokirchneriella subcapitata</i>) static 96 h EC50: > 433 mg/L (<i>Pseudokirchneriella subcapitata</i>)	96 h LC50: 11.0 - 15.0 mg/L (<i>Lepomis macrochirus</i>) static 96 h LC50: 14.1 - 17.16 mg/L (<i>Oncorhynchus mykiss</i>) static 96 h LC50: 15.22 - 19.05 mg/L (<i>Pimephales promelas</i>) flow-through 96 h LC50: 5.89 - 7.81 mg/L (<i>Oncorhynchus mykiss</i>) flow-through 96 h LC50: 50.87 - 70.34 mg/L (<i>Poecilia reticulata</i>) static 96 h LC50: = 12.6 mg/L (<i>Pimephales promelas</i>) static 96 h LC50: = 28.2 mg/L (<i>Poecilia</i> <i>reticulata</i>) semi-static 96 h LC50: = 5.8 mg/L (<i>Oncorhynchus mykiss</i>) semi-static 96 h LC50: = 54 mg/L (<i>Oryzias latipes</i>) static	48 h EC50: 5.46 - 9.83 mg/L (<i>Daphnia magna</i>) Static 48 h EC50: = 11.5 mg/L (<i>Daphnia magna</i>)
1-hexanol 111-27-3		96 h LC50: 89.7 - 106 mg/L (<i>Pimephales promelas</i>) flow-through 96 h LC50: = 144 mg/L (<i>Brachydanio rerio</i>) static	24 h EC50: = 201 mg/L (<i>Daphnia</i> <i>magna</i>)
Sulfentrazone 122836-35-5	32.6	94 mg/L&5.9	60.4 mg/L&0.51
Naphtha (petroleum), heavy aromatic 64742-94-5	72 h EC50: = 2,5 mg/L (<i>Skeletonema costatum</i>)	96 h LC50: = 1740 mg/L (<i>Lepomis</i> <i>macrochirus</i>) static 96 h LC50: = 19 mg/L (<i>Pimephales promelas</i>) static 96 h LC50: = 2,34 mg/L (<i>Oncorhynchus mykiss</i>) 96 h LC50: = 41 mg/L (<i>Pimephales promelas</i>) 96 h LC50: = 45 mg/L (<i>Pimephales</i> <i>promelas</i>) flow-through	48 h EC50: = 0,95 mg/L (<i>Daphnia</i> <i>magna</i>)
Naphthalene* 91-20-3	72 h EC50: = 0.4 mg/L (<i>Skeletonema costatum</i>)	96 h LC50: 0.91 - 2.82 mg/L (<i>Oncorhynchus mykiss</i>) static 96 h LC50: 5.74 - 6.44 mg/L (<i>Pimephales promelas</i>) flow-through 96 h LC50: = 1.6 mg/L (<i>Oncorhynchus mykiss</i>) flow-through 96 h LC50: = 1.99 mg/L (<i>Pimephales promelas</i>) static 96 h LC50: = 31.0265 mg/L (<i>Lepomis macrochirus</i>) static	48 h EC50: 1.09 - 3.4 mg/L (<i>Daphnia magna</i>) Static 48 h EC50: = 1.96 mg/L (<i>Daphnia magna</i>) Flow through 48 h LC50: = 2.16 mg/L (<i>Daphnia magna</i>)
Cumene 98-82-8	72 h EC50: = 2,6 mg/L (<i>Pseudokirchneriella subcapitata</i>)	96 h LC50: 6,04 - 6,61 mg/L (<i>Pimephales promelas</i>) flow-through 96 h LC50: = 2,7 mg/L (<i>Oncorhynchus mykiss</i>) semi-static 96 h LC50: = 4,8 mg/L (<i>Oncorhynchus mykiss</i>)	48 h EC50: 7,9 - 14,1 mg/L (<i>Daphnia magna</i>) Static 48 h EC50: = 0,6 mg/L (<i>Daphnia magna</i>)

		flow-through 96 h LC50: = 5,1 mg/L (Poecilia reticulata) semi-static	
--	--	---	--

Persistence and degradability	s-Metolachlor: Persistent. Does not readily hydrolyze. Sulfentrazone: Persistent. Does not readily hydrolyze. Not readily biodegradable.
Bioaccumulation	s-Metolachlor: Low potential for bioconcentration. Sulfentrazone: The substance does not have a potential for bioconcentration.
Mobility	Sulfentrazone: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.
Contaminated containers and packages	Clean container with water. Dispose of rinse water in accordance with local and national guidelines.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation 49 CFR Parts 100 through 185, unless shipped in bulk packaging. The classification below pertains to the shipment in bulk packaging [(>119 gal, liquid) or (882 lb, solid)].

TDG Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

UN/ID no	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. Environmentally hazardous substance, liquid, n.o.s.
Hazard class	9
Packing Group	III
Marine Pollutant	s-Metolachlor, Sulfentrazone.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor, Sulfentrazone), 9, PGIII, Marine Pollutant

ICAO/IATA

UN/ID no	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. Environmentally hazardous substance, liquid, n.o.s.
Hazard class	9
Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor, Sulfentrazone), 9, PGIII, Marine Pollutant

IMDG/IMO

UN/ID no	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. Environmentally hazardous substance, liquid, n.o.s.
Hazard class	9
Packing Group	III
Environmental Hazards	s-Metolachlor, Sulfentrazone
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor, Sulfentrazone), 9, PGIII, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene* - 91-20-3	91-20-3	<1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene* 91-20-3	100 lb	X	X	X
Toluene 108-88-3	1000 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Naphthalene* 91-20-3	100 lb 45.4 kg	
Cumene 98-82-8	5000 lb 2270 kg	
Toluene 108-88-3	1000 lb 454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution
 Harmful if swallowed. Causes moderate eye irritation
 This pesticide is toxic to fish and marine/estuarine invertebrates.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene* - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania

Naphthalene* 91-20-3	X	X	X
-------------------------	---	---	---

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
Naphthalene* 91-20-3	X	X	X	X	X	X	X	X

CANADA

Not applicable

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date:

2021-02-11

Reason for revision:

SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet