

**AXIAL STAR**

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

---

**SECTION 1. IDENTIFICATION**

Product name : AXIAL STAR

Design code. : A17712C

Product Registration number : 100-1389

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481

Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity : Category 2 (Urinary system, Liver)  
- repeated exposure

Aspiration hazard : Category 1

## AXIAL STAR

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

### GHS label elements

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H227 Combustible liquid.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H360Df May damage the unborn child. Suspected of damaging fertility.  
 H373 May cause damage to organs (Urinary system, Liver) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P331 Do NOT induce vomiting.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste dis-

## AXIAL STAR

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

posal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
solvent naphtha (petroleum), highly arom.	64742-94-5	>= 20 - < 30
(tetrahydro-furan-2-yl)-methanol	97-99-4	>= 10 - < 20
fluroxypyr-meptyl	81406-37-3	12.3431
2-methyl-naphthalene	91-57-6	>= 5 - < 10
1-methyl-naphthalene	90-12-0	>= 5 - < 10
pinoxaden	243973-20-8	4.902
benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7	>= 1 - < 5
cloquintocet-mexyl	99607-70-2	>= 1 - < 5

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary edema and pneumonitis.

**AXIAL STAR**

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

---

Notes to physician : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

---

**SECTION 7. HANDLING AND STORAGE**

## AXIAL STAR

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

- Advice on safe handling** : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage** : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
solvent naphtha (petroleum), highly arom.	64742-94-5	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
(tetrahydro-furan-2-yl)-methanol	97-99-4	TWA	0.5 ppm	US WEEL
fluroxypyr-meptyl	81406-37-3	TWA	10 mg/m <sup>3</sup>	Supplier
2-methyl-naphthalene	91-57-6	TWA	0.5 ppm	ACGIH
1-methyl-naphthalene	90-12-0	TWA	0.5 ppm	ACGIH
pinoxaden	243973-20-8	TLV-C	0.1 mg/m <sup>3</sup>	Syngenta
cloquintocet-mexyl	99607-70-2	TWA	1 mg/m <sup>3</sup>	Syngenta

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

- Respiratory protection** : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

## AXIAL STAR

Version 2.1	Revision Date: 02/10/2023	SDS Number: S1433718644	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : aromatic

Odor Threshold : No data available

pH : 6.1

**AXIAL STAR**

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

---

Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	183 °F / 84 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.02 g/cm <sup>3</sup> (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	554 °F / 290 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.

## AXIAL STAR

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.54 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

##### Components:

##### **fluroxypyr-meptyl:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **2-methyl-naphthalene:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

##### **1-methyl-naphthalene:**



## AXIAL STAR

Version 2.1	Revision Date: 02/10/2023	SDS Number: S1433718644	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

### **pinoxaden:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 4.63 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **cloquintocet-mexyl:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.935 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

#### **Product:**

Species : Rabbit  
Result : Irritating to skin.

#### **Components:**

#### **fluroxypyr-meptyl:**

Result : No skin irritation

#### **pinoxaden:**

Method : Based on Human Evidence  
Result : Irritating to skin.

### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

**AXIAL STAR**

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

Species : Rabbit  
Result : Irritating to skin.

**cloquintocet-mexyl:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Components:****(tetrahydro-furan-2-yl)-methanol:**

Result : Eye irritation

**fluroxypyr-meptyl:**

Result : No eye irritation

**pinoxaden:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**cloquintocet-mexyl:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : May cause sensitization by skin contact.

**Components:****fluroxypyr-meptyl:**

Result : Did not cause sensitization on laboratory animals.

**pinoxaden:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : The product is a skin sensitizer, sub-category 1A.

## AXIAL STAR

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Test Type : Respiratory sensitization  
 Result : Does not cause respiratory sensitization.  
 Remarks : Experience with human exposure

### cloquintocet-mexyl:

Species : Guinea pig  
 Result : May cause sensitization by skin contact.

### Germ cell mutagenicity

#### Components:

#### fluroxypyr-meptyl:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### pinoxaden:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### cloquintocet-mexyl:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

#### fluroxypyr-meptyl:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### pinoxaden:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### cloquintocet-mexyl:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Components:

#### (tetrahydro-furan-2-yl)-methanol:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

## AXIAL STAR

Version 2.1	Revision Date: 02/10/2023	SDS Number: S1433718644	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

### fluroxypyr-meptyl:

Reproductive toxicity - Assessment : No toxicity to reproduction

### pinoxaden:

Reproductive toxicity - Assessment : No toxicity to reproduction

### cloquintocet-mexyl:

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT-single exposure

#### Components:

### fluroxypyr-meptyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### pinoxaden:

Assessment : Based on Human Evidence, The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Remarks : Breathing difficulties  
Cough  
Acute irritation of the respiratory system leading to tightness of the chest and an asthmatic condition.

### cloquintocet-mexyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

#### Components:

### fluroxypyr-meptyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### pinoxaden:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### cloquintocet-mexyl:

Target Organs : Urinary system, Liver  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

## AXIAL STAR

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

### Aspiration toxicity

#### Components:

**solvent naphtha (petroleum), highly arom.:**

May be fatal if swallowed and enters airways.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

**solvent naphtha (petroleum), highly arom.:**

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### **fluroxypyr-meptyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.225 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.183 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1.1410 mg/l  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.075 mg/l  
Exposure time: 14 d

NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.031 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.32 mg/l

M-Factor (Chronic aquatic toxicity) : 1

#### **2-methyl-naphthalene:**

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

## AXIAL STAR

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

### 1-methyl-naphthalene:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### pinoxaden:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 52 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3.6 mg/l  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 1.72 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.94 mg/l  
End point: Growth rate  
Exposure time: 96 h

NOEC (Lemna gibba (gibbous duckweed)): 0.73 mg/l  
End point: Growth rate  
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 6.6 mg/l  
Exposure time: 28 d

### benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Fish): > 1 - < 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 29 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.5 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials

## AXIAL STAR

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.18 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

### cloquintocet-mexyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.97 mg/l  
Exposure time: 96 h

LC50 (Gobiocypris rarus (rare gudgeon)): 0.102 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.82 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 2.2 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.12 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): > 0.437 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

### Persistence and degradability

#### Components:

#### **fluroxypyr-meptyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 454 d  
Remarks: Persistent in water.

#### **pinoxaden:**

Biodegradability : Result: rapidly degradable

Stability in water : Degradation half life: 0.3 d  
Remarks: Product is not persistent.

#### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.

#### **cloquintocet-mexyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 0.4 d  
Remarks: Product is not persistent.

**AXIAL STAR**

Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

---

**Bioaccumulative potential****Components:****fluroxypyr-meptyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

**pinoxaden:**

Bioaccumulation : Remarks: Low bioaccumulation potential.

**cloquintocet-mexyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5.24 (77 °F / 25 °C)

**Mobility in soil****Components:****fluroxypyr-meptyl:**

Distribution among environmental compartments : Remarks: immobile

**pinoxaden:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 0.1 - 1.8 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**cloquintocet-mexyl:**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 2.4 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**Other adverse effects****Components:****pinoxaden:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**cloquintocet-mexyl:**



## AXIAL STAR

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(FLUROXYPYR-MEPTYL, SOLVENT NAPHTHA)  
Class : 9  
Packing group : III  
Labels : 9

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(FLUROXYPYR-MEPTYL, SOLVENT NAPHTHA)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(FLUROXYPYR-MEPTYL, SOLVENT NAPHTHA)  
Class : 9  
Packing group : III

## AXIAL STAR

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Combustible liquid, n.o.s. (SOLVENT NAPHTHA, TETRAHYDROFURFURYL ALCOHOL)
Class	:	CBL
Packing group	:	III
Labels	:	NONE
ERG Code	:	128
Marine pollutant	:	no

### Special precautions for user

Remarks	:	49CFR: no dangerous good in non-bulk packaging
---------	---	--

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### Caution

Contains petroleum distillate.

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Wear long-sleeved shirt and long pants, socks, shoes, and gloves.

Wear protective eyewear.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Avoid contact with skin, eyes or clothing.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

<b>SARA 311/312 Hazards</b>	:	Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure) Aspiration hazard Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---	--

## AXIAL STAR


Version 2.1      Revision Date: 02/10/2023      SDS Number: S1433718644      This version replaces all previous versions.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
 ACGIH / TWA : 8-hour, time-weighted average  
 US WEEL / TWA : 8-hr TWA

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

**AXIAL STAR**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.1	02/10/2023	S1433718644	

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/10/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8