

Valagro S.p.A.

Zona Ind.le 66041 Atessa (Ch) ITALIA
tel. (+39) 0872 881.1 Fax (+39) 0872 897416
www.valagro.com



Responsible Care
L'impegno dell'industria chimica
per l'ambiente
la sicurezza la salute

**COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV**
= ISO 14001 =

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV**
= ISO 9001/2000 =



SAFETY SHEET AXILO Ca

VALAGRO SDS according to Regulation 1907/2006/EC

Date: 4/5/2010 Rev. 1.0

Product: AXILO Ca

Code: 11509548507111

Print date: 7/5/2010

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade name: AXILO Ca
Trade code: 11509548507111
Product type and use: Fertilizer
Company:
VALAGRO SPA - Zona Industriale 66041 - Atessa - Italy

Emergency telephone number of the company and/or of an authorised advisory centre:
VALAGRO SPA - Telephone (+39) 0872 8811; Telefax number. (+39) 0872 881382
Centro Antiveleni - Ospedale di Niguarda - Milano Telephone (+39) 02 66101029

Competent person responsible for the safety data sheet:
regulatory@valagro.com

2. HAZARDS IDENTIFICATION

No specific hazards are encountered under normal product use.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization

Composition: 100 % Ethylendiamminotetraacetic Acid, Complex Disodic Calcium
N° EINECS: 200-529-9
CAS NUMBER: 62-33-9
MOLECULAR WEIGHT: 374
FORMULA: Na₂CaC₁₀H₁₂N₂O₈

4. FIRST AID MEASURES

Contact with skin:
Wash with plenty of water and soap.

Contact with eyes:
Wash immediately with water for at least 10 minutes.

Swallowing:
Rinse mouth, give water to drink. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

Inhalation:
Ventilate the premises. The patient is to be removed immediately from the contaminated premises and made to rest in a well ventilated area. Should the patient feel unwell, OBTAIN MEDICAL ATTENTION.

5. FIRE-FIGHTING MEASURES

Recommended extinguishers:

Water, CO₂, Foam, Chemical powders, according to the materials involved in the fire.

Extinguishers not to be used:

None in particular.

Risks arising from combustion:

Avoid inhaling the fumes.

Protective equipment:

Use protection for the respiratory tract.

6. ACCIDENTAL RELEASE MEASURES

Measures for personal safety:

Use gloves and protective clothing.

Environmental measures:

Limit leakages with earth or sand.

If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

Cleaning methods:

If the product is in a liquid form, stop it from entering the drainage system.

Recover the product for re-use if possible, or for elimination. The product might, where appropriate, be absorbed by inert material.

After the product has been recovered, rinse the area and materials involved with water.

7. HANDLING AND STORAGE

Handling precautions:

Avoid contact and inhalation of the vapours. See, too, paragraph 8 below.

Do not eat or drink while working.

Incompatible materials:

None in particular.

Storage conditions:

Keep containers tightly closed in a well-ventilated place. Avoid powder making, the product may cause an air-powder explosive mix

Packing materials recommended: Plastic packaging

Adequately ventilated premises.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged, e.g. CEN/FFP-2(S) or CEN/FFP-3(S).

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Eye protection:

Use close fitting safety goggles and/or visor conforming to BS 2092 GRADE 1).

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Exposure limit(s) (ACGIH):

recommended limit inhalable powder : TLV/TWA: 10 mg/m³

recommended limit breathable powder: TLV/TWA: 3 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour: white microgranules

Odour: N.A.

VALAGRO SDS according to Regulation 1907/2006/EC

Date: 4/5/2010 Rev. 1.0

Product: AXILO Ca

Code: 11509548507111

Print date: 7/5/2010

pH (t = 25°C):	N.A.
pH 1% (t = 25°C):	6
Conductivity (1 g/l) :	0.38 mS/cm 18 °C
Melting point:	N.A.
Boiling point:	N.A.
Flash point:	N.A.
Solid/gas flammability:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Vapour pressure:	N.A.
Relative density:	0.8 Kg/dm ³
Solubility in water (t = 25 °C):	80 %
Lipid solubility:	N.A.
Partition c. (n-octanol/H ₂ O):	N.A.
Vapour density:	N.A.

10. STABILITY AND REACTIVITY

Conditions to avoid:

reactions with strong oxidant.

Heating at high temperature (250-300 °C) and humid and unventilated places

Stable under normal conditions.

Substances to avoid:

watery solutions release hydrogen in contact with copper and aluminium

Hazardous decomposition products:

in case of fire NO_x; CO

11. TOXICOLOGICAL INFORMATION

The product does not contain toxicologically relevant substances.

Inhalation: Fumes can irritate respiratory tract. Nitrogen oxides which may be released over 150°C can cause a lungs oedema as well as respiratory tract infections

Skin and eye contact: the prolonged skin contact may cause irritation and itches, direct eye contact may cause irritation

12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

13. DISPOSAL CONSIDERATIONS

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Where applicable, refer to the following regulatory provisions : 91/156/EEC, 91/689/EEC, 94/62/EC and subsequent amendments.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Commission Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparation) and subsequent amendments. Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC (Occupational

VALAGRO SDS according to Regulation 1907/2006/EC

Date: 4/5/2010 Rev. 1.0

Product: AXILO Ca

Code: 11509548507111

Print date: 7/5/2010

exposure limit values). Regulation (EC) No 1907/2006 (REACH).

The substance should not be considered as dangerous accordingly to dir. 67/548/EEC.

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

16. OTHER INFORMATION

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

ACGIH - Threshold Limit Values - 2004 edition

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.