Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com

01/12/10



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop



15/11/2010

Revision 1.0(15/11/2010)

SAFETY DATA SHEET (According to Regulation EC No 453/2010)

1 – IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

IDROPONICA®

Issued

1.1 Product identifier		
Chemical name:	Magnesium EDTA	
Trade name:	AXILO Mg	
Synonyms:	Ethylendiamminotetraacetic acid, complex Disodic	
	Magnesium	
CAS Registry number:	14402-88-1	
EC N°:	238-372-3	
Index No.:	N.A.	
Registration number:	N.A.	
Molecular weight:	358	
Formula:	C10H12MgN2O8.2Na	
1.2 Relevant identified uses of the substance and uses advised against		
Relevant identified uses of the substance:	Fertiliser	
1.3 Details of the supplier of the safety data sheet:		
Company:	VALAGRO Spa	
	Zona Industriale	
	66041 ATESSA (CHIETI) ITALY	
	Tel. (+39) 0872 8811	
	Fax (+39) 0872 881382	
Competent nerson responsible for the select		
Competent person responsible for the safety data sheet:	ety E-mail: regulatory@valagro.com	
1.4 Emergency telephone number:	Tel. (+39) 02 66101029 (Centro Antiveleni Ospedale	
1.4 Emergency telephone number.	Niguarda Milano)	
	Tel. (+39) 0872 8811 (Valagro Spa _ from Monday to	
	Friday from 8.30 to 13:00 and from 14:00 to 17.30 h)	
	rituay itoin 0.50 to 15:00 and itoin 14:00 to 17.50 hj	

2 - HAZARDS IDENTIFICATIONS

2.1 Classification of the substance:		
Classification according to Regulation (EC) No 1272/2008:		
Not classified as dangerous		
Classification according to Directive 67/548/EEC:		
Not classified as dangerous		
Most important adverse physicochemical, human health and environmental effects:		
see sections from 9 to 12.		
2.2 Label Elements:		
Hazard pictograms : none		
Signal word: none		
Hazard statements: none		
Precautionary statements: none		
2.3 Other hazards:		
None		

Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop



01/12/10

15/11/2010

IDROPONICA

Issued

Revision 1.0(15/11/2010)

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC N°	CAS NUMBER	%
Magnesium EDTA	238-372-3	14402-88-1	100

4 – FIRST AID MEASURES

Routes of	iption of first aid measures exposure:
-	Inhalation:
	Well ventilate the area and go to the open space.
-	Skin:
	Take off all contaminated clothing. Rinse abundantly with water and soap. Seek medical advice in case of irritation. Wash clothes before reuse.
-	Еуе:
	Rinse immediately and abundantly with water for at least 10 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if the irritation spreads out
-	Ingestion:
	Rinse mouth, give water to drink, induce vomiting. If the subject is unconscious do not induce
	vomiting. Seek medical advice
Advice:	
Who provi	ides the first medical aide must use the individual protection equipment (latex gloves and safety glasses).
4.2 Most i	mportant symptoms and effects, both acute and delayed
-	Inhalation:
	Possible irritation of respiratory tract
-	Skin:
	Possible irritation according to the contact time with the product
-	Eye:
	Possible irritation according to the contact time with the product
-	Ingestion:
	Possible irritation of mouth and digestive tract.
4.3 Indica	tion of any immediate medical attention and special treatment needed
In	case of accident, seek immediately medical advice showing the safety data sheet

5.1 Extinguishing media Suitable extinguishing media: Water spray, foam, carbon dioxide (CO₂), Information on the appropriate extinguishing media: Not relevant Unsuitable extinguishing media: None Indications if extinguishing media are inappropriate for a particular situation involving the substance or mixture: None

5.2 Special hazards arising from the substance:

In case of fire avoid to breath fumes , it may release toxic fumes (NOx)

Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

(FCO)

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop



15/11/2010

IDROPONICA

Revision 1.0(15/11/2010)

5.3 Advice for firefighters

01/12/10

In case of fire and in close proximity wear the protective clothes heat resistant and air respiratory equipment

6 - ACCIDENTAL RELEASE MEASURE

6.1 Personal precautions, protective equipment and emergency procedures

Issued

For non-emergency personnel:

Keep away from the affected area people not involved in the emergency intervention

Alert the responsible of the internal emergency

For emergency responders:

Wear protective clothes giving a total skin protection, latex gloves and safety glasses. See also section 8

6.2 Environmental precautions:

If possible store into a clean container either to reuse or disposal . Avoid waterway and discharging contamination, competent authority must be informed in case of waterway accidental contamination

6.3 Methods and material for containment and cleaning up:

Any release should be immediately cleaned up wearing protective clothes(suit, latex gloves and safety glasses).

If possible store into a clean container either to reuse or disposal. If possible absorb with the inert material After store , wash the area with water and suitable materials

6.4 Reference to other sections:

referred to Sections 8 and 13

7 – HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid powder inhalation

Avoid direct contact with skin and eyes. See the following section 8 .

Remove all protective clothing before access to the areas where you eat

Always respect hygienic rules, do not drink neither eat in the working areas

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a well-ventilated place far from humidity and heat source.

7.3 Specific end use(s)

None

8 - EXPOSURE CONTROL/ PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values:

ACGIH				
Substance name	TLW-TWA (ppm)	TLV-STEL (ppm)	note	
Magnesium EDTA	1	N.D.	N.D.	

Biological limit values: N.A. **DNEL:** N.A. **PNEC:** N.A.

critical effects Irritation Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com

01/12/10



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop



15/11/2010

IDROPONICA

Revision 1.0(15/11/2010)

Recommended monitoring procedures: N.A.

8.2 Exposure control
Appropriate engineering controls:

Operate in well-ventilated areas

Individual protection measures, such as personal protective equipment:

The personal protective equipment must be compliant to the regulation UNI –EN in force
Eye / face protection:

Wear safety glasses according to the standard EN 166, don't use contact lenses.

Skin protection:

Hand protection:
Wear latex gloves according to the standard EN 374.
Other:
Wear total skin protection clothes

Respiratory protection:

Use anti-powder mask with P2 filters in case of dust making. The powder exposition limit must be respected

Issued

- Environmental exposure controls:

Keep the product concentration under the exposure limits established by the law

9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
Appearence (25° C):	White	
	microgranules	
Odour:	Odourless	
Odour threshold:	N.A.	
рН:	N.A.	at 25 ° C
Melting point/freezing point:	N.A.	
Initial boiling point and boiling	N.A.	
range:		
Flash point:	N.A	
Evaporation rate:	N.A.	
Flammability (solid, gas):	N.D.	
Upper/lower flammability or	>40	
explosive limits:		
Vapour pressure:	N.A.	
Vapour density:	N.A.	
Relative density:	0.8	
Solubility:		
- Solubility in water:	900	g/l at 25°C
- Lipid solubility:		g/l at 25°C
Partition coefficient:	N.A.	
n-octanol/water		
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	cps
Explosive properties:	N.A.	
Oxidising properties:	N.A.	
9.2 Other information	1	
pH water solution 1%	7.6	at 25° C
Conductivity	0.28	(1‰) mS/cm 18 °C



Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com





COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001 COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=



Maxicrop

Printed 01/12/10

Issued

15/11/2010

Revision 1.0(15/11/2010)

10 - STABILITY AND REACTIVITY

10.1 Reactivity:

Reacts with strong oxidizing agents and aliminum

10.2 Chemical stability:

Stable at the usual work condition **10.3 Possibility of hazardous reactions**:

The water solution in contact with copper and aluminum can develop hydrogen

10.4 Conditions to avoid:

Heating of the product at high temperatures (>200°C)

10.5 Incompatible materials:

Strong oxidizing agents and aluminum

10.6 Hazardous decomposition products:

In case of fire may release toxic fumes (NOx)

11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological (health) effects caused by exposure to the substance: see also sections 2 and 4.

1111 million	
- a	cute toxicity:
n	ot available data
	kin corrosion/irritation:
n	ot available data
- S	erious eye damage/irritation:
n	ot available data
- r	espiratory or skin sensitisation:
n	ot available data
- g	erm cell mutagenicity:
n	ot available data
- C	arcinogenicity:
n	ot available data
- r	eproductive toxicity:
n	ot available data
	ГОТ-single exposure:
n	ot available data
	ГОТ-repeated exposure
n	ot available data
- a	spiration hazard:
n	ot available data
Informati	on on likely routes of exposure:
	halation: can be irritant for nose and respiratory system
	in: can be irritant for skin
Ey	e: can be irritant for eyes
	gestion: can be irritant for mouth and digestive tract
Other info	
N.A.	

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop



15/11/2010

IDROPONICA

Issued

Revision 1.0(15/11/2010)

, ,

01/12/10

12 – ECOLOGICAL INFORMATION

Use according to good working rules, avoid to dispose of the product in the environment (see sections 6, 7, 13,14 e 15).

12.1 Toxicity N.A.

Printed

12.2 Persistence and degradability

N.A. 12.3 Bioaccumulative potential

N.A.

12.4 Mobility in soil

N.A.

12.5 Results of PBT and vPvB assessment N.A.

12.6 Other adverse effects

N.A.

13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recover the product, if possible, or send to the incineration and disposal system. Avoid waterway and discharging contamination.

Follow the local and national disposition in force

14 - TRANSPORT INFORMATION

Not dangerous product within the meaning of transport regulations

15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Council Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations) and subsequent amendments. Regulation (EC) nr 1272/2008 (CLP). Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC ocupational exposure limit values). Regulation (EC) No 1907/2006 (REACH).

Pag. 6 of 7

15.2. Chemical safety assessment

N.A

Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001

(FCO)

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=

Maxicrop

Se Valagro[®]

15/11/2010

IDROPONICA

Issued

Revision 1.0(15/11/2010)

16 - OTHER INFORMATION

01/12/10

This MSDS was revised to get it compliant to regulation 453/2010 and cancels and replaces any preceding release. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

Main bibliographic sources: ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold ACGIH - Threshold Limit Values - 2004 edition ESIS

Acronyms used in the safety data sheet: ADN: Accord europeen relative au transport international des marchandises dangereuses par voies de navigation interieures ADR: Accord europeen relative au transport International des marchandises dangereuses par route ACGIH: American Conference of Governmental Industrial Hygienist **LC50**: Lethal concentration 50(Lethal Concentration for the 50% of the individuals) **CLP:** Classification, Labelling and Packaging **CSR:** Chemical Safety Report LD 50: Lethal Dose 50 ((Lethal dose for the 50% of the individuals) **DNEL :** Derived No effect level IARC: International Agency for Research on Cancer IATA: International air transport association ICAO: International Civil aviation Organization **Codice IMDG:** International Maritime Dangerous Goods code **PBT:** Persistent, bioaccumulative and toxic **PNEC:** Predicted No Effect Concentration RID: Reglement concernent le transport International ferroviarie des marchandises dangereuses **STEL:** short term exposure limit TLV: threshold limit value **TWA:** Time Weighted Average UE: European Union (Unione europea) vPvB: Verv persistent very bioaccumulative

N.A. : not available