

1. Identification

Product identifier	AZTEC[®] HC	
Other means of identification		
SDS number	466	
Product registration number	5481-577	
Recommended use	Organophosphate insecticide. For control of corn rootworms, cutworms and other listed soil insect pests in corn.	
Recommended restrictions	This is a Restricted Use Pesticide and is for use in the SmartBox [®] and SmartCartridge enclosed systems.	
EPA Registration number	EPA: 5481-577	
Manufacturer/Importer/Supplier/Distributor information		
Company Name	AMVAC Chemical Corporation	
Address	4695 MacArthur Court Suite 1200 Newport Beach, CA 92660 United States	
Telephone		
AMVAC Chemical Corp	949-260-1200	
AMVAC Chemical Corp	949-260-6270(FAX)	
Product Use	888-462-6822	
Website	www.amvac.com	
E-mail	CustServ@amvac.com	
Emergency phone number		
Medical	888-681-4261	
CHEMTREC[®] (USA+Canada)	800-424-9300	
CHEMTREC[®] (Outside USA)	+1-703-527-3887	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, inhalation	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Toxic if swallowed. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Use only outdoors or in a well-ventilated area.
Wear respiratory protection.
Do not breathe dust.
Do not eat, drink or smoke when using this product.
Avoid release to the environment.
Wash thoroughly after handling.

Response

If swallowed: Immediately call a poison center/doctor. Rinse mouth.
If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor.
Specific treatment is urgent (see this label).
Collect spillage.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal

SmartBox® containers should be returned to the manufacturer by following the directions on the label.
SmartCartridge containers should be returned to the retailer that the product was purchased from following the instructions on the label.
Dispose of waste and residues in accordance with all applicable regulatory requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tebupirimphos	O-(2-tert-butylpyrimidin-5-yl) O-ethyl O-isopropyl phosphorothioate phostebupirim	96182-53-5	8.9
Cyfluthrin	Cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethyl- cyclopropanecarboxylate	68359-37-5	0.44
Carrier		-	70 - 90

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact

Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center for treatment advice.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a physician or poison control center for treatment advice. If there will be a delay in getting medical attention, rinse the eyes an additional 15 minutes.

Ingestion

Call a physician or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases unconsciousness, convulsions, severe respiratory depression and death may occur.

Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Indication of immediate medical attention and special treatment needed

This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information.

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

Keep victim under observation. Keep victim warm. Symptoms may be delayed.

General information

If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. This product is a cholinesterase inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations.

5. Fire-fighting measures

Suitable extinguishing media

Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers. Dike and collect extinguishing water.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Stop the flow of material, if this is without risk. Shovel the material into waste container. Prevent product from entering drains. Clean surface thoroughly to remove residual contamination. Scrub contaminated area with detergent and bleach solution. Dispose of cleanup materials as hazardous waste (See Section 13).

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Do not breathe dust. Do not taste or swallow. When using, do not eat, drink or smoke. Keep product away from food, drink, cosmetics, and tobacco products. Avoid release to the environment. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Additional components	Type	Value	Form
Crystalline Silica (CAS 14808-60-7)	PEL	0.05 mg/m ³	Respirable dust.

US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

Additional components	Type	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.1 mg/m ³	Respirable.
Nuisance Dust (CAS SEQ250)	TWA	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. ACGIH Threshold Limit Values (TLV)

Additional components	Type	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Additional components	Type	Value
Crystalline Silica (CAS 14808-60-7)	IDLH	50 mg/m ³

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Additional components	Type	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.05 mg/m ³	Respirable dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

All Users:
Use protective gloves made of: Barrier laminate, Butyl rubber ≥14 mils, Nitrile Rubber ≥14 mils, Neoprene rubber ≥14 mils, Polyethylene, Polyvinyl chloride (PVC) ≥14 mils, or Viton ≥14 mils.

Other

All Users: Long-sleeved shirt and long pants or coveralls, socks and closed toe shoes are required. Chemical resistant apron.

Anyone working with or near open containers of this product must wear the following personal protective equipment:

Chemical resistant coveralls over long sleeved shirt and long pants, chemical-resistant footwear plus socks. Chemical resistant gloves (see Hand protection or label for specific types). The label should be consulted for more detailed instructions on appropriate PPE.

Respiratory protection

Use a NIOSH/MSHA approved dust/mist filtering respirator whenever working around open containers of this product, including spill cleanup and repair of contaminated equipment. The label should be consulted for more specific information with regards to respiratory protection.

Thermal hazards

Not applicable.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Granular.

Color	Gray, tan, or reddish
Odor	Slight onion-like odor
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible solubility
Solubility (solvents)	Aliphatic and aromatic solvents, ketones and halogenated solvents (a.i.'s)
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	The data presented in this section are typical values and should not be construed as a specification.
Bulk density	38 - 46 lb/ft ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	Not established.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled. Contains a substance which may cause cancer by inhalation.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	May be irritating to eyes.
Ingestion	Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin.

Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Information on toxicological effects

Acute toxicity Toxic if swallowed. Fatal if inhaled.

Product	Species	Test Results
AZTEC® HC		
Acute		
Dermal		
LD50	Rat	> 5050 mg/kg
Inhalation		
<i>Dust</i>		
LC50	Rat	> 0.05 mg/l male/female
Oral		
LD50	Rat	273 mg/kg female
Skin corrosion/irritation	Non-irritating (rabbit).	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	Not a sensitizer.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Please note that the carrier is a natural mineral and as such may contain traces of Crystalline Silica (CAS 14808-60-7).	

IARC Monographs. Overall Evaluation of Carcinogenicity

Crystalline Silica (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline Silica (CAS 14808-60-7) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Crystalline Silica (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Due to the presence of respirable crystalline silica in the carrier for this product, there may be damage to the lungs through prolonged or repeated exposure by inhalation. However, because of the acute toxicity of the product through inhalation, it is unlikely damage to the lungs from repeated exposure to the crystalline silica will occur.	
Aspiration hazard	Not an aspiration hazard.	

12. Ecological information

Ecotoxicity Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Components	Species	Test Results
Cyfluthrin (CAS 68359-37-5)		
Aquatic		
<i>Acute</i>		
Crustacea	LC50	Water flea (Daphnia magna) 0 - 0.0005 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss) 0.0005 - 0.0007 mg/l, 48 hours
Tebupirimphos (CAS 96182-53-5)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Daphnia magna 0.0012 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus) 0.089 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Cyfluthrin 5.95

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Return the damaged SmartBox® container to AMVAC Chemical Corporation. See box label for more complete instructions.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Empty or partially filled SmartCartridge containers should be returned to the retailer that the product was purchased from per instructions provided. Return unused product and empty SmartBox® containers containing residues to AMVAC Chemical Corporation. See the label on the box for more complete instructions. Dispose of container and residues in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty or partially filled SmartCartridge containers should be returned to the retailer that the product was purchased from per instructions provided. Empty SmartBox® containers should be returned to AMVAC Chemical Corporation per instructions provided. See the label on the container for more complete information.

14. Transport information

DOT

UN number	UN2783
UN proper shipping name	Organophosphorus pesticides, solid, toxic (Tebupirimphos)
Transport hazard class(es)	
Class	6.1
Subsidiary hazard	-
Label(s)	6.1
Packing group	III
Environmental hazards	
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB8, IP3, N77, T1, TP33
Packaging exceptions	153
Packaging non bulk	213
Packaging bulk	240

IATA

UN number	UN2783
UN proper shipping name	Organophosphorus pesticide, solid, toxic (Tebupirimphos)
Transport hazard class(es)	
Class	6.1
Subsidiary hazard	-
Packing group	III
Environmental hazards	No
ERG Code	6L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	UN2783
UN proper shipping name	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (Tebupirimphos), MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1
Subsidiary hazard	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes

EmS

F-A, S-A

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.


DOT



IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

WARNING

May be fatal if inhaled or swallowed. Do not breathe dust. Avoid contact with skin, eyes or clothing. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wear protective clothing, a face shield or goggles and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash separately before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment wash water.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline Silica (CAS 14808-60-7)

Cancer
lung effects
immune system effects
kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Acute toxicity (any route of exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Crystalline Silica (CAS 14808-60-7)

California Proposition 65

WARNING: This product can expose you to Crystalline Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline Silica (CAS 14808-60-7)

Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** Mar-27-2015**Revision date** Nov-09-2023**Version #** 5.2**HMIS® ratings**
Health: 3
Flammability: 1
Physical hazard: 0**NFPA ratings**
Health: 3
Flammability: 1
Instability: 0**Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2023 AMVAC Chemical Corporation. AMVAC and the AMVAC logo are trademarks owned by AMVAC Chemical Corporation. All rights reserved.

AZTEC is a trademark owned by AMVAC Chemical Corporation.
SmartBox is a trademark owned by AMVAC Chemical Corporation.
ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.
CHEMTREC is a trademark of the American Chemistry Council, Inc.
HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.