

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Basis® Blend

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information : 1-800-258-3033
Number
E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : This product is intended to be used as a pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SAFETY DATA SHEET



Basis® Blend

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080000504 Date of last issue: -
Date of first issue: 06/29/2022

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Rimsulfuron	122931-48-0	20
thifensulfuron-methyl (ISO)	79277-27-3	10
Kaolin	1332-58-7	$\geq 3 - < 10$
Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde	105859-97-0	$\geq 3 - < 10$
sodium carbonate	497-19-8	$\geq 1 - < 3$
Sucrose	57-50-1	$\geq 1 - < 3$
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	13463-67-7	$\geq 0.1 - < 0.3$
Balance	Not Assigned	> 40

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
- If inhaled : No specific intervention is indicated as the compound is not likely to be hazardous.
Consult a physician if necessary.
- In case of skin contact : Take off all contaminated clothing immediately.
Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

If swallowed : No specific intervention is indicated as the compound is not likely to be hazardous.
Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : Dry chemical

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket.
Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Specific extinguishing methods : Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection : Avoid dust formation.

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

- tive equipment and emergency procedures : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, undewater. See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
Pick up and arrange disposal without creating dust.
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

SAFETY DATA SHEET



Basis® Blend

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080000504 Date of last issue: -
Date of first issue: 06/29/2022

		exposure)	concentration	
Kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		PEL (respirable)	0.05 mg/m3	OSHA CARC
sodium carbonate	497-19-8	TWA	10 mg/m3	Dow IHG
Sucrose	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Total dust)	10 mg/m3	OSHA P0

Engineering measures

: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Personal protective equipment

Respiratory protection : Manufacturing and processing work:
Half mask with a particle filter FFP1 (EN149)

Mixer and loaders must wear:
Half mask with a particle filter FFP1 (EN149)

Field and greenhouse application:
Spray application - outdoor:
Tractor / sprayer with hood:
No personal respiratory protective equipment normally required.
Tractor / sprayer without hood:
Spray application - indoor:
Wear respiratory equipment when entering the spray area.

Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Protective gloves

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
Shoes plus socks
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Coveralls
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
Shoes plus socks
Wear protective clothing such as gloves, apron, boots, or coveralls, as appropriate.

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

SAFETY DATA SHEET



Basis® Blend

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000504	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Remove clothing/PPE immediately if material gets inside.
Wash thoroughly and put on clean clothing.
Avoid contact with skin, eyes and clothing.
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Wash all protective clothing after use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid, granules
Color	: light brown
Odor	: slight
Odor Threshold	: No data available
pH	: 6.0 - 8.0
Melting point/range	: No data available
Freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Bulk density : 506 kg/m³Tapped

Solubility(ies)
Water solubility : No data available

Autoignition temperature : Not applicable

Viscosity
Viscosity, dynamic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: Fixed Dose Method

Acute inhalation toxicity : Acute toxicity estimate (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute toxicity estimate: 52.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Components:**Rimsulfuron:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.
- Acute inhalation toxicity : LC50 (Rat): > 205.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Directive 67/548/EEC, Annex V, B.2.
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: Directive 67/548/EEC, Annex V, B.3.
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

thifensulfuron-methyl (ISO):

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
- Acute inhalation toxicity : Remarks: Dust may cause irritation to upper respiratory tract (nose and throat).

LC50 (Rat): > 7.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Kaolin:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

sodium carbonate:

- Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Sucrose:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Components:

Rimsulfuron:

Species	: Rabbit
Method	: Directive 67/548/EEC, Annex V, B.4.
Result	: No skin irritation

Kaolin:

Species	: Rabbit
Result	: No skin irritation

sodium carbonate:

Result	: No skin irritation
--------	----------------------

Sucrose:

Species	: Rabbit
Result	: No skin irritation

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Product:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Components:**Rimsulfuron:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Directive 67/548/EEC, Annex V, B.5.

Kaolin:

Species	:	Rabbit
Result	:	No eye irritation

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Species	:	Rabbit
Result	:	Eye irritation

sodium carbonate:

Result	:	Eye irritation
--------	---	----------------

Sucrose:

Species	:	Rabbit
Result	:	No eye irritation

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Product:**

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Did not cause sensitization on laboratory animals.

Components:**Rimsulfuron:**

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 406

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Species : Mouse
Assessment : Does not cause respiratory sensitization.

Germ cell mutagenicity**Components:****Rimsulfuron:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

sodium carbonate:

Germ cell mutagenicity - Assessment : No relevant data found.

Sucrose:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were inconclusive., Animal genetic toxicity studies were inconclusive

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity**Components:****Rimsulfuron:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Kaolin:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Available data suggest that the material is unlikely to cause cancer.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

IARC	Group 1: Carcinogenic to humans	
	Kaolin (Silica dust, crystalline)	1332-58-7
	Group 2B: Possibly carcinogenic to humans	
	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7
OSHA	OSHA specifically regulated carcinogen	
	Kaolin (crystalline silica)	1332-58-7
NTP	Known to be human carcinogen	
	Kaolin (Silica, Crystalline (Respirable Size))	1332-58-7

Reproductive toxicity**Components:****Rimsulfuron:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Development effects were not observed in laboratory animals.

sodium carbonate:

Reproductive toxicity - Assessment : Did not cause birth defects or any other fetal effects in laboratory animals.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects or any other fetal effects in laboratory animals.

STOT-single exposure**Components:****Rimsulfuron:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

thifensulfuron-methyl (ISO):

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Kaolin:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

sodium carbonate:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Sucrose:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity**Components:****Rimsulfuron:**

Remarks : In animals, effects have been reported on the following organs:
Liver

thifensulfuron-methyl (ISO):

Remarks : No relevant data found.

Kaolin:

Remarks : Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

sodium carbonate:

Remarks : No relevant data found.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	: Rat
NOAEL	: 1,000 mg/kg
Application Route	: Oral
Method	: OECD Test Guideline 408
Remarks	: Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Aspiration toxicity**Components:****Rimsulfuron:**

Based on physical properties, not likely to be an aspiration hazard.

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

thifensulfuron-methyl (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Kaolin:

Based on physical properties, not likely to be an aspiration hazard.

sodium carbonate:

Based on physical properties, not likely to be an aspiration hazard.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Rimsulfuron:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 390 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): > 360 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 201 GLP: yes EC50 (Lemna gibba (duckweed)): 0.023 mg/l End point: Frond Exposure time: 14 d Method: US EPA Test Guideline OPP 122-2 & 123-2 GLP: yes EC50 (Lemna gibba (duckweed)): 0.017 mg/l End point: Biomass

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

Exposure time: 14 d
Method: US EPA Test Guideline OPP 122-2 & 123-2
GLP: yes

ErC50 (Anabaena flos-aquae (cyanobacteria)): 5.2 mg/l
Exposure time: 96 h
Method: US EPA Test Guideline OPPTS 850.5400
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 110 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.82 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
GLP: yes

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg
Method: OECD Test Guideline 207
GLP: yes

Toxicity to terrestrial organisms : oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

oral LD50 (Anas platyrhynchos (Mallard duck)): > 2,000 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 mg/kg
Exposure time: 8 d
Method: OECD Test Guideline 205

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,620 mg/kg
Exposure time: 8 d
Method: OECD Test Guideline 205

contact LD50 (Apis mellifera (bees)): > 100 µg/b
Method: OEPP/EPPO Test Guideline 170
GLP: yes

oral LD50 (Apis mellifera (bees)): > 1000 mg/b
Method: OEPP/EPPO Test Guideline 170

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

thifensulfuron-methyl (ISO):

Toxicity to fish : Remarks: Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50 (Fish): 0.1 mg/l
Exposure time: 96 h
Remarks: estimated

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.1 mg/l
Exposure time: 28 d
Remarks: Estimated value

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 265 mg/l
Exposure time: 48 h
Test Type: static test
Method: Method Not Specified.

EC50 (Daphnia magna (Water flea)): 390 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: Method Not Specified.

Sucrose:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: Method Not Specified.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



Basis® Blend

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000504	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

NOEC (Algae): 5,600 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

Rimsulfuron:

Biodegradability : Result: Not readily biodegradable.

sodium carbonate:

Biodegradability : Remarks: Biodegradation is not applicable.

Sucrose:

ThOD : 1.12 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitizer: OH radicals
Concentration: 1,500,000 1/cm³
Rate constant: 1.1479E-10 cm³/s
Method: Estimated.

Bioaccumulative potential

Components:

Rimsulfuron:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Kaolin:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

sodium carbonate:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

Sucrose:

Bioaccumulation : Bioconcentration factor (BCF): 3
Method: Estimated.

Partition coefficient: n- : Remarks: Bioconcentration potential is low (BCF < 100 or Log

SAFETY DATA SHEET



Basis® Blend

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000504	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

octanol/water

Pow < 3).
Potential for mobility in soil is very high (Koc between 0 and 50).

log Pow: -3.7 - -3.67
Method: Estimated.
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

sodium carbonate:

Distribution among environmental compartments : Remarks: Relevant data not available.

Sucrose:

Distribution among environmental compartments : Koc: 3.16
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

Rimsulfuron:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Kaolin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET



Basis® Blend

Version 1.0	Revision Date: 06/29/2022	SDS Number: 800080000504	Date of last issue: - Date of first issue: 06/29/2022
----------------	------------------------------	-----------------------------	--

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

sodium carbonate:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sucrose:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Rimsulfuron, Thifensulfuron-methyl)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Rimsulfuron, Thifensulfuron-methyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Rimsulfuron, Thifensulfuron-methyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Kaolin	1332-58-7
Disodium hydrogen phosphate	7558-79-4
Sucrose	57-50-1

California Prop. 65

WARNING: This product can expose you to chemicals including Kaolin, Quartz, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-854

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
Dow IHG	: Dow Industrial Hygiene Guideline
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

SAFETY DATA SHEET



Basis® Blend

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080000504	Date of first issue: 06/29/2022

	its for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
Dow IHG / TWA	: Time weighted average
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/29/2022

Product code: GF-4229

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN