

BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **BEACON® HERBICIDE**

Product No.: A7711D
Use: Herbicide

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Not Applicable

Signal Word (OSHA): Not Applicable

Hazard Statements: Not Applicable

Hazard Symbols:

Precautionary Statements: Not Applicable

Other Hazard Statements: May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Other ingredients	Other ingredients	Trade Secret	25.0%
3-[4,6-bis(difluoromethoxy)-pyrimidin-2-yl]-1-(2-methoxycarbonyl-phenylsulfonyl) urea	Primisulfuron-Methyl	86209-51-0	75.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-

8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Primisulfuron-Methyl	Not Established	Not Established	5 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eve Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to yellow granules

Odor: Odorless

Odor Threshold: Not Available

pH: 5 - 8 (1% solution in H2O @ 77°F (25°C)) Melting point/freezing point: 392°F (200°C)

Initial boiling point and boiling range: Not Applicable

Flash Point (Test Method): Not Applicable
Flammable Limits (% in Air): Not Available
Flammability: Not Applicable

Vapor Pressure: Primisulfuron-Methyl 3.8 x 10(-8) mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.62 g/cm³ @ 68°F (20°C)

Solubility (ies): Primisulfuron-Methyl 12 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rabbit): > 5050 mg/kg body weight

Dermal: Dermal (LD50 Rat): > 2010 mg/kg body weight

Inhalation: Inhalation (LC50 Rat) : > 4.69 mg/l air - 4 hours

Eye Contact: Mildly Irritating (Rabbit)
Skin Contact: Slightly Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Primisulfuron-Methyl: None observed.

Chronic/Subchronic Toxicity Studies

Primisulfuron-Methyl: Effects on liver, kidneys, teeth, bone and testes (rats and mice), bladder (mice), gallbladder and thyroid (dogs) at extremely high doses.

Carcinogenicity

Primisulfuron-Methyl: Does not present a human carcinogenic hazard. Liver tumors occur only at high doses that caused



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

toxicity and mortality in the test animals.

Chemical Name NTP/IARC/OSHA Carcinogen

Other ingredients No 3-[4,6-bis(difluoromethoxy)-pyrimidin-2-yl]-1- No

(2-methoxycarbonyl-phenylsulfonyl) urea

Other Toxicity Information

None

Toxicity of Other Components

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Primisulfuron-Methyl: Liver, kidney, bone, testes, thyroid, bladder, gallbladder

Inert Ingredients

Other ingredients: Not Applicable

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Primisulfuron-Methyl:

Fish (Rainbow Trout) 96-hour LC50 > 13 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 100 ppm

Bird (Mallard Duck) 14-day LD50 > 2150 mg/kg

Green Algae 7-day EC50 24 ppb

Environmental Fate

Primisulfuron-Methyl:

The information presented below is for the active ingredient, primisulfuron-methyl.

Does not bioaccumulate. Not persistent in soil. Stable in water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Comments



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Primisulfuron-Methyl), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group; PG III

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Primisulfuron-Methyl)

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the

above classification must be used.

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes eye irritation. Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist.

EPA Registration Number(s):

100-705

EPCRA SARA Title III Classification:

Acute Health Hazard Section 311/312 Hazard Classes:

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

Instability:

NFPA Hazard Ratings **HMIS Hazard Ratings**

Health: Health: 1 Flammability: 1 Flammability: 1

Syngenta Hazard Category: A

For non-emergency questions about this product call:

Reactivity:

0 Minimal 1 Slight 2 Moderate 3 Serious Extreme Chronic



BEACON® HERBICIDE

Date: 7/7/2015 Replaces: 3/18/2015

1-800-334-9481

Original Issued Date: 3/10/1988

Revision Date: 7/7/2015 Replaces: 3/18/2015

Section(s) Revised: 2, 4, 11, 16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.