Section 1 – Identification

Product Identifier: Bifender FC 3.1 Recommended use: **Refer to product label for use instructions.**

Manufacturer/Supplier: Vive Crop Protection Inc., 6275 Northam Dr., Suite 1, Mississauga, ON L4V 1Y8, Canada Web: http://www.vivecrop.com Technical Assistance: support@vivecrop.com Sales enquiries: sales@vivecrop.com Phone: 1-888-760-0187 24-Hour Emergency Phone: **ChemTel Inc.** North America: 1-800-255-3924 Outside North America: +1-813-248-0585

Section 2 – Hazard Identification

Classification: The following hazard classification is in accordance with **29 CFR 1910.1200 [OSHA HCS 2012]** in the United States of America, and **WHMIS 2015** in Canada.

Acute Inhalation Toxicity 4; Carcinogenicity 2, STOT-Single Exposure 1, STOT-Repeated Exposure 1

Label Elements, Including Precautionary Statements:



Signal Word: Warning

Hazard Statements: H332 Harmful if inhaled; H351 Suspected of causing cancer; H370 Causes damage to organs; H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements: P201 Obtain special instructions before use; P202 Do not handle until all safety precautions have been read and understood; P264 Wash thoroughly after handling; P261 Avoid breathing mist/spray; P270 Do not eat, drink or smoke when using this product; P271 Use only outdoors or in a well-ventilated area; P281 Use personal protective equipment as required.

Section 3 - Composition/Information on Ingredients

Component	CAS	Wt %
Bifenthrin	82657-04-3	34.0

Contains other ingredients not otherwise classified as hazardous or present in concentrations which warrant inclusion in this SDS.

Section 4 – First-Aid Measures

Ingestion	P301 + P310 – IF SWALLOWED: Immediately call a
	POISON CENTER or doctor; P330 – Rinse mouth.
Inhalation	P304 + P340 – IF INHALED: Remove victim to fresh
	air and keep at rest in a position comfortable for
	breathing; P312 – Call a POISON CENTER or
	physician if you feel unwell

Eye	P305 + P351 + P338 – IF IN EYES: Rinse cautiously
Contact	with water for several minutes. Remove contact
	with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing;
	P337 + P313 – If eye irritation persists: Get medical
	attention
Skin	P302 + P352 – IF ON SKIN: Wash with plenty of
Contact	water; P332 + P313 – If skin irritation occurs: Get

Revision Date: October 31, 2019

Symptoms/Effects, Acute and Delayed: Ingestion or inhalation may cause incoordination, tremors, salivation, vomiting, diarrhea, and irritability to sound and touch. Dermal exposure may cause tingling sensations, rash, redness, irritation, or inflammation.

medical attention: P362 + P364 - Take off

contaminated clothing and wash it before reuse

Section 5 - Fire Fighting Measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

Specific hazards: May produce toxic and irritant vapors Special protective equipment: Wear self-contained breathing apparatus for fire fighting

Section 6 – Accidental Release Measures

Personal Precautions: Wear respiratory protection. Wear protective gloves/protective clothing. Do not breathe mist/spray. Ensure adequate ventilation. Evacuate personnel to safe areas. Environment Precautions: Do not let product enter drains. Methods and Materials for Containment and Cleaning Up: Absorb using inert materials and dispose of in accordance with local regulations. Do not let the material dry before cleaning the spill.

Section 7 – Handling and Storage

GHS Precautions for Safe Handling: P201 Obtain special instructions before use; P202 Do not handle until all safety precautions have been read and understood; P264 Wash thoroughly after handling; P261 Avoid breathing mist/spray; P270 Do not eat, drink or smoke when using this product; P271 Use only outdoors or in a well-ventilated area; P281 Use personal protective equipment as required.

Conditions for Safe Storage: P403 +P233 – Store in a well-ventilated place. Keep container tightly closed; P405 - Store locked up; Avoid extreme temperatures

Section 8 - Exposure Controls/Personal Protection:

Component	OSHA PEL	ACGIH TLV	AOEL
Bifenthrin	N/A	N/A	0.0075
			mg/kg/day

Engineering Controls: This product is intended to be used outdoors. If necessary, provide local exhaust ventilation and use appropriate



containment procedures to maintain airborne levels at a safe concentration.

Personal Protective Equipment: Applicators and other handlers (other than mixers and loaders) must wear: Long-sleeved shirt and long pants; Chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber; Shoes plus socks. Mixers and Loaders must wear: Long-sleeved shirt and long pants; Chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber; Shoes plus socks; Protective eyewear.

Section 9 - Physical and Chemical Properties

Appearance	Light beige
Odor	Mild Estery
Odor threshold	Not available
рН	7.63
Melting point	Not available
Freezing point	Not available
Initial Boiling point/Boiling Range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative Density	1.10 g/mL @ 22.2°C
Solubility	Not available
Partition coefficient	Not available
(n-octanol/water)	
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	non-Newtonian

Section 10 – Stability and Reactivity

Reactivity	Not compatible with alkaline materials or strong oxidizers.
Chemical Stability	Relatively stable in neutral and weakly basic media .
Hazardous Reactions	When heated to decomposition, will emit toxic vapors of fluorine and chlorine.
Conditions to Avoid	High temperatures.
Incompatible Materials	Alkaline materials, strong oxidizers.
Hazardous Decomposition Products	Not available.



Section 11 – Toxicological information:

Acute Oral LD50	Rat: 2,637 mg/kg	
Acute Dermal LD50	Rabbit: > 2000 mg/kg	
Acute Inhalation LD50	4h Rat: > 2.15 mg/L	
Eye Irritation / Corrosion	Rabbit: Moderate irritation,	
	clear within 7 days (MMTS	
	15.7), mean corneal opacity 1	
	clear by 48 hours, no iritis,	
	mean conjunctival redness < 2,	
	mean chemosis 2 @ 24 h, < 2 by	
	72 h.	
Skin Irritation / Corrosion	Rabbit: slightly irritating to the	
	skin (PDII 1.2), maximum mean	
	erythema 2.0 @ 30-60 mins,	
	clear by day 7, no edema.	
Dermal Sensitization	Guinea pig: no skin	
	sensitization.	
Germ Cell Mutagenicity	No data available.	
Carcinogenicity	Bifenthrin: Not classified as	
	carcinogenic by NTP, IARC or	
	ACGIH. Bifenthrin is listed as	
	possible human carcinogen	
	(Category C) by the US-EPA	
	HED-CPRC .	
Reproductive Toxicity	Bifenthrin: Not a developmental	
	or reproductive toxicant.	
STOT-Single Exposure	Bifenthrin: Causes damage to	
	central nervous system.	
STOT-Repeated Exposure	Bifenthrin: Causes damage to	
	central nervous system.	
Aspiration Hazard	No data available.	
Acute Exposure Symptoms	Bifenthrin: Causes clinical signs	
	of neurotoxicity including	
	tremors, impaired gait, and	
	excessive salivation.	
Chronic Exposure	Bifenthrin: Causes clinical signs	
Symptoms	of neurotoxicity including	
	tremors, impaired gait, and	
	excessive salivation.	
Interactions	No data available.	

Section 12 - Ecological Information (bifenthrin):

Bird LD50	1800 mg/kg
Bird Dietary LD50	4450 mg/kg feed
Fish Acute 96-h	2.6 μg/L
Fish Chronic 30-d	0.12 μg/L
Aquatic Invertebrate Acute EC50	1.1 μg/L
Aquatic Crustacean Acute LC50	0.012 μg/L
Algae Acute 72-h	0.882 mg/L

Revision Date: October 31, 2019

Section 13 - Disposal: P501 - Dispose of contents/container in

accordance with local/regional/national/international regulations. Pesticide wastes are acutely hazardous. Improper disposal of excess

pesticide, spray mixture or rinsate is a violation of Federal Law. If

instructions, contact your State Pesticide or Environmental Control

Agency, or the Hazardous Waste representative of the nearest EPA

regional Office for guidance. Dangerous to the environment. Avoid all

Proper Shipping Name: Pyrethroid pesticide, liquid, toxic (Bifenthrin

Proper Shipping Name: Pyrethroid pesticide, liquid, toxic (Bifenthrin

Proper Shipping Name: Pyrethroid pesticide, liquid, toxic (Bifenthrin

these wastes cannot be disposed of by use according to label

0.1 µg/bee

> 8 mg/kg

pH 7: 255 d

pH 5-9: stable

26 d

1703

Honeybee Acute 48-h

Earthworm Acute 14-d

Soil Degradation DT50

releases to sewer.

UN-Number: 3352

Packing Group: III

UN-Number: 3352

Packing Group: III

Other: Marine Pollutant

Other: Marine Pollutant

Air Transport (IATA)

UN-Number: 3352 Class: 6.1 Packing Group: III

Class: 6.1

mixture)

Class: 6.1

mixture)

mixture)

Section 14 - Transportation Information:

DOT (US) – Marine or Bulk (> 119 Gallons):

DOT (US) Ground - Non-Bulk (<= 119 Gallons):

Aqueous Photolysis DT50

Aqueous Hydrolysis DT50

Bioaccumulation Potential



label also includes other important information, including directions for use.

Caution. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wear long-sleeved shirt, long pants, socks, and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Section 16 – Other Information:

LEGAL NOTICE: Vive Crop Protection, Inc. requests all users of this product to study this Material Safety Data Sheet (SDS) and become aware of all product hazards and safety information. The data in this SDS relate only to the specific product designated herein and do not relate to use of such product in combination with any other material or in any process. To promote the safe use of this product, all users should notify their employees, agents and contractors of the information.

LEGAL DISCLAIMER: THE INFORMATION CONTAINED IN THIS SDS IS BELIEVED TO BE ACCURATE AS AT THE DATE OF ITS PREPARATION BUT VIVE CROP MAKES NO REPRESENTATION OR WARRANTY WHATSOEVER, EXPRESS OR IMPLIED, WITH RESPECT TO THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. SINCE THE USE OF THIS

INFORMATION AND THE CONDITIONS OF USE OF THE PRODUCT ARE NOT WITHIN THE CONTROL OF VIVE CROP, IT IS ULTIMATELY THE USER'S OBLIGATION TO DETERMINE THE SUITABILITY OF ANY MATERIAL AND THE CONDITIONS OF SAFE USE OF THIS PRODUCT BY ALL RELEVANT PARTIES. VIVE CROP DOES NOT ASSUME ANY LIABILITY WHATSOEVER FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN OR FOR INCORRECT HANDLING OR USE OF THE PRODUCT OR THE INHERENT HAZARDS INVOLVED IN THE NATURE OF THE PRODUCT ISELF. ALL MATERIALS MAY PRESENT UNKNOWN HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, VIVE CROP CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Vive Crop Protection and Bifender are trademarks of Vive Crop Protection Inc.

© 2019 Vive Crop Protection Inc.

Section 15 – Regulatory Information:

FIFRA: This mixture is a pesticide product as per the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS) and material safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide