

**Product Name:  
Canopy™ PRO**

Canopy™ PRO is a combination package of products:

Classic® Grande

PCP # 29416

MSDS Date: 03/20/2017

Ref: 130000121249

TriCor\* 75 DF Herbicide

PCP # 30661

MSDS Date: 03/31/2014

MSDS are as attached.

**Manufacturer/Distributor:**

E.I. du Pont Canada Company

1919 Minnesota Court

Mississauga, Ontario, L5N 0C9

**Telephone Numbers:**

Product Information: 1-800-667-3925

Medical Emergency: 1-800-441-3637 (24 hours)

Preparation Date: March 20, 2017

®/™ Registered trademark/trademarks of E. I. du Pont de Nemours and Company.  
E.I. du Pont Canada Company is a licensed user. Member of CropLife

\*All other products mentioned are trademarks of their respective companies.



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DuPont Classic Grande  
 SDS Number : 130000121249  
 Product Use : Herbicide  
 Manufacturer : E.I. du Pont Canada Company  
 P.O. Box 2200, Streetsville  
 Mississauga, ON  
 L5M 2H3  
 Canada  
 Product Information : 1-800-387-2122  
 Medical Emergency : 1-800-441-3637 (24 hours)

**SECTION 2. HAZARDS IDENTIFICATION**

Emergency Overview

Caution

May irritate eyes, nose, throat or skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Repeated exposure  
 Quartz : DuPont has classified this material as a known human carcinogen.

Carcinogenicity			
Material	IARC	OSHA	ACGIH


**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

Titanium dioxide	2B	
Quartz	1	A2

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Chlorimuron ethyl	90982-32-4	25 %
Other Ingredients		75 %

Present as an impurity in the clay component of this product:

Titanium Dioxide		<1 %
Quartz		<1 %

**SECTION 4. FIRST AID MEASURES**

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
For medical emergencies involving this product, call toll free 1-800-441-3637.  
See Label for Additional Precautions and Directions for Use.

**SECTION 5. FIREFIGHTING MEASURES**

Flammable Properties  
Ignition temperature : 330 °C (626 °F)

Lower explosion limit/ lower  
flammability limit : 0.212 g/l

Fire and Explosion Hazard : Under severe dusting conditions, this material may form explosive mixtures in air.

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing  
media : High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear suitable protective equipment.  
If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Use water spray. Runoff from fire control may be a pollution hazard. Control Runoff.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Dike spill. Prevent further leakage or spillage. Shovel or sweep up. Dispose of in an approved container. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately. If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash the outside of gloves before removing. Wash thoroughly and put on clean clothing.
- Handling (Physical Aspects) : Avoid dust formation.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep out of the reach of children.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.
- Personal protective equipment
  - Skin and body protection : Applicators and other handlers must wear:
    - Long sleeved shirt and long pants
    - Chemical resistant gloves made of any waterproof material
    - Polyvinylchloride
    - Shoes plus socks
  - PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
    - Coveralls
    - Chemical resistant gloves made of any waterproof material
    - Polyvinylchloride



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.

Exposure Guidelines  
Exposure Limit Values

Chlorimuron ethyl			
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA Respirable dust.
Titanium dioxide			
TLV	(ACGIH)	10 mg/m3	TWA
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA Respirable dust.
Quartz			
TLV	(ACGIH)	0.025 mg/m3	TWA Respirable fraction.
AEL *	(DuPont)	0.01 mg/m3	12 hr. TWA Respirable dust.
AEL *	(DuPont)	0.02 mg/m3	8 hr. TWA Respirable dust.

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : solid, granules  
Color : ivory  
Odor : none  
Bulk density : loose  
Water solubility : dispersible

**SECTION 10. STABILITY AND REACTIVITY**

Stability : Stable at normal temperatures and storage conditions.  
Incompatibility : None reasonably foreseeable.

**SECTION 11. TOXICOLOGICAL INFORMATION**

DuPont Classic Grande  
Inhalation 4 h LC50 : > 5.0 mg/l , Rat  
Dermal LD50 : > 2,000 mg/kg , Rabbit  
Oral LD50 : > 5,000 mg/kg , Rat  
Skin irritation : No skin irritation, Rabbit  
Eye irritation : slight irritation, Rabbit  
Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

Chlorimuron ethyl  
Repeated dose toxicity :  
The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.  
Dermal  
Rabbit  
No toxicologically significant effects were found.



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

Oral  
Dog

No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Abnormal decrease in number of red blood cells

Oral  
Rat

No adverse effect has been observed in chronic toxicity tests.

Carcinogenicity : Not classifiable as a human carcinogen.  
Animal testing did not show any carcinogenic effects.

Reproductive toxicity : No toxicity to reproduction

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Titanium Dioxide

Carcinogenicity : Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Quartz

Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Inhalation  
Fluid retention in lungs (pulmonary oedema), lung effects,  
Inflammation, Chronic lung disease, Fibrosis

Carcinogenicity : Human carcinogen.  
  
DuPont has classified this material as a known human carcinogen.



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

**SECTION 12. ECOLOGICAL INFORMATION**

## Aquatic Toxicity

## Chlorimuron ethyl

96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) > 100 mg/l
72 h EC50	:	Pseudokirchneriella subcapitata (green algae) 0.001 mg/l
48 h EC50	:	Daphnia magna (Water flea) > 1,000 mg/l

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:  
Refer to the product label for instructions.

**SECTION 14. TRANSPORT INFORMATION**

IATA_C	UN number	:	3077
	Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl)
	Class	:	9
	Packing group	:	III
	Labelling No.	:	9MI
IMDG	UN number	:	3077



**DuPont Classic Grande**

Version 2.4

Revision Date 03/20/2017

Ref. 130000121249

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
SOLID, N.O.S. (Chlorimuron ethyl)  
Class : 9  
Packing group : III  
Labelling No. : 9  
  
Marine pollutant : yes (Chlorimuron ethyl)

Not regulated as a hazardous material by TDG.

**SECTION 15. REGULATORY INFORMATION**

PCP Registration # : 29416  
Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

**SECTION 16. OTHER INFORMATION**

MSDS preparation date : 03/20/2017

<sup>TM</sup> Trademark of E.I. du Pont de Nemours and Company.  
<sup>®</sup> Registered trademark of E.I. du Pont de Nemours and Company

Contact person : E.I. DuPont Canada Company, Mississauga, Ontario, L5M 2H3

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.



United Phosphorus, Inc.

<b>NFPA</b>	<b>PPE</b>	

Issued Date 13-Dec-2012

Revision Date 31-Mar-2014

Revision Number: 2

**1. PRODUCT AND COMPANY IDENTIFICATION**

**UPI**  
 630 Freedom Business Center  
 Suite 402  
 King of Prussia, PA 19406

**Emergency Telephone Number**  
 Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887  
 Medical: Rocky Mountain Poison Control Center  
 (866) 673-6671 (24hrs)

<u>Company Information</u>	<u>Contact Information</u>	<u>Phone Number</u>	<u>Available Hrs</u>
UPI	Customer Service R&D Technical Service	1-800-438-6071 610-878-6100	8:00 am to 5:00 pm EST 8:00 am - 5:00 pm (EST)
<b>Product Name</b>	Tricor 75 DF Herbicide (CANADA)		
<b>EPA Reg #</b>	PMRA PCP No. 30661		
<b>Recommended Use</b>	Herbicide		
<b>Product Code</b>	12U-144C		

**2. HAZARDS IDENTIFICATION**

<b>Emergency Overview</b>		
May cause eye and skin irritation May cause irritation to the respiratory tract.		
<b>CAUTION</b>		
<b>Appearance</b> Light, Tan.	<b>Physical State</b> Granular.	<b>Odor</b> Sweet, Musty.

Potential Health Effects

**Eyes** May cause slight irritation.  
**Skin** May cause mild skin irritation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients Name

Component	CAS-No	Weight %	OSHA PEL
Silicon dioxide 112926-00-8 ( 1 )	112926-00-8	1	(vacated) TWA: 6 mg/m <sup>3</sup> TWA: 20 mppcf : (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA
Metribuzin technical 21087-64-9 ( 75 )	21087-64-9	75	(vacated) TWA: 5 mg/m <sup>3</sup>

### 4. FIRST AID MEASURES

<b>Eye Contact</b>	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin Contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
<b>Inhalation</b>	If breathing is irregular or stopped, administer artificial respiration May cause allergic respiratory reaction Call a physician or poison control center immediately
<b>Ingestion</b>	Call a physician or poison control center immediately May produce an allergic reaction Never give anything by mouth to an unconscious person Do not induce vomiting unless told to do so by a poison control center or doctor
<b>Notes to Physician</b>	No information available Treat symptomatically

### 5. FIRE-FIGHTING MEASURES

#### Flammable Explosive Properties

<b>Flash Point</b>	Not applicable
<b>Autoignition Temperature</b>	Not available
<b>Flammability Limits in Air</b>	Not available
<b>Extnguishing Media</b>	Dry chemical, Water.
<b>Fire/Explosion Hazard</b>	Dust clouds generated during handling and/or storage can form explosive mixtures with air. Dust explosion characteristics vary with the particle size, particle shape, moisture content, contaminants, and other variables.

**Hazardous Combustion Products**

Dust clouds generated during handling and/or storage can form explosive mixtures with air. Dust explosion characteristics vary with the particle size, particle shape, moisture content, contaminants, and other variables.

As with any dry material, pouring this material or allowing it to free fall or be conveyed through chutes or pipes can accumulate and generate electrostatic sparks, potentially causing ignition of the material itself, or any flammable materials which may come into contact with the material or its container. Check that all equipment is properly grounded and installed to satisfy electrical classification requirements, Carbon dioxide (CO<sub>2</sub>), Sulfur oxides, Methyl mercaptan, Amines.

**NFPA**

**Health 1**

**Flammability 0 1**

**Instability -**

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions**

Avoid contact with the skin and the eyes.

**Environmental Precautions**

Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

**Methods for Clean-up**

Sweep up and shovel into suitable containers for disposal.

**7. HANDLING AND STORAGE**

**Handling**

Keep out of reach of children. Provide adequate ventilation. Fine dust dispersed in air may ignite.

**Storage**

Store in cool/well-ventilated place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	Silicon dioxide
	(vacated) TWA: 6 mg/m <sup>3</sup> TWA: 20 mppcf : (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA	Metribuzin technical	TWA: 5 mg/m <sup>3</sup>
(vacated) TWA: 5 mg/m <sup>3</sup>			

**Engineering Controls** Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems. PESTICIDE APPLICATORS & WORKERS. THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

### Personal Protective Equipment

#### Eye/face Protection

Eye contact should be avoided through the use of chemical safety glasses, goggles, or a faceshield selected in regard to exposure potential.

#### Skin Protection

Wear protective gloves/clothing. Socks and footwear.

#### Respiratory Protection

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

### General Hygiene Considerations

Do not eat, drink or smoke when using this product. Wash hands and face before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Light Tan	<b>Odor</b>	Sweet Musty
<b>Physical State</b>	Granular	<b>pH</b>	8.9
<b>Boiling Point/Range</b>	Not available	<b>Melting Point/Range</b>	Not available
<b>Specific Gravity</b>	Not available	<b>Solubility</b>	1100 ppm @ 20 C (metribuzin)
<b>Evaporation Rate</b>	Not available	<b>Vapor pressure</b>	1.2 X 10 <sup>-7</sup> mmHg @ 20 C
<b>Vapor Density</b>	Not available	<b>VOC Content</b>	Not available
<b>Viscosity</b>	Not available	<b>Molecular Weight</b>	no data available
<b>Bulk Density</b>	no data available	<b>Percent Solids</b>	Not available
<b>Percent Volatiles</b>	Not available		

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions
<b>Conditions to Avoid</b>	Sustained temperatures above 100 F
<b>Incompatible Materials</b>	ketones aldehydes
<b>Hazardous Decomposition Products</b>	Carbon dioxide (CO <sub>2</sub> ) Oxides of sulfur Amines Methyl mercaptans
<b>Possibility of Hazardous Polymerization</b>	None under normal processing

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Product Information

##### TriCor DF-

Acute oral LD50 rat = 2379 mg/kg (male) 2794 mg/kg (female)

Acute dermal LD50 rabbit = >5,000 mg/kg

Eye - rabbit = Minimal irritation to the conjunctiva was observed with all irritation resolving within 4 days.

Skin effects- rabbit = Not a dermal irritant Metribuzin -

In a three week dermal toxicity study, rabbits were treated with metribuzin at doses of 40, 200, and 1000 mg/kg for 6 hr/dy, 5 dys/wk. The high dose evidence of increased cholesterol levels and liver enzyme function was noted. Thyroxine levels were increased at doses of 200 mg/kg and above. All of these effects were slight and reversible. The NOEL was 40 mg/kg. In subacute inhalation studies, rats were exposed to aerosol concentrations of metribuzin ranging from 31 to 745 mg/cubic meter for 6 hr/dy, 5 dys/wk, for 3 weeks. Effects observed included behavioral changes, decreased body weight gains, liver enzyme induction and organ weight effects. The NOEC was 31 mg/cubic meter.

Oral LD50 (rat) = 2,194 mg/kg

Dermal LD50 (rat) = >5,000 mg/kg

Inhalation LC50 (4 hr rat) = 0.709 mg/L

### Chronic Toxicity

#### Carcinogenicity

Chronic toxicity. Metribuzin - Dogs were administered metribuzin for 2 years at dietary concentrations of 25, 100 and 1500 ppm. Effects observed at high concentration included decreases in body weight and food consumption, anemia, liver effects, kidney effects, testicular effects and mortality. The NOEL was 100 ppm.

In 2 year dietary studies with rats, concentrations ranging from 25 to 900 ppm were administered. At concentrations of 300 ppm and greater, effects observed included decreased body weight gains, increased thyroid weights and changes in thyroid hormones. At 900 ppm, there was an increased incidence of follicular hyperplasia seen in the thyroid. The systemic NOEL was 30 ppm. Carcinogenicity. Metribuzin carcinogenicity - Metribuzin was investigated for carcinogenicity in chronic feeding studies using rats and mice at maximum levels of 900 and 3200 ppm, respectively. There was no evidence of carcinogenic potential observed in either species.

Mutagenicity - Metribuzin is not genotoxic

Developmental toxicity - In rat teratology studies, metribuzin was administered orally during gestation at doses of 25, 70, or 200 mg/kg. Maternal toxic effects were observed at all doses. At 200 mg/kg fetotoxic effects observed included reduced median placental weights, reduced median fetal weights, and increased incidence of delayed ossification. Teratogenic effects were not observed at any of the doses tested. The NOEL's for maternal and developmental toxicity were less than 25 and 70 mg/kg, respectively. When rabbits were administered metribuzin by oral gavage during gestation at doses of 10, 30, or 85 mg/kg, there was no evidence of any developmental effects. The NOEL's for maternal and developmental toxicity were 30 and 85 mg/kg respectively.

Reproduction - In a rat reproduction study, metribuzin was administered for 2 generations at dietary concentrations of 30, 150 or 750 ppm. Offspring at the high dose exhibited reduced body weight gains starting at day 14 lactation, an age correlating with the consumption of treated diets. The NOEL's for materials and reproductive toxicity were 30 and 750 ppm, respectively.

Chemical Name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------

Silicon dioxide		Group 3	
-----------------	--	---------	--

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Metribuzin - can travel (seep or leach) through soil and can contaminate ground water which may be used as drinking water.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Contaminated Packaging** Non refillable container. Do not reuse this container. (For plastic containers). Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. The offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. (For paper bags). Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**14. TRANSPORT INFORMATION**

**DOT** Not regulated  
**ICAO** Not regulated  
**IATA** Not regulated  
**IMDG/IMO** Not regulated  
**TDG** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS/ ELINCS	ENCS	CHINA	KECL	AICS
Silicon dioxide		X			Present	X	Present	X
Metribuzin technical				X		X	Present	X

**USA**

**Federal Regulations**



12U-144C  
Tricor 75 DF Herbicide (CANADA)

SARA 313  
Y

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
Metribuzin technical	21087-64-9	75	1.0

**SARA 311/312 Hazardous Categorization**

Chronic Health Hazard	No
Acute Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any HAPs.

**CERCLA**

**RCRA**

**Pesticide Information**

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Silicon dioxide 112926-00-8 ( 1 )			X	
Metribuzin technical 21087-64-9 ( 75 )			X	

**State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**State Right-to-Know**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silicon dioxide	X	X	X		
Metribuzin technical	X	X	X		

**International Regulations**

**Mexico - Grade** Mexico - Grade

Component	Category	Carcinogen Status	Exposure Limits
Silicon dioxide 112926-00-8 ( 1 )			Mexico: TWA 10 mg/m <sup>3</sup>

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

Not determined

**16. OTHER INFORMATION**

Revision Date 31-Mar-2014

**Revision Summary**

Update section 14

UPI, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPI, Inc. UPI, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

**End of MSDS**