FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

-	RODUCTS, INC. 6 • Greeley, CO 80632-1286		ncy Phone: 1-800-424-9300 nergencies: 1-866-944-8565 nse Center: 1-800-424-8802
PRODUCT NAME: CHEMICAL NAME: CHEMICAL FAMILY: EPA REG. NO.:	CITRUS SOLUBLE OIL MEDIUM Highly-refined Light Paraffinic Distillates Petroleum Hydrocarbon 34704-396		-
MSDS Number: 00039	6-12-LPI MSDS Revisions: Sections 15, 16	Date of Issue: 08/23/12	Supersedes: 08/10/10

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION -Harmful if swallowed. Avoid inhalation of spray mist.

This product is a clear, colorless oily liquid with virtually no odor.

Warning Statement:

NOTE TO PHYSICIAN: Petroleum distillate poses aspiration pneumonia hazard. Only minor irritation should be expected by exposure other than pulmonary aspiration. Ingestion may result in some gastroenteritis and mild diarrhea.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Mineral Oil	99.30	64742-55-8 or 64742-56-9 or 64741-88-4 or	5 mg/m ³
Inert ingredients	0.70	72623-86-0 or 8042-47-5	
4. FIRST AID MEASU	RES		
If swallowed:		r doctor. Do not induce vomiting unless told to do so by a	

	doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5
	minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for
	treatment advice.
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by
	mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
FOR A MEDICAL EMERGENCY	INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control

center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): FLAMMABLE LIMITS (LFL & UFL): EXTINGUISHING MEDIA:	>200 ^o F / >93.3 ^o C (CC) Not established May be combustible at high temperature, use medium appropriate to surrounding fire. Dry chemical, carbon dioxide, foam, water spray or fog.
HAZARDOUS COMBUSTION PRODUCTS: SPECIAL FIRE FIGHTING PROCEDURES: UNUSUAL FIRE AND EXPLOSION HAZARDS:	May include but are not limited to oxides of carbon. Wear self-contained breathing apparatus and full protective gear. If water is used to fight fire or cool containers, contain run-off, using dikes to prevent contamination of water supplies.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Contain the spill by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in container. Decontaminate the spill area by scrubbing with powdered detergent-water slurry and a stiff brush. Absorb and sweep into the same container. Rinse with water, absorb, and add to the waste container.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING:

STORAGE:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Store in a cool, dry area away from heat and open flame. Do not contaminate water, food, or feed by storage or disposal.

EXPOSURE CONTROLS / PERSONAL PROTECTION 8

ENGINEERING CONTROLS: RESPIRATORY PROTECTION: EYE PROTECTION: SKIN PROTECTION:	Worker Protection Star requirements may be r cockpit that meets the Not normally required, Chemical goggles, ship	ndard (WPS) for agricultural pes educed or modified as specified requirements listed in the WPS i if vapors or mists exceed accep elded safety glasses and/or face	aircraft in a manner that meets w ticides [40CFR 170.240 (d)(4-6)], in the WPS. Enclosed cockpits: F for agricultural pesticides [40CFR table levels, wear a NIOSH appro shield. 5, shoes plus socks. Wear rubber	the handler PPE Pilots must use an enclosed 170.240 (d)(6)]. oved respirator.
	Oil Mist	OSHA PEL 8 hr TWA 5 mg/m ³	ACGIH TLV-TWA 5 mg/m ³	

Personal Protective Equipment: Mixers, loaders, applicators, flaggers and other handlers must wear: long sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene or Viton®. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

PHYSICAL AND CHEMICAL PROPERTIES 9.

APPEARANCE AND ODOR: Clear, colorless oily liquid with virtually no odor SPECIFIC GRAVITY (Water = 1): 0.8507 g/ml VAPOR PRESSURE: < 0.0001mm Hg PERCENT VOLATILE (by volume): 100%

BULK DENSITY: 7.1 lbs/gal. **BOILING POINT:** ±200°F/±93°C (wide range) EVAPORATION RATE (Butyl Acetate = 1): < 1

SOLUBILITY: Emulsifies pH: Not established

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon may form under fire conditions.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): Not established Eye Irritation (rabbit): May cause irritation Acute Inhalation LC₅₀ (rat): Not established Carcinogenic Potential: None listed in OSHA, NTP, IARC or ACGIH

12. ECOLOGICAL INFORMATION

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

CONDITIONS TO AVOID: Excessive heat.

Skin Irritation (rabbit): May cause irritation, skin rash, or dermatitis

Acute Dermal LD₅₀ (rabbit): Not established

Skin Sensitization (guinea pig): Not established.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610, CLASS 60)

15. REGULATORY INFORMATION

Health 0 Least 1 Health Flammability 1 Slight 1 Flammability Instability 2 Moderate 0 Reactivity 3 High C PPE 4 Severe Sudden Release of Pressure N nediate Reactive
Instability 2 Moderate 0 Reactivity 3 High C PPE 4 Severe nediate Y Fire N Sudden Release of Pressure N
3 High C PPE 4 Severe
nediate Y Fire Sudden Release of Pressure
ayed <u>N</u> Reactive <u>N</u>

CA Proposition 65: Not listed

CAUTION – This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

16. OTHER INFORMATION

MSDS STATUS: Sections 15 and 16 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Registrations and Regulatory Affairs

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.