COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

SECTION 1. IDENTIFICATION

Product name : COMITE® II

Product code : 40000004099

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc

245 Freight St Waterbury, CT

United States of America

06702

Telephone: +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the material safety data sheet:

sds.request@arysta.com

1.4 Emergency telephone

Emergency telephone: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Miticide

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1A

Serious eye damage : Category 1

COMITE® II

Version Revision Date: MSDS Number: Country: US 11/03/2015 400000004099 Language: Z8 1.8

Carcinogenicity : Category 2

Aspiration hazard : Category 1

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

GHS Label element

Hazard pictograms









Signal Word : Danger

Hazard Statements : H227 Combustible liquid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam for extinction.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Propargite - 6 lbs/gal

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (% w/w)
propargite	2312-35-8	>= 50 - < 70
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Benzenesulfonic acid, mono-C11-13-branched	68953-96-8	>= 1 - < 5
alkyl derivs., calcium salts		
butan-1-ol (Vapour and gas)	71-36-3	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a POISON CENTER or doctor/ physician.

In case of skin contact : Remove contaminated clothing and shoes.

Wash off immediately with plenty of water for at least 15 min-

utes.

Call a POISON CENTER or doctor/ physician.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye.

Call a POISON CENTER or doctor/ physician.

If swallowed : Call a physician or poison control center immediately.

If swallowed, DO NOT induce vomiting unless directed to do so by

medical personnel.

Do not give anything to drink.

Never give anything by mouth to an unconscious person.

COMITE® II

Version Revision Date: MSDS 1.8 11/03/2015 40000

MSDS Number: Country: US 400000004099 Language: Z8

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed

: Breathing difficulties discomfort in the chest

Drowsiness irritant effects carcinogenic effects Harmful if swallowed.

May be harmful if swallowed.

May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage.

Causes serious eye damage.

Fatal if inhaled.

Suspected of causing cancer.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - large fires

Alcohol-resistant foam (on small fires) Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media : Water spray jet

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Burning produces obnoxious and toxic fumes.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Further information : Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for

fire-fighters

: Body covering protective clothing, full "turn-out" gear.

Self-contained breathing apparatus (EN 133)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro-

cedures

: Evacuate unnecessary personnel. Avoid all contact with material. Wear suitable protective equipment.

Environmental precautions : Prevent leaks and prevent soil / water pollution caused by leaks.

Methods and materials for containment and cleaning up

: Absorb on inert material such as sand, earth, vermiculite.

Collect for disposal.

Dam up.

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

Large spills should be collected mechanically (remove by pumping)

for disposal

Pump excess material into suitable container (metal drums, metal

tank, or such).

In accordance with local and national regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wear suitable protective equipment.

Warn personnel about the dangers of the product.

Keep container tightly closed.

Conditions for safe storage : Keep in a dry, cool place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible con- centration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
butan-1-ol (Vapour and gas)	71-36-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 300 mg/m3	OSHA Z-1
		С	50 ppm 150 mg/m3	OSHA P0
		С	50 ppm 150 mg/m3	NIOSH REL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
propargite	2312-35-8
Benzenesulfonic acid, mono-	68953-96-8
C11-13-branched alkyl derivs.,	
calcium salts	

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks : Impervious gloves

Eye protection : Face-shield

Skin and body protection : Preventive skin protection

Hygiene measures : Provide adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, brown

Odor : slight, sulfurous

Odor Threshold : No data available

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : 66 °C

Method: Tag closed cup

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.045 g/cm3

Solubility(ies)

Water solubility : emulsifiable

Solubility in other solvents : completely miscible

Partition coefficient: n-

octanol/water

: log Pow: 5.7

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 73.9 mPa.s (25 °C)

Viscosity, kinematic : No data available

Self-Accelerating decomposition

temperature (SADT)

: Method: No information available.

Oxidizing potential : No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

Hazardous decomposition prod-

ucts

: Burning produces obnoxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): 960 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.7 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Test substance: 10 % gravimetric suspension in distilled water Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): 4,500 mg/kg

Ingredients:

propargite:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

Acute inhalation toxicity : LC50 (Rat): > 4.5 mg/l

Exposure time: 1 h

Test substance: 10 % gravimetric suspension in distilled water Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit Result: Corrosive

Ingredients:

propargite:Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: Severe irritation

Ingredients:

propargite:

Species: Rabbit

Result: Severe eye irritation

Assessment: Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

Ingredients:

propargite:

Test Type: Buehler Test Species: Guinea pig

Assessment: Did not cause sensitization on laboratory animals. Result: Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Ingredients:

propargite:

Germ cell mutagenicity -

: Not mutagenic in Ames Test.

Assessment

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

Carcinogenicity

Ingredients:

propargite: Carcinogenicity - Assess-

ment

: Suspected of causing cancer.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Ingredients:

propargite:

Reproductive toxicity - As-

sessment

: Not classified due to data which are conclusive although insufficient

for classification.

Aspiration toxicity

Product:

Harmful: may cause lung damage if swallowed.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

propargite:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.081 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.06 mg/l

Exposure time: 96 h

LC50 (Salmo gairdneri): 0.118 mg/l

Exposure time: 96 h

LC50 (Fish): 0.04 mg/l Exposure time: 96 h

COMITE® II

Version Revision Date: MSDS Number: Country: US 11/03/2015 40000004099 Language: Z8 1.8

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.014 mg/l

Exposure time: 48 h

EC50 (Crangon crangon (shrimp)): 0.101 mg/l

Exposure time: 48 h

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.08

Exposure time: 96 h

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Ingredients:

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Partition coefficient: n-: log Pow: 5.54 octanol/water GLP: no

butan-1-ol (Vapour and gas):

Partition coefficient: n-: log Pow: 0.9

octanol/water

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

tion

Additional ecological informa: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

The product should not be allowed to enter drains, water courses or

the soil.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite) 9

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

: 964: 964

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(propargite)

Class : 9 Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes(propargite)

Remarks : Not regulated by DOT and TDG if shipped or transported in

packaging < 13 KG (28.7 LBS) by road and/or rail.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
propargite	2312-35-8	10	15

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

propargite 2312-35-8 68.8367 %

butan-1-ol (Vapour and 71-36-3 1.4813 %

gas)

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

butan-1-ol (Vapour and 71-36-3 1.4813 %

gas)

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

propargite 2312-35-8 68.8367 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table

117.3:

propargite 2312-35-8 68.8367 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

307

California Prop. 65 WARNING! This product contains a chemical known in the

State of California to cause cancer.

propargite 2312-35-8 Distillates (petroleum), hydrotreated light 64742-47-8

> WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive

harm.

propargite 2312-35-8

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

DANGER

Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if inhaled. Harmful if swallowed. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

This pesticide is toxic to fish and aquatic invertebrates and may cause reproductive effects in wildlife. Do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

Combustible: Do not use or store near heat or open flame.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations


COMITE® II

Version Revision Date: MSDS Number: Country: US 400000004099 1.8 11/03/2015 Language: Z8

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Further information

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 11/03/2015

COMITE® II

Version Revision Date: MSDS Number: Country: US 1.8 11/03/2015 400000004099 Language: Z8

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

Carechem24 International Worldwide Coverage

Emergency Phone Number

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
Middle East / Africa:	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
Latin America:	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670