

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

1/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name CONFIDENCE® XTRA HERBICIDE (WINFIELD)
Product code (UVP) 62292839
SDS Number 102000039545
EPA Registration No. 524-480

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
Restrictions on use See product label for restrictions.
Information on supplier
Supplier Bayer CropScience LP
800 North Lindbergh Blvd.
St. Louis, MO 63167
USA
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4
Skin sensitisation: Category 1
Specific target organ toxicity - single exposure: Category 3
Specific target organ toxicity - repeated exposure, Carcinogenicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

2/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Harmful if swallowed.
May cause an allergic skin reaction.
May cause respiratory irritation.
Suspected of causing cancer.
May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe gas/ mist/vapours/ spray.
Do not eat, drink or smoke when using this product.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Use only outdoors or in a well-ventilated area.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor/ physician.
IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Acetochlor	34256-82-1	46.3
Atrazine	1912-24-9	18.3
Furilazole	121776-33-8	1.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

3/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Hydrogen chloride (HCl)

Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. Equipment should be thoroughly decontaminated after use.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point does not flash

Auto-ignition temperature No data available

Lower explosion limit Not applicable

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

4/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Upper explosion limit Not applicable
Explosivity Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

5/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Atrazine (Inhalable fraction.)	1912-24-9	2 mg/m ³ (TWA)	03 2017	ACGIH
Atrazine	1912-24-9	5 mg/m ³ (REL)	2010	NIOSH
Atrazine	1912-24-9	5 mg/m ³ (TWA)	06 2008	TN OEL
Atrazine	1912-24-9	5 mg/m ³ (TWA PEL)	08 2010	US CA OEL
Atrazine	1912-24-9	2 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Use tightly sealed goggles and face protection.

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

6/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	suspension
Colour	light pink
Odour	mild
Odour Threshold	No data available
pH	7.0 - 8.5 (5 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	does not flash
Flammability	No data available
Auto-ignition temperature	No data available
Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	Not applicable
Lower explosion limit	Not applicable
Vapour pressure	No significant volatility.
Evaporation rate	No data available
Relative vapour density	Not applicable
Relative density	1.1 (20 °C) Water at 15,6 °C
Density	ca. 1.11 g/cm ³ (20 °C)
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Acetochlor: log Pow: 4.14 (20 °C) Furilazole: log Pow: 2.12 (23 °C)
Viscosity, dynamic	250 - 350 mPa.s (10 °C)
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	Not explosive
Other information	Further safety related physical-chemical data are not known.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

7/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin contact, Eye contact, Inhalation
Immediate Effects	
Eye	Causes moderate eye irritation.
Skin	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) 1,249 mg/kg Information given is based on data obtained from similar substances.
Acute inhalation toxicity	LC50 (Rat) > 2.0 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. No deaths Information given is based on data obtained from similar substances.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Information given is based on data obtained from similar substances.
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test Information given is based on data obtained from similar substances.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

8/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Assessment STOT Specific target organ toxicity – single exposure

Acetochlor: May cause respiratory irritation.

Atrazine: Based on available data, the classification criteria are not met.

Furilazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Acetochlor caused specific target organ toxicity in experimental animal studies in the following organ(s):
Kidney.

Atrazine caused specific target organ toxicity in experimental animal studies in the following organ(s):
Heart.

Furilazole caused specific target organ toxicity in experimental animal studies in the following organ(s):
Liver.

Assessment mutagenicity

Acetochlor was not genotoxic based on weight of evidence analysis.

Atrazine is not considered mutagenic.

Furilazole was not genotoxic based on weight of evidence analysis.

Assessment carcinogenicity

Acetochlor caused an increased incidence of tumours in rats in the following organ(s): Nasal, Thyroid.
Mode(s) of action not relevant to humans.

Acetochlor caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only above the MTD (maximum tolerated dose). The observed effects do not appear to be relevant for humans.

Acetochlor caused lung tumours and histocytic sarcomas in mice, probably not treatment related.

Atrazine caused mammary tumours in rats. Mode(s) of action not relevant to humans.

Furilazole caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only at doses that caused significant hepatotoxicity. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in mice in the following organ(s): Lungs. Only at doses that caused chronic inflammation. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in rats in the following organ(s): forestomach. Only at doses that caused substantial irritation. The observed effects do not appear to be relevant for humans.

ACGIH

Atrazine	1912-24-9	Group A3
----------	-----------	----------

NTP

None.

IARC

Atrazine	1912-24-9	Overall evaluation: 3
----------	-----------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Reproductive effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.
Atrazine did not cause reproductive toxicity in laboratory animals.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

9/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Furilazole did not cause reproductive toxicity in laboratory animals.

Assessment developmental toxicity

Developmental effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.

Acetochlor did not cause developmental toxicity in rabbits. Testicular damage in dogs only in the presence of substantial systemic toxicity.

Developmental effects in rats, rabbits seen with Atrazine are only in the presence of significant maternal toxicity.

Furilazole did not cause developmental toxicity in rabbits. The developmental effects seen with Furilazole are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Information given is based on data obtained from similar substances.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)) 1.3 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 8 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient atrazine.

LC50 (Oncorhynchus mykiss (rainbow trout)) 6.2 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the safener furilazole.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 4.6 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the safener furilazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.36 - 1.2 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.

LC50 (Oncorhynchus mykiss (rainbow trout)) 8.8 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient atrazine.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 8.6 - 16 mg/l static test; Exposure time: 48 h
The value mentioned relates to the active ingredient acetochlor.

EC50 (Daphnia magna (Water flea)) 6.9 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient atrazine.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

10/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

EC50 (Daphnia magna (Water flea)) 26 mg/l static test; Exposure time: 48 h

The value mentioned relates to the safener furilazole.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.00027 - 0.00149 mg/l static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.
ErC50 (Raphidocelis subcapitata (freshwater green alga)) 85.2 mg/l Growth rate; Exposure time: 72 h
The value mentioned relates to the safener furilazole.

Biodegradability Acetochlor:
No data available
Furilazole: 1 %, Exposure time: 28 d
Not readily biodegradable.

Koc Acetochlor: Koc: 204
Furilazole: Koc: 56 - 341

Bioaccumulation Acetochlor: Bioconcentration factor (BCF) 20
Furilazole:
No data available

Mobility in soil Acetochlor: No data available
Furilazole: No data available

Results of PBT and vPvB assessment

PBT and vPvB assessment Acetochlor: No data available
Furilazole: No data available

Additional ecological information No further ecological information is available.

Environmental precautions Apply this product as specified on the label.
Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not contaminate water, food, or feed by disposal.
Incineration in a special incineration plant in accordance with the local waste regulation authority.
Follow all local/regional/national/international regulations.

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

11/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Contaminated packaging	Follow advice on product label and/or leaflet. Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETOCHLOR, ATRAZINE SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETOCHLOR, ATRAZINE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 524-480

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

12/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

US Federal Regulations

TSCA list

Water	7732-18-5
Atrazine	1912-24-9
1,2-Propanediol	57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Acetochlor	34256-82-1
------------	------------

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Furilazole	121776-33-8
------------	-------------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Atrazine	1912-24-9	Developmental toxin.
Atrazine	1912-24-9	Female reproductive toxin.

US State Right-To-Know Ingredients

Atrazine	1912-24-9	CA, CT, MN, NJ, RI
1,2-Propanediol	57-55-6	MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

Yes

Acetochlor	34256-82-1
------------	------------

Yes

Atrazine	1912-24-9
----------	-----------

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

SAFETY DATA SHEET



CONFIDENCE® XTRA HERBICIDE (WINFIELD)

Version 2.0 / USA
102000039545

13/13
Revision Date: 08/07/2020
Print Date: 02/11/2021

Signal word: Caution!

Hazard statements: Harmful if swallowed.
Harmful if inhaled.
Causes moderate eye irritation.
May cause allergic skin reaction.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others -

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Revision Date: 08/07/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.