

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018
Replaces: 6/12/2017

1. PRODUCT IDENTIFICATION

Product identifier on label: **CRUISER® VIBRANCE® QUATTRO**

Product No.: A20307A

Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Not Applicable

Signal Word (OSHA): Not Applicable

Hazard Statements: Not Applicable

Hazard Symbols:

Precautionary Statements: Not Applicable

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	3.45%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	0.86%
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	Fludioxonil	131341-86-1	0.72%
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	Thiamethoxam	153719-23-4	5.75%

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018
Replaces: 6/12/2017

1H-Pyrazole-4-carboxamide, N-(2-[1,1'-bicyclopropyl]-2-ylphenyl)-3-(difluoromethyl)-1-methyl-	Sedaxane	874967-67-6	1.44%
---	----------	-------------	-------

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice. Clean contaminated clothing and shoes before re-use.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent it from spreading, contaminating soil, or entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. If a solid, sweep up material and place in a compatible disposal container. If a liquid, cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018

Replaces: 6/12/2017

material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Difenoconazole	Not Established	Not Established	5 mg/m ³ TWA	Manufacturer
Mefenoxam	Not Established	Not Established	5 mg/m ³ TWA	Syngenta
Fludioxonil	Not Established	Not Established	5 mg/m ³ TWA	Syngenta
Thiamethoxam	Not Established	Not Established	3 mg/m ³ TWA	Syngenta
Sedaxane	Not Established	Not Established	2 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.

Eye Contact:

Where eye contact is likely use splash-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018

Replaces: 6/12/2017

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red liquid

Odor: Aromatic

Odor Threshold: Not Available

pH: 6.7 (1% solution in deionized H₂O @ 77°F [25°C])

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): Not Available

Flammable Limits (% in Air): Not Available

Flammability: Not Available

Vapor Pressure: Difenoconazole 2.5 x 10⁻¹⁰ mmHg @ 77°F (25°C)Fludioxonil 2.9 x 10⁻⁹ mmHg @ 77°F (25°C)Mefenoxam 2.5 x 10⁻⁵ mmHg @ 77°F (25°C)Sedaxane 4.9 x 10⁻¹⁰ mmHg @ 68°F (20°C)Thiamethoxam 2 x 10⁻¹¹ mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 1.073 g/cm³ ; 8.954 lbs/gal

Solubility (ies): Difenoconazole 15 mg/l @ 77°F (25°C)

Fludioxonil 1.8 mg/l @ 77°F (25°C)

Mefenoxam 26 g/l @ 77°F (25°C)

Sedaxane 14 mg/l @ 77°F (25°C)

Thiamethoxam 4.1 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: Not Available

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018

Replaces: 6/12/2017

11. TOXICOLOGICAL INFORMATIONHealth effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.59 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Difenoconazole: None observed.

Fludioxonil: Delayed development at doses causing maternal toxicity.

Mefenoxam: None observed.

Sedaxane: Did not show teratogenic effects in animal experiments.

Did not show reproductive toxicity effects in animal experiments.

Thiamethoxam: Developmental: Not teratogenic in rats or rabbits.

Reproductive: No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction.

Chronic/Subchronic Toxicity Studies

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

Fludioxonil: Liver and kidney toxicity at high dose levels.

Mefenoxam: Liver effects at high dose animal tests.

Sedaxane: STOT - Repeated Exposure : No adverse effect has been observed in chronic toxicity tests.

Thiamethoxam: Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after high acute and subchronic exposure in rats.

Carcinogenicity

Difenoconazole: Did not show carcinogenic effects in animal experiments.

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Mefenoxam: None observed.

Sedaxane: Did not show mutagenic effects in animal experiments.

At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

Thiamethoxam: Classified as "not likely to be carcinogenic in humans" based on lifetime studies in mice and rats.

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018
 Replaces: 6/12/2017

Chemical Name	NTP/IARC/OSHA Carcinogen
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	No
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	No
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	No
1H-Pyrazole-4-carboxamide, N-(2-[1,1'-bicyclopropyl]-2-ylphenyl)-3-(difluoromethyl)-1-methyl-	No

Other Toxicity Information

Not Available

Toxicity of Other Components

Target Organs

Active Ingredients

Difenoconazole:	Brain, liver, kidney, gastrointestinal tract
Fludioxonil:	Liver, kidney
Mefenoxam:	Liver
Sedaxane:	Not Applicable
Thiamethoxam:	Liver

Inert Ingredients

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Difenoconazole:

- Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l
- Green Algae 72-hour EbC50 0.032 mg/l

Mefenoxam:

- Fish (Rainbow Trout) 96-hour LC50 > 121 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm
- Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

Fludioxonil:

- Fish (Rainbow Trout) 96-hour LC50 0.47 ppm
- Green Algae 5-day EC50 0.087 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm
- Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018
Replaces: 6/12/2017

Thiamethoxam:

Fish (Rainbow Trout) 96-hour LC50 > 100 ppm
Bird (Mallard Duck) LD50 Oral 576 mg/kg
Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm
Green Algae 4-day EC50 > 97 ppm

Sedaxane:

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.10 mg/l
Green Algae 96-hour EbC50 1.9 mg/l
Fish (Carp) 96-hour LC50 0.62 mg/l

Environmental Fate

Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.
Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.
Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.
Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

Sedaxane:

The information presented here is for the active ingredient, sedaxane.
Material is not readily biodegradable. Material is not persistent in soil.

Thiamethoxam:

The information presented here is for the active ingredient, thiamethoxam.
Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Not regulated

Comments

Water Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Thiamethoxam, Fludioxonil), Marine Pollutant
Hazard Class: Class 9
Identification Number: UN 3082
Packing Group: PG III

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018

Replaces: 6/12/2017

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Thiamethoxam, Fludioxonil)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticides get inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

EPA Registration Number(s):

100-1527

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: See Section 2 Hazards

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

Not Applicable

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 0
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 0
 Flammability: 1
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: A

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 4/3/2014

Revision Date: 5/8/2018

Replaces: 6/12/2017

CRUISER® VIBRANCE® QUATTRO

Date: 5/8/2018

Replaces: 6/12/2017

Section(s) Revised: 2,4,7,15,16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.