Albaugh

SAFETY DATA SHEET

Revision date 01-Aug-2023 Revision Number 1

1. Identification

Product identifier

Product Name CT Mix 360

Other means of identification

Product Code(s) 33387

Synonyms None

Registration Number(s) 33387

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Follow label instructions

Details of the supplier of the safety data sheet

Initial supplier identifier

ALBAUGH LLC 1525 NE 36th St, Ankeny, IA 50021 USA

Emergency telephone number

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident:

• Call CHEMTREC Day or Night within USA and Canada: 1-800-424-9300, Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

For Medical Emergencies Only:

• Call Albaugh LLC Day or Night within USA and Canada: 1-888-347-6732

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 3

Label elements

Warning

Hazard statements

Causes skin irritation Causes serious eye irritation Flammable liquid and vapor



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Wash face, hands and any exposed skin thoroughly after handling

Ground and bond container and receiving equipment

Use non-sparking tools

Take action to prevent static discharges

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and waterIf skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

Skin

If skin irritation occurs: Get medical advice and attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

Wash contaminated clothing before reuse

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption granted
			registry number	(if applicable)
			(HMIRA registry #)	
Clopyralid MEA Salt	57754-85-5	39.67-42.13	-	
Isopropyl alcohol	67-63-0	4.75-5.25	-	
Other Ingredients	PROPRIETAR	>53	-	
	Υ			

4. First-aid measures

Revision date 01-Aug-2023

33387 - CT Mix 360

Description of first aid measures

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the General advice

doctor in attendance.

Remove to fresh air. Get medical attention immediately if symptoms occur. Inhalation

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep Eye contact

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists. Wash contaminated

clothing before reuse.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) Self-protection of the first aider

> involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. Suitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors. Combustible

material.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid Personal precautions

contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Do not touch or walk through spilled

material. Remove all sources of ignition. See section 8 for more information.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8. -

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take

off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario	Quebec
Isopropyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm
67-63-0	TWA: 492 mg/m ³	STEL: 400 ppm	STEL: 400 ppm	TWA: 985 mg/m ³
	STEL: 400 ppm			STEL: 500 ppm
	STEL: 984 mg/m ³			STEL: 1230 mg/m ³

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Showers, eyewash stations, and

ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorred brownOdorsweet

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pН 7.5 - 8.0 None known Melting point / freezing point No data available None known Initial boiling point and boiling range 100 °C / 212 °F None known 47.2 °C / 117 °F Flash point None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure 23.5 mmHg None known None known Relative vapor density 1.06 (Air = 1)1.161 Relative density None known Water solubility Miscible in water None known Solubility in other solvents No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** None known

Kinematic viscosity ~ 7 mm2/s @ 40 °C None known **Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available.

No information available information available.

*Listed density is an approximate value and does not necessarily represent that of a specific batch

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Revision date 01-Aug-2023

33387 - CT Mix 360

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Storage near to reactive materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Nitrogen

oxides (NOx). Carbon oxides. Hydrogen halides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact Irritating to eyes.

Skin contact Irritating to skin.

Ingestion No known effect based on information supplied.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 2,555.20 mg/kg

 ATEmix (dermal)
 4,059.00 mg/kg

 ATEmix (inhalation-vapor)
 30.10 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Clopyralid MEA Salt 57754-85-5	= 2675 mg/kg (Rat)	-	-
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Irritating to eyes.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------

33387 - CT Mix 360

Isopropyl alcohol	-	Group 3	-	-
67-63-0				

Legend

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Target organ effects Eyes, Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
Ī	Isopropyl alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
	67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
		subspicatus)	LC50: =11130mg/L (96h,		
		EC50: >1000mg/L (72h,	Pimephales promelas)		
		Desmodesmus	LC50: >1400000µg/L		
		subspicatus)	(96h, Lepomis		
			macrochirus)		

Persistence and degradability Not readily biodegradable.

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE.

Component Information

Chemical name	Partition coefficient
Isopropyl alcohol	0.05
67-63-0	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products

eu

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

14. Transport information

TDG Not regulated

Notes Not regulated (If shipped in NON BULK packaging by ground transport)

IATA

UN number or ID number UN1993

UN proper shipping name Flammable liquid, n.o.s.

Transport hazard class(es) 3
Packing group | |||

Description UN1993 Flammable liquid, n.o.s., (Isopropyl alcohol), 3, III

Special Provisions A3 ERG Code 3L

ICAO (air) Not regulated

IMDG

UN number or ID number UN1993

UN proper shipping name Flammable liquid, n.o.s.

Transport hazard class(es)

Packing group

EmS-No

Special Provisions

3

III

F-E, S-E

Special Provisions

223, 274, 955

Description UN1993 Flammable liquid, n.o.s., (Isopropyl alcohol), 3, III (47.2°C c.c.)

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status. **TSCA** DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

16. Other information

NFPAHealth hazards2Flammability2Instability0Special hazards-HMISHealth hazards2Flammability2Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

33387 - CT Mix 360

STEL (Short Term Exposure Limit) TWA TWA (time-weighted average) **STEL**

Maximum limit value Skin designation Ceiling

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 01-Aug-2023

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet