

Date Issued: 11/18/2024 Supersedes: 02/15/2018

## DREXEL DE-AMINE® 4

### **Section 1: Material Identification**

Product Name: Drexel De-Amine<sup>®</sup> 4

**EPA Reg No.:** 19713-650

**CAS NO:** 2008-39-1 (94-75-7)

Formula:  $C_{10}H_{13}CI_2NO_3$ 

Company: Drexel Chemical Company

1700 Channel Avenue Memphis, TN 38106

**Synonyms:** 2,4-D amine, 2,4-Dimethylamine, Dimethylamine salt of 2,4-dichlorophenoxy

acetic acid

**Identifiers:** 

EINECS: 217-673-3

RTECS No.: AG8400000

DOT label: See Section 14.

### Emergency Telephone Number:

CHEMTREC Drexel Chemical Co. Tel: 1-800-424-9300 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15. REGULATORY INFORMATION** for explanation.

## **Section 2: Hazard Identification**

(As defined by the OSHA Hazard Communication Standard, 29)

**GHS Classification:** 

GHS hazards: Acute toxicity - oral Category 4

Eye damage/irritation Category 1

Specific organ toxicity

repeated exposure Category 2
Aquatic acute toxicity Category 2
Aquatic toxicity long term Category 2

#### **GHS Label Elements:**

De-Amine® 4 Page 1 of 9

Signal word: Danger



**Hazard statements:** Harmful if swallowed.

Causes serious eve damage.

May cause damage to organs (liver, kidneys) through prolonged or repeated

exposure.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

**Precautionary statement:** 

**Prevention:** Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid release to environment.

Response: If swallowed: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Immediately call a POISON CENTER/doctor

If you feel unwell get medical advice/attention.

**Storage:** Store in a well-ventilated secure place for pesticides.

**Disposal:** If wastes and/or containers cannot be disposed of according to the product label

directions, disposal of this material must be in accordance with your local

regulations.

# **Section 3: Composition Information**

<u>Components</u>	CAS No.:	% By Wt.:	OSHA PEL:	ACGIHTLV:
Active Ingredient: DMA Salt of 2,4-dichlorophenoxy acetic acid	2008-39-1	47.5%	10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Inert Ingredients:	N/A	52.5%	N/A	N/A

### **Section 4: First-Aid Measures**

Have product container or label with you when calling a poison control center or doctor or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

De-Amine® 4 Page 2 of 9

**If on Skin or Clothing:** Take off contaminated clothing and shoes. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**Note to Physician:** This product is a phenoxy type herbicide. There is no specific antidote. Base all treatments on observed signs and symptoms of distress in the patient. Probable mucosal damage may contraindicate the use of gastric lavage.

## **Section 5: Fire Fighting Measures**

**Extinguishing Media:** Water fog or fine spray, Dry chemical fire extinguishers, Carbon dioxide fire extinguishers, Foam.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. If water is used, use a fine water or fog to avoid contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires. Move container from fire area if this is possible without hazard. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS.

**Special Protective Equipment for Firefighters:** Wear positive-pressure self-contained breathing NIOSH/MSHA approved apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

#### **Unusual Fire and Explosion Hazards:**

Container may rupture from gas/vapor generation in a fire situation. Dense smoke is produced when product burns.

#### **Hazardous Combustion Products:**

May produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

#### **National Fire Protection Association:**

(NFPA): Health: Fire: Reactivity:

(Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant)

### **Section 6: Accidental Release Measures**

#### Steps to be taken if Material is Released or Spilled:

 Contain spilled material if possible. Small spills: Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

#### **Personal Precautions:**

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for
additional precautionary measures. Keep upwind of spill. Spilled material may cause a slipping hazard. Ventilate
area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure
Controls and Personal Protection.

### **Environmental Precautions:**

 Prevent from entering soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

# **Section 7: Handling and Storage**

Handling: General Handling: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not

swallow. Avoid breathing vapor. Use with adequate ventilation. Keep container closed. Keep away from heat, sparks and flame. Keep out of reach of children. See Section 8, Exposure Controls and Personal

Protection.

Storage: Store in a cool, dry areas designated specifically for pesticides and away from heat sources. Keep in

original containers and keep containers closed when not in use. Do not store below 45°F (7°C). If frozen or crystallized, slowly warm to 80 to 90°F and re-dissolve by rolling or shaking container before use. Do

not store near children, food, foodstuffs, drugs or potable water supplies.

## **Section 8: Exposure Controls / Personal Protection**

## **Exposure Limits:**

Component	List	Type	<u>Value</u>
(DMA Salt of 2,4-dichlorophenoxy acetic acid)	ACGIH	TWA	10 mg/m <sup>3</sup>
(based on 2,4-D limit)	OSHA Table	PEL	10 mg/m <sup>3</sup>

THIS SECTION IS FOR <u>MANUFACTURING</u>. <u>COMMERCIAL BLENDING AND PACKAGING WORKERS</u>.

APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Personal Protection:**

Eye/Face Protection: Wear/Use protective eyeglasses or chemical safety goggles.

**Skin Protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator such as an OSHA/NIOSH-approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

**Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

#### **Engineering Controls:**

**Ventilation:** Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations and is preferred.

## **Section 9: Physical and Chemical Properties**

Physical State: Liquid

Color: Yellow to amber
Odor: Mild to pungent

Flash Point: >100°C

Vapor Pressure (mmHg): N/A

Boiling Point: >100°C

Vapor Density (air = 1): 1.42

**Bulk Density (H<sub>2</sub>O = 1):** 1.16 g/ml @ 21°C.

Freezing Point: N/A

Solubility in water (wt. %): Complete

**pH**: 7-9

Viscosity: 10.5 cPs @21 °C

# **Section 10: Stability and Reactivity**

Stability/Instability: Thermally stable at typical use temperatures and in closed containers.

**Conditions to Avoid:** Avoid heat of open flame. Avoid temperatures above 150°C (302°F). Keep away from strong acids.

Incompatible Materials: Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

Hazardous Polymerization: Will not occur

**Thermal Decomposition:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide, Carbon dioxide, Chlorine-containing compounds.

# **Section 11: Toxicological Information**

### Acute Toxicity (data on similar product):

### Ingestion:

LD50, (rat, female): 1,030 mg/kg

#### Dermal (rat):

• LD50, (rabbit): >5,000 mg/kg

#### Inhalation:

LC50, 4-hr, (rat): >2.06 mg/l

### Eye Irritation (rabbit):

Slight irritation

#### Skin Irritation (rabbit):

Corrosive/severely irritating

#### Sensitization Skin (guinea pig):

Non-sensitizer

#### Repeated Dose Toxicity:

Repeated overexposure to phenoxy herbicides may cause effects to liver, kidneys, blood chemistry, and
gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal
studies have failed to substantiate these observations, even at high doses for prolonged periods.

#### **Chronic Toxicity and Carcinogenicity:**

Various animal cancer tests have shown no reliably positive association between 2, 4-D exposure and cancer.
 Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

#### **Carcinogenicity Classifications:**

Component	List	<u>Classification</u>
Chlorophenoxy	ACGIH	Not classifiable as a human carcinogen
Herbicides	NTP	Not classifiable as a human carcinogen
	IARC	List as possible carcinogen Class 2B

**Developmental Toxicity:** Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. Studies in laboratory animals with 2, 4-D have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.

**Reproductive Toxicity:** In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring.

**Genetic Toxicology:** In vitro genetic toxicity studies were predominantly negative. Animal genetic toxicity studies were predominantly negative.

# **Section 12: Ecological Information**

#### ENVIRONMENTAL FATE: 2,4-dichlorphenoxy acetic acid

• This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-

De-Amine® 4 Page 6 of 9

target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash waters.

**Movement & Partitioning:** Bioconcentration potential is low (BCF less than <100 or log Pow less than 3). Potential for mobility in soil is high (Koc between 50 and 150).

Henry's Law Constant (H): 1.02E-08 atm\*m<sup>3</sup>/mole; 25°C Estimated.

Partition coefficient, soil organic carbon/water (Koc): 48 Estimated.

#### Persistence and Degradability: 2,4-D has low soil persistence

• Under aerobic soil conditions the half-life is 4-7 days.

### Stability in Water (1/2-life):

- 2,4-D; pH 2.49 (1% aqueous suspension)
- In aquatic environments, microorganisms readily degrade 2,4-D. Rates of breakdown increase with increased nutrients, sediment load, and dissolved organic carbon. Under oxygenated conditions the half-life is 1-2 weeks.

**ECOTOXICITY:** Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 is >100 mg/L in the most sensitive species tested). Material is moderately toxic to birds on an acute basis (LD50 between 51 and 500 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 >5000 ppm).

#### Fish Acute & Prolonged Toxicity:

- Bioaccumulation factor in fish is 0.1-0.47
- LC50, rainbow trout (Oncorhynchus mykiss), static, 96 h: 250 mg/l
- LC50, fathead minnow (Pimephales promelas), static, 96 h: 344 mg/l
- EC50, bluegill (Lepomis macrochirus), static, 96 h: 525 mg/l

### **Aquatic Invertebrate Acute Toxicity:**

- LC50, water flea (Daphnia magna), 185 mg/l
- EC50, eastern oyster (Crassostrea virginica), flow-through, 96 h, shell growth inhibition: 136 mg/l
- LC50, pink shrimp (Penaeus duorarum) sp., 182 mg/l
- LC50, tidewater silverside (Menidia beryllina), 470 mg/l

#### **Aquatic Plant Toxicity:**

- EC50, blue-green algae (Anabaena flosaquae): 153 mg/l
- EC50, green algae (Selenastrum capricornutum) 5 d: 66.5 mg/l
- EC50, diatom Navicula sp., static, biomass growth inhibition, 5 d: 5.28 mg/l
- EC50, duckweed Lemna sp., static, Number of fronds, 14 d: .58 mg/l

## Toxicity to Non-mammalian Terrestrial Species: Moderately toxic

- Dietary LC50, bobwhite (Colinus virginianus): >5,620 ppm
- Dietary LC50, mallard (Anas platyrhynchos): >5,620 ppm
- Acute oral LD50 (Bobwhite quail), <500 mg/kg; Mallard duck >5,000 ppm

# **Section 13: Disposal Considerations**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been

De-Amine® 4 Page 7 of 9

used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

# **Section 14: Transport Information**

#### DOT:

- <26 gallons per complete package: Non-regulated
- ≥26 gallons per complete package UN 3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D Amine Salt), 9, PG-III, RQ 100 lbs.

#### IMDG:

Not Regulated

#### IATA;

Not Regulated

ERG Guide No.: 171

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

# **Section 15: Regulatory Information**

#### **OSHA Hazard Communication Standard:**

- This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
- EPA FIFRA INFORMATION:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemical. The hazard information required on the pesticide label is listed below. The pesticide label also includes other important information, including directions for use.

Label Human Hazard Statements: DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid breathing vapor or spray mist.

• EPA/CERCLA Reportable Quantity: 100 lbs. (2,4-D or 2,4-D Salts)

#### **SARA/TITLE III:**

- Sec. 302. Extremely Hazardous Substance Notification: 2,4-D: De Minimus 0.1%
- Sec. 311/312. Hazardous Categories: Immediate health hazard Chronic health hazard
- Sec. 313. Toxic Chemical(s): 2,4-D: De Minimus 0.1%
- Reportable Quantity (RQ) under U.S. CERCLA: 100 lbs. (2,4-D or 2,4-D Salts)
- RCRA Waste Code: U 240

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

De-Amine® 4 Page 8 of 9

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

Not listed.

### **Toxic Substances Control Act (TSCA):**

 All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

## **Hazard Rating System:**

NFPA	Health	Fire	Reactivity
	3	1	0

## **Section 16: Other Information**

**Date Issued:** November 18, 2024 **Date Supersedes:** February 15, 2018 **Revision:** 2

For all non-emergency questions about this product, please contact:

1700 Channel Avenue
Phone: 901-774-4370
Fax: 901-774-4666 Website:

Memphis, Tennessee 38113-0327, USA www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

De-Amine® 4 Page 9 of 9