

1/13

DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DECIS® 5 EC INSECTICIDE

Product code (UVP) 05946263

SDS Number 102000003150 **PCP Registration No.** 17734 / 22478

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Identified uses Professional use

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Serious eye damage, Aspiration hazard: Category 1

Carcinogenicity, Skin irritation, Specific target organ toxicity - repeated exposure: Category 2

Specific target organ toxicity - repeated exposure: Category 3

Acute toxicity(Oral, Inhalation): Category 4

Flammable liquids: Category 3

Labelling in accordance with Part 3 of the Hazardous Products Regulations









Signal word: Danger Hazard statements



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN 102000003150

Revision Date: 10/27/2017 Print Date: 09/04/2018

Causes serious eye damage.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Flammable liquid and vapour.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Causes skin irritation.

Suspected of causing cancer.

Harmful if inhaled.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe spray.

Use only outdoors or in a well-ventilated area.

Do not eat, drink or smoke when using this product.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective clothing/ eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

Rinse mouth.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

IF exposed or concerned: Get medical advice/ attention.

Get medical advice/ attention if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No other hazards not otherwise classified.

No physical hazards not otherwise classified.



3/13

DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component NameCAS-No.Concentration % by weightDeltamethrin52918-63-55.0Xylene1330-20-773.52Ethylbenzene100-41-412.98

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Central nervous system depression, Headache, Dizziness, Nausea,

Vomiting

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

None known. Unsuitable

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Avoid contact with

spilled product or contaminated surfaces. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Do not allow run-off from fire

fighting to enter drains or water courses.

Flash point 28.1 °C

Auto-ignition temperature No data available Lower explosion limit No data available **Upper explosion limit** No data available **Explosivity** Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces. Use personal

protective equipment. Remove all sources of ignition.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental regulations. Dike area to prevent runoff. Wash spill area with water

containing a strong detergent.

Additional advice If the product is accidentally spilled, do not allow to enter soil,

waterways or waste water canal.



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN 102000003150 Revision Date: 10/27/2017 Print Date: 09/04/2018

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Smoking, eating and drinking should be prohibited

in the application area.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection

products, fertilizers, food, and feed.

Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m3 (TWA)		OES BCS*
Xylene	1330-20-7	434 mg/m3/100 ppm (TWA)	07 2009	CAD AB OEL
Xylene	1330-20-7	651 mg/m3/150 ppm (STEL)	07 2009	CAD AB OEL
Xylene	1330-20-7	100 ppm (TWA)	09 2011	CAD BC OEL
Xylene	1330-20-7	150 ppm (STEL)	09 2011	CAD BC OEL
Xylene	1330-20-7	100 ppm	03 2011	CAD MB



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN 102000003150

6/13 Revision Date: 10/27/2017 Print Date: 09/04/2018

		(TWA)		OEL
Xylene	1330-20-7	150 ppm (STEL)	03 2011	CAD MB OEL
Xylene	1330-20-7	100 ppm (TWA)	11 2010	CAD ON OEL
Xylene	1330-20-7	150 ppm (STEL)	11 2010	CAD ON OEL
Xylene	1330-20-7	100 ppm (8 HR ACL)	05 2009	CAD SK OEL
Xylene	1330-20-7	150 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Xylene	1330-20-7	434 mg/m3/100 ppm (TWA)	11 2011	OEL (QUE)
Xylene	1330-20-7	651 mg/m3/150 ppm (STEL)	11 2011	OEL (QUE)
Xylene	1330-20-7	100 ppm (TLV)		OES BCS*
ethylbenzene	100-41-4	543 mg/m3/125 ppm (STEL)	07 2009	CAD AB OEL
ethylbenzene	100-41-4	434 mg/m3/100 ppm (TWA)	07 2009	CAD AB OEL
ethylbenzene	100-41-4	20 ppm (TWA)	09 2011	CAD BC OEL
ethylbenzene	100-41-4	20 ppm (TWA)	03 2011	CAD MB OEL
ethylbenzene	100-41-4	20 ppm (TWA)	06 2015	CAD ON OEL
ethylbenzene	100-41-4	100 ppm (8 HR ACL)	05 2009	CAD SK OEL
ethylbenzene	100-41-4	125 ppm (15 MIN ACL)	05 2009	CAD SK OEL
ethylbenzene	100-41-4	434 mg/m3/100 ppm (TWA)	11 2011	OEL (QUE)
ethylbenzene	100-41-4	543 mg/m3/125 ppm (STEL)	11 2011	OEL (QUE)



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If General protective measures

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance colourless to light yellow

Physical State Liquid Odor aromatic

Odour Threshold No data available

4.0 - 5.5 at 5 % (23 °C) (deionized water) Hq

4.0 - 6.5 at 5 % (23 °C) (Tap water)

Vapor Pressure No data available Vapor Density (Air = 1) No data available Density 0.90 g/cm3 at 20 °C **Evaporation rate** No data available **Boiling Point** No data available **Melting / Freezing Point** No data available emulsifiable Water solubility

Minimum Ignition Energy Not applicable Decomposition

temperature

No data available

Partition coefficient: n-

octanol/water

No data available

Viscosity

No data available



DECIS® 5 EC INSECTICIDE

 Version 3.0 / CDN
 Revision Date: 10/27/2017

 102000003150
 Print Date: 09/04/2018

Flash point 28.1 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions known.

Conditions to avoid freezing

Heat, flames and sparks.

Incompatible materials Strong oxidizing agents, Strong acids, Strong bases

Hazardous decomposition

products

Thermal decomposition can lead to release of:

Carbon monoxide Carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye May cause severe eye irritation.

Skin Fatal if absorbed through the skin. Causes skin irritation.

Ingestion Fatal if swallowed.

Inhalation Fatal if inhaled.May cause upper respiratory tract irritation.

Information on toxicological effects

Acute oral toxicity ATE (Mix) 1,100 mg/kg

Acute toxicity estimate

Acute inhalation toxicity ATE (Mix) 2.54 mg/l

Acute toxicity estimate

Acute dermal toxicity ATE (Mix) 3,872 mg/kg

Skin irritation Irritating to skin. (Rabbit)

Eye irritation Severe eye irritation. (Rabbit)



Revision Date: 10/27/2017

Print Date: 09/04/2018

DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN 102000003150

Sensitisation Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity. Xylene did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Xylene was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice. Xylene was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Xylene	1330-20-7	Group A4
Ethylbenzene	100-41-4	Group A3

NTP

None.

IARC

Deltamethrin	52918-63-5	Overall evaluation: 3
Xylene	1330-20-7	Overall evaluation: 3
Ethylbenzene	100-41-4	Overall evaluation: 2B

OSHA

None.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Xylene did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Xylene caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Xylene are related to maternal toxicity.

Further information

Acute toxicity studies have not been performed on this product as formulated.

No data is available on the product itself.

The information is derived from the properties of the individual components.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

EC50 (Daphnia magna (Water flea)) 0.0131 µg/l

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic

invertebrates Exposure time: 48 h

Exposure time. 40 m

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic plants EC50 (Algae) > 9.1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Biodegradability Deltamethrin:

Not rapidly biodegradable

Xylene:

rapidly biodegradable

Koc Deltamethrin: Koc: 10240000

Xylene: Koc: 2.2

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Xylene: Bioconcentration factor (BCF) 10

Does not bioaccumulate.

Mobility in soil Deltamethrin: Immobile in soil

Xylene: Highly mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

Dispose in accordance with all local, state/provincial and federal

regulations.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

Follow advice on product label and/or leaflet.



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 2903
Labels 6.1 (3)
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(DELTAMETHRIN, XYLENE)

49CFR

UN number 2903
Class 6.1 (3)
Packaging group

Proper shipping name PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(DELTAMETHRIN, XYLENE)

RQ Reportable Quantity is reached with 115 lb of product.

IMDG

UN number 2903
Class 6.1 (3)
Packaging group III
Marine pollutant YES

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(DELTAMETHRIN, XYLENE SOLUTION)

IATA

UN number 2903
Class 6.1 (3)
Packaging group III
Environm. Hazardous Mark NO

Proper shipping name PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(DELTAMETHRIN, XYLENE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information In accordance with TDG regulations 3.6(3) and 4.22 this

product does not require marine pollutant safety marks or shipping documentation reference when transported on land by

road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 17734 / 22478



12/13

DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

 Xylene
 1330-20-7
 1.0%

 Ethylbenzene
 100-41-4
 0.1%

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Ethylbenzene 100-41-4

US State Right-To-Know Ingredients

Xylene 1330-20-7 CA, CT, IL, MI, MN, NJ, RI Ethylbenzene 100-41-4 CA, CT, IL, MN, NJ, RI

Canadian Regulations

Canadian Domestic Substance List

Xylene 1330-20-7 Ethylbenzene 100-41-4

Environmental

CERCLA

Xylene 1330-20-7 Ethylbenzene 100-41-4

Clean Water Section 307 Priority Pollutants

Ethylbenzene 100-41-4 **Safe Drinking Water Act Maximum Contaminant Levels**Xylene 1330-20-7

Ethylbenzene 100-41-4

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified



DECIS® 5 EC INSECTICIDE

Version 3.0 / CDN Revision Date: 10/27/2017 102000003150 Print Date: 09/04/2018

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 10/27/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.