

SAFETY DATA SHEET



Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Dermacor® X-100

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 1-800-258-3033

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
+1 800-992-5994 or +1 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Do not use product for anything outside of the above specified uses.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H332 Harmful if inhaled.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET



Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271 Use only outdoors or in a well-ventilated area.
Response:
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	50
Propanediol	57-55-6	>= 3 - < 10
Glycerol	56-81-5	>= 3 - < 10
Palygorskite	12174-11-7	>= 0.3 - < 1
Balance	Not Assigned	> 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.

If inhaled : No specific intervention is indicated as the compound is not likely to be hazardous.
Consult a physician if necessary.

In case of skin contact : The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable.
Consult a physician if necessary.

In case of eye contact : No specific intervention is indicated as the compound is not likely to be hazardous.
If in eyes, rinse with water for 15 minutes.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

If swallowed	:	Consult a physician if necessary. No specific intervention is indicated as the compound is not likely to be hazardous.
Most important symptoms and effects, both acute and delayed	:	Consult a physician if necessary. No cases of human intoxication are known and the symptoms of experimental intoxication are not known.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
		Combustion products may include and are not limited to: Nitrogen oxides (NO _x) Carbon oxides
Specific extinguishing methods	:	Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Equipment should conform to EN 12942 Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use with local exhaust ventilation.
Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapors/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Do not breathe vapors or spray mist.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
 Date of first issue: 07/05/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propanediol	57-55-6	TWA	10 mg/m ³	US WEEL
Glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0

Engineering measures : Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

Ensure adequate ventilation, especially in confined areas.
 Use sufficient ventilation to keep employee exposure below recommended limits.

Personal protective equipment

Respiratory protection : See skin and body protection
 Hand protection

Remarks : See skin and body protection
 Eye protection : See skin and body protection
 Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants
 Shoes plus socks
 Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
 Long sleeved shirt and long pants
 Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
 Remove clothing/PPE immediately if material gets inside.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

Wash thoroughly and put on clean clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	white
Odor	:	Slight pungent odor
Odor Threshold	:	not determined
pH	:	4 - 9 Concentration: 10 g/L
Melting point/range	:	Not applicable
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No flash up to boiling point.
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	> 1112 °F / > 600 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.2573 (68 °F / 20 °C)
Density	:	1.23 - 1.27 g/cm ³
Solubility(ies)	:	
Water solubility	:	dispersible
Viscosity	:	
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	Method: OECD 114 not determined The product is not an Ultra low volume Preparation.
Explosive properties	:	Not explosive

SAFETY DATA SHEET



Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.
Possibility of hazardous reactions : Stable under recommended storage conditions.
Stable under recommended storage conditions.
No hazards to be specially mentioned.
May form explosive dust-air mixture.
Conditions to avoid : None known.
Incompatible materials : Strong acids
Strong bases
None.
Hazardous decomposition products : Decomposition products depend upon temperature, air supply
and the presence of other materials.
Decomposition products can include and are not limited to:
Carbon oxides
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
Acute inhalation toxicity : LC50 (Rat): > 4.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Propanediol:

- Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg
- Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Glycerol:

- Acute oral toxicity : LD50 (Rat): > 11,500 mg/kg
Remarks: Excessive exposure may cause:
Central nervous system effects.
Observations in humans include:
Altered blood sugar levels.
- Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred following exposure to a saturated atmosphere.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Guinea pig): >= 56,750 mg/kg

Skin corrosion/irritation**Product:**

- Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

Components:**Chlorantraniliprole:**

- Species : Rabbit
Result : No skin irritation

Propanediol:

- Species : Rabbit
Result : No skin irritation

Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Glycerol:

Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Method : OECD Test Guideline 405

Components:**Chlorantraniliprole:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Propanediol:

Species : Rabbit
Result : No eye irritation

Glycerol:

Result : No eye irritation

Respiratory or skin sensitization**Product:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Did not cause sensitization on laboratory animals.

Components:**Chlorantraniliprole:**

Species : Mouse
Method : OECD Test Guideline 429
Remarks : For skin sensitization:
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Propanediol:

Species : human
Assessment : Does not cause skin sensitization.

Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Germ cell mutagenicity**Components:****Chlorantraniliprole:**

Germ cell mutagenicity - Assessment : In vivo tests did not show mutagenic effects, In vitro genetic toxicity studies were negative.

Propanediol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Glycerol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity**Components:****Chlorantraniliprole:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Propanediol:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Glycerol:

Carcinogenicity - Assessment : For the major component(s);, Did not cause cancer in laboratory animals.

Palygorskite:

Carcinogenicity - Assessment : Contains component(s) which have caused cancer in some laboratory animals.

IARC Group 2B: Possibly carcinogenic to humans
Palygorskite 12174-11-7

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****Chlorantraniliprole:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Development effects were not observed in laboratory animals.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

Propanediol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.
Did not cause birth defects or any other fetal effects in laboratory animals.

Glycerol:

Reproductive toxicity - Assessment : Reproductive effects seen in female animals are believed to be due to altered nutritional states resulting from extremely high doses of glycerine given in the diet. Similar effects have been seen in animals fed synthetic diets.
Did not cause birth defects or any other fetal effects in laboratory animals.

STOT-single exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:**Chlorantraniliprole:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Propanediol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Glycerol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Palygorskite:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

STOT-repeated exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Components:**Chlorantraniliprole:**

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Repeated dose toxicity**Components:****Chlorantraniliprole:**

Application Route : Ingestion
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : No toxicologically significant effects were found.

Application Route : Skin contact
Exposure time : 28 d
Method : OECD Test Guideline 408
Remarks : No toxicologically significant effects were found.

Propanediol:

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

Glycerol:

Remarks : Excessive exposure to glycerine may cause increased fat levels in blood.

Palygorskite:

Remarks : In animals, effects have been reported on the following organs:
Lung.

Aspiration toxicity**Product:**

Based on available information, aspiration hazard could not be determined.

Components:**Chlorantraniliprole:**

Based on physical properties, not likely to be an aspiration hazard.

Propanediol:

Based on physical properties, not likely to be an aspiration hazard.

Glycerol:

Based on physical properties, not likely to be an aspiration hazard.

Palygorskite:

Based on physical properties, not likely to be an aspiration hazard.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Product:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 3.26 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- LC50 (Danio rerio (zebra fish)): > 7.74 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00717 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 3.54 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 2538
Exposure time: 48 h
Method: OECD Test Guideline 213
GLP: yes
Remarks: Oral
- LD50 (Apis mellifera (bees)): > 2068
Exposure time: 48 h
Method: OECD Test Guideline 214
GLP: yes
Remarks: contact LD50
- oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Components:**Chlorantraniliprole:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l
Exposure time: 96 h
- LC50 (Ictalurus catus (catfish)): > 13.4 mg/l
Exposure time: 96 h
- LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10
M-Factor (Chronic aquatic toxicity)	: 10
Propanediol:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 19,000 mg/l End point: Growth rate inhibition Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l End point: number of offspring Exposure time: 7 d Test Type: semi-static test
Toxicity to microorganisms	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h
Glycerol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): >= 885 mg/l Exposure time: 96 h Test Type: static test Method: Method Not Specified.
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h Test Type: static test Method: Method Not Specified.
Toxicity to algae/aquatic plants	: EC50 (Other): 2,900 mg/l End point: Growth inhibition (cell density reduction) Exposure time: 192 h Test Type: static test Method: Method Not Specified.
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Method: OECD 209 Test

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

Persistence and degradability**Components:****Chlorantraniliprole:**

Biodegradability : Method: OECD Test Guideline 301
Remarks: Not readily biodegradable.

Propanediol:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
Remarks: 10-day Window: Pass

Biodegradation: 96 %
Exposure time: 64 d
Method: OECD Test Guideline 306 or Equivalent
Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %
Incubation time: 5 d

70.000 %
Incubation time: 10 d

86.000 %
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg
ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm³/s
Method: Estimated.

Glycerol:

Biodegradability : Result: Readily biodegradable.
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation: 63 %
Exposure time: 14 d
Method: OECD Test Guideline 301C or Equivalent
Remarks: 10-day Window: Not applicable

ThOD : 1.22 kg/kg

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

Bioaccumulative potential**Components:****Chlorantraniliprole:**

Partition coefficient: n-octanol/water : log Pow: 2.76 (68 °F / 20 °C)

Propanediol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.76 (68 °F / 20 °C)
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Palygorskite:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil**Components:****Chlorantraniliprole:**

Distribution among environmental compartments : Remarks: No relevant data found.

Propanediol:

Distribution among environmental compartments : Koc: < 1
Method: Estimated.
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
Potential for mobility in soil is very high (Koc between 0 and 50).

Glycerol:

Distribution among environmental compartments : Koc: 1
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).
Given its very low Henry's constant, volatilization from natural

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

bodies of water or moist soil is not expected to be an important fate process.

Palygorskite:

Distribution among environmental compartments : Remarks: No relevant data found.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects**Components:****Chlorantraniliprole:**

Ozone-Depletion Potential : Remarks: No relevant data found.

Propanediol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Glycerol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is readily biodegradable and thus is not considered persistent or very persistent (P or vP).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Palygorskite:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Chlorantraniliprole)
 Class : 9
 Packing group : III
 Labels : 9

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
 (Chlorantraniliprole)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Chlorantraniliprole)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes(Chlorantraniliprole)
 Remarks : Stowage category A

SAFETY DATA SHEET



Dermacor® X-100

Version 1.0 Revision Date: 07/05/2023 SDS Number: 800080000091 Date of last issue: -
Date of first issue: 07/05/2023

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Propanediol	57-55-6
Glycerol	56-81-5

California Prop. 65

WARNING: This product can expose you to chemicals including Palygorskite, which is/are known to the State of California to cause cancer, and ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-820

Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

This product has no known adverse effect on human health.

SECTION 16. OTHER INFORMATION**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

SAFETY DATA SHEET



Dermacor® X-100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2023	800080000091	Date of first issue: 07/05/2023

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/05/2023

Product code: GF-4063

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN