SAFETY DATA SHEET

Display® Herbicide

SDS #: 6905-A

Revision date: 2016-05-26

Format: NA Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Display® Herbicide

Other means of identification

Product Code(s) 6905-A

Synonyms CARFENTRAZONE-ETHYL (FMC 116426): ethyl

α,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl] -4-fluorobenzenepropanoate (CAS name); ethyl (RS)-2-chloro-3-[2-chloro-5-(4-difluoromethyl-4,5-dihydro-3-methyl-5- oxo-1H-1,2,4-triazol-1-yl) -4-fluorophenyl]

propionate (IUPAC name)

FLUTHIACET-METHYL: Acetic acid, [[2-chloro-4-fluoro-5-[(tetrahydro-3-oxo-1H,3H-[1,3,4] thiadiazolo [3,4-alpha] pyridazin-1-ylidene) amino] phenyl] thio]-, methyl ester (CAS); methyl

[(2-chloro-4-fluoro-5-{

[(1E)-3-oxo-5,6,7,8-tetrahydro-1H,3H-[1,3,4]thiadiazolo[3,4-a]pyridazin-1-ylidene]amino}

phenyl)sulfanyl]acetate (IUPAC)

Active Ingredient(s) Carfentrazone-ethyl , Fluthiacet-methyl

Chemical Family Triazolinones, Imine chemicals

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Revision date: 2016-05-26 Version 1.03

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P271 Use only outdoors or in a well-ventilated area
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- P308 + P313 If exposed or concerned: Get medical advice/attention
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical advice/ attention
- P302 + P352 IF ON SKIN: Wash with plenty of water and soap
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Revision date: 2016-05-26

Version 1.03

Very toxic to aquatic life with long lasting effects. May be harmful if swallowed. Causes mild skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones, Imine chemicals.

Chemical name	CAS-No	Weight %
2-Methylnaphthalene	91-57-6	<20
Carfentrazone-ethyl	128639-02-1	18.04
Fluthiacet-methyl	117337-19-6	4.75
Naphtha (petroleum), heavy aromatic	64742-94-5	10-20
1-Methylnaphthalene	90-12-0	<15
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4	FI	RST	- Δ	ID	ME	ΔSΙ	IR	FS
-		$\mathbf{I} \setminus \mathcal{O} \setminus \mathbf{I}$	$\overline{}$	ı	IAIL		711	

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control

center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Immediately call a poison control center or doctor Do not induce vomiting unless told to do

so by a poison control center or doctor Do not give any liquid to the person Do not give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects. Gastrointestinal effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Water spray. Carbon dioxide (CO₂). Foam. Dry powder.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Slightly combustible. May support combustion at elevated temperatures.

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Display® Herbicide

SDS #: 6905-A **Revision date**: 2016-05-26

Version 1.03

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m³ TWA: 50 mg/m³ TWA: 50 mg/m³ STEL: 15 ppm STEL: 75 mg/m³		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
Ni sa la dis si sa s	T\\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	TMA: 40 mm	Skin	T\\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm	TWA: 10 ppm	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm
		STEL: 79 mg/m ³	STEL: 15 ppm Skin	STEL: 79 mg/m³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves. Please observe the instructions regarding permeability and breakthrough

time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion and the contact time.

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Revision date: 2016-05-26 Version 1.03

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Amber Liquid
Physical State Liquid
Color Amber

Odor Aromatic hydrocarbon
Odor threshold No information available

pH 4.87

Melting point/freezing point Not applicable

Boiling Point/Range

Flash point

Evaporation Rate

Flammability (solid, gas)

No information available
66 - 68 °C / 150.8 - 154.4 °F
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Density 9.0 lb/gal Specific gravity 1.08

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Viscosity, kinematic 37.1 cSt

Viscosity, dynamic
Explosive properties
Oxidizing properties
Molecular weight
Bulk density
No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 3129 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LC50 Inhalation
 > 2.04 mg/L 4 hr (rat)

Revision date: 2016-05-26

Version 1.03

Serious eye damage/eye irritation

Skin corrosion/irritation

Moderately irritating to eyes. Moderately irritating to skin.

Sensitization Sensitizer

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals included mydriasis, cyanosis, ataxia, dyspnea,

lacrimation, and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Carfentrazone-ethyl: Long-term exposure caused hematotoxicity and deposit of porphyrin in

the liver in animal studies. Fluthiacet-methyl: Effects are expected to be similar to those that

are seen with acute toxicity.

Mutagenicity Carfentrazone-ethyl , Fluthiacet-methyl: Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl : No evidence of carcinogenicity from animal studies. Fluthiacet-methyl

caused increases in benign pancreatic tumors in male rats at the highest dose, along with pancreatic and liver toxicity. There was an increase in liver tumors at two highest doses in male mice, along with hepatotoxicity, that could both be secondary to liver toxicity. New data indicates that there is no human risk. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation

studies conducted by the National Toxicology Program (NTP).

Neurological effects Carfentrazone-ethyl , Fluthiacet-methyl: Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl : No toxicity to reproduction in animal studies. Fluthiacet-methyl: No

toxicity to reproduction in animal studies.

Developmental toxicity Carfentrazone-ethyl: Not teratogenic in animal studies. Fluthiacet-methyl: A slight delay in

fetal development in the rat, with no effects in the rabbit.

STOT - single exposure Not classified.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Fluthiacet-methyl: Liver, bone marrow, spleen, pancreas, lymphatic system, hematopoietic

system, uterus and blood.

Neurological effects Carfentrazone-ethyl , Fluthiacet-methyl: Not neurotoxic.

Aspiration hazard Potential for aspiration if swallowed. Vomiting after ingestion of this product may cause

aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary

edema.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3				

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carfentrazone-ethyl (128639-0) 2-1)			
Active Ingredient(s)	Duration	Species	Value	Units
Carfentrazone-ethyl	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Fish	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	μg/L

Revision date: 2016-05-26

Version 1.03

			VCI SIOII 1.00
21 d NOEC	Fish	0.0187	mg/L
21 d NOEC	Crustacea	0.22	mg/L

Fluthiacet-methyl (117337-19-	6)			
Active Ingredient(s)	Duration	Species	Value	Units
Fluthiacet-methyl	72 h LC50	Algae	0.00251	mg/L
	96 h LC50	Fish	0.043	mg/L
	48 h EC50	Crustacea	2.3	mg/L
	21 d NOEC	Fish	0.0027	mg/L
	21 d NOEC	Crustacea	0.035	mg/L

Persistence and degradability Carfentrazone-ethyl . Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Fluthiacet-methyl: Non-persistent. Does not readily hydrolyze.

Bioaccumulation Carfentrazone-ethyl , Fluthiacet-methyl: The substance does not have a potential for

bioconcentration.

Mobility Carfentrazone-ethyl: Mobility in soil, Not relevant. Fluthiacet-methyl: Slightly mobile, Not

expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

<u>TDG</u> Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group II

Marine Pollutant Carfentrazone-ethyl, Fluthiacet-methyl.

Description UN3082, Envionrmentally hazardous substance, liquid, N.O.S. (Carfentrazone-ethyl,

Fluthiacet-methyl), 9, PG III, Marine Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082, Envionrmentally hazardous substance, liquid, N.O.S. (Carfentrazone-ethyl,

Fluthiacet-methyl), 9, PG III, Marine Pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F

Marine Pollutant Carfentrazone-ethyl, Fluthiacet-methyl

Description UN3082, Envionrmentally hazardous substance, liquid, N.O.S. (Carfentrazone-ethyl,

Fluthiacet-methyl), 9, PG III, Marine Pollutant

Revision date: 2016-05-26

Version 1.03

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	Х	Χ	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Isobutyl alcohol	5000 lb	
78-83-1	2270 kg	
Acetophenone	5000 lb	
98-86-2	2270 kg	
Naphthalene	100 lb	
91-20-3	45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial, but temporary eye injury.

DISPLAY HERBICIDE is very toxic to algae and moderately toxic to fish.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

Revision date: 2016-05-26

Version 1.03

This product does not contain any substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1-Methylnaphthalene	X	X	X
90-12-0			
Naphthalene	X	X	X
91-20-3			

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					Х			
Naphtha (petroleum), heavy aromatic 64742-94-5	X	Х	X	Х	Х	X	Х	Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х
Naphthalene 91-20-3	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm
		Mexico: TWA 50 mg/m ³
		Mexico: STEL 15 ppm
		Mexico: STEL 75 mg/m ³

WHMIS Hazard Class

D2A - Very toxic materials, D2B - Toxic materials



16. OTHER INFORMATION	

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Revision date: 2016-05-26

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

Display® Herbicide

SDS #: 6905-A **Revision date**: 2016-05-26

Version 1.03

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet