

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

---

### SECTION 1. IDENTIFICATION

Product name : DITHANE™ 75 DF RAINSHIELD™

#### Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

**Manufacturer/importer** : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

**Customer Information Number** : 800-992-5994

**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224).  
800-992-5994 or 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Skin sensitization : Category 1

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

Hazard Statements : May form combustible dust concentrations in air.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
mancozeb (ISO)	8018-01-7	75
methenamine	100-97-0	>= 1 - < 3
Balance	Not Assigned	> 20

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center

## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

- or doctor for treatment advice.  
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Repeated excessive exposure may aggravate preexisting lung disease.  
May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help.  
No specific antidote.  
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.  
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.  
Do not allow run-off from firefighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:  
Sulfur oxides  
Carbon oxides  
Nitrogen oxides (NOx)
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

- Further information : Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Avoid dust formation.  
Avoid breathing dust.  
Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
Pick up and arrange disposal without creating dust.  
Recovered material should be stored in a vented container.  
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
See Section 13, Disposal Considerations, for additional information.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.
-

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
 Date of first issue: 01/26/2022

Avoid exposure - obtain special instructions before use.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Do not get on skin or clothing.  
 Avoid inhalation of vapor or mist.  
 Do not swallow.  
 Avoid contact with skin and eyes.  
 Avoid contact with eyes.  
 Take care to prevent spills, waste and minimize release to the environment.  
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mancozeb (ISO)	8018-01-7	TWA (Total)	1 mg/m <sup>3</sup>	US WEEL
		C	5 mg/m <sup>3</sup> (Manganese)	OSHA Z-1
methenamine	100-97-0	TWA	10 mg/m <sup>3</sup>	Dow IHG

**Engineering measures** : Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.  
 If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.  
 Local exhaust ventilation may be necessary for some operations.

#### Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.  
 If there are no applicable exposure limit requirements or guidelines, use an approved respirator.  
 Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.  
 For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile")

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use safety glasses (with side shields).

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Granules.
Color	: Yellow to brown
Odor	: Sulfur-like
Odor Threshold	: No data available
pH	: 7.2 Concentration: 1.0 % Method: pH Electrode (1% aqueous suspension)
Melting point/range	: No data available
Freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Method: closed cup Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form combustible dust concentrations in air.
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Density	: Not applicable
Bulk density	: 0.55 g/cm <sup>3</sup> Method: Loose Volumetric

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

Solubility(ies)  
Water solubility : No data available

Autoignition temperature : 291.2 °F / 144.0 °C

Viscosity  
Viscosity, dynamic : Not applicable

Explosive properties : No  
Method: EEC A14  
GLP: yes

Oxidizing properties : No  
Method: EU Method A.17 (Oxidizing Properties (Solids))  
GLP: yes

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.  
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.  
Decomposition products can include and are not limited to:  
Sulfur oxides  
Carbon oxides  
Nitrogen oxides (NOx)

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 6.81 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**DITHANE™ 75 DF RAINSHIELD™**

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

**Components:****mancozeb (ISO):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
LD50 (Rat): > 10,000 mg/kg

**methenamine:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Components:****methenamine:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Components:****methenamine:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Components:****mancozeb (ISO):**

Species : Guinea pig  
Assessment : May cause sensitization by skin contact.

**methenamine:**

Species : Guinea pig  
Assessment : The product is a skin sensitizer, sub-category 1B.



## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

**Germ cell mutagenicity****Components:****mancozeb (ISO):**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were predominantly negative., Animal genetic toxicity studies were negative.

**methenamine:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were inconclusive.

**Carcinogenicity****Components:****mancozeb (ISO):**

Carcinogenicity - Assessment : Has caused cancer at high doses in laboratory rats.

**methenamine:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:****mancozeb (ISO):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant  
Has caused birth defects in laboratory animals only at doses toxic to the mother., Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

**methenamine:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects or any other fetal effects in laboratory animals.

**STOT-single exposure****Components:****methenamine:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

DITHANE<sup>™</sup> 75 DF RAINSHIELD<sup>™</sup>

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

**Repeated dose toxicity****Components:****mancozeb (ISO):**

Remarks : In animals, effects have been reported on the following organs:  
Thyroid.  
Liver.

**methenamine:**

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

**Aspiration toxicity****Components:****mancozeb (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

**methenamine:**

Based on available information, aspiration hazard could not be determined.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 5.1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.23 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.150 mg/l  
End point: Growth rate inhibition  
Exposure time: 72 h  
Test Type: static test

Toxicity to terrestrial organisms : contact LD50 (Apis mellifera (bees)): > 100 micrograms/bee  
Exposure time: 48 h  
End point: mortality

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

### **Components:**

#### **mancozeb (ISO):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.088 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.073 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EyC50 (Scenedesmus capricornutum (fresh water algae)): 0.044 mg/l  
Exposure time: 120 h
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 299 mg/kg  
Exposure time: 14 d
- Toxicity to terrestrial organisms : oral LD50 (Colinus virginianus (Bobwhite quail)): > 3200 mg/kg bodyweight.
- oral LD50 (Apis mellifera (bees)): > 100 µg/bee  
Exposure time: 48 h  
End point: mortality
- contact LD50 (Apis mellifera (bees)): > 100 µg/bee  
Exposure time: 48 h  
End point: mortality

### **Ecotoxicology Assessment**

- Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### **methenamine:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 49,800 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 36,000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 3,000 mg/l  
Exposure time: 14 d
- NOEC (Selenastrum capricornutum (green algae)): 1,500 mg/l  
Exposure time: 14 d
- Toxicity to microorganisms : NOEC: > 100 mg/l  
Exposure time: 2 h

## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

**Persistence and degradability****Components:****mancozeb (ISO):**

Biodegradability : Result: Not biodegradable.  
 Remarks: Degradation is expected in the soil environment within days to weeks.  
 Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

Stability in water : Test Type: Hydrolysis  
 Degradation half life (half-life): 17 h (25 °C) pH: 7

Photodegradation : Test Type: Half-life (indirect photolysis)  
 Sensitizer: OH radicals  
 Concentration: 1,500,000 1/cm<sup>3</sup>  
 Rate constant: 2.1237E-10 cm<sup>3</sup>/s  
 Method: Estimated.

**methenamine:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 54 - 97 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C or Equivalent  
 Remarks: 10-day Window: Not applicable  
 Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

ThOD : 3.2 kg/kg

**Bioaccumulative potential****Components:****mancozeb (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 2.1 - 3.1  
 Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: 1.33  
 Method: Estimated.  
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**methenamine:**

Partition coefficient: n-octanol/water : log Pow: -4.15  
 Method: Estimated.  
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version 1.0      Revision Date: 01/26/2022      SDS Number: 800080002741      Date of last issue: -  
Date of first issue: 01/26/2022

---

### **Balance:**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

### **Mobility in soil**

#### **Components:**

##### **mancozeb (ISO):**

Distribution among environmental compartments : Koc: 1000  
Method: Estimated.  
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

##### **methenamine:**

Distribution among environmental compartments : Koc: < 1  
Method: Estimated.  
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

### **Balance:**

Distribution among environmental compartments : Remarks: No relevant data found.

### **Other adverse effects**

#### **Components:**

##### **mancozeb (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **methenamine:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### **Balance:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Mancozeb)  
Class : 9  
Packing group : III  
Labels : 9

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Mancozeb)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Mancozeb)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : Stowage category A

---



# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-402

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### CAUTION

Harmful if absorbed through skin  
Causes moderate eye irritation  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

---

## SECTION 16. OTHER INFORMATION

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

### Full text of other abbreviations

Dow IHG	: Dow Industrial Hygiene Guideline
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
Dow IHG / TWA	: Time weighted average
OSHA Z-1 / C	: Ceiling
US WEEL / TWA	: 8-hr TWA

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dan-



# SAFETY DATA SHEET



## DITHANE™ 75 DF RAINSHIELD™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/26/2022	800080002741	Date of first issue: 01/26/2022

---

gerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/26/2022

Product code: GF-894

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN