

SAFETY DATA SHEET



Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Dithane® M45

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H360 May damage fertility or the unborn child.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:
5.26 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mancozeb (ISO)	8018-01-7	80
methenamine	100-97-0	>= 1 - < 3
ethylene thiourea	96-45-7	>= 0.1 - < 0.3
Balance	Not Assigned	> 10

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

- plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help.
No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
Repeated excessive exposure may aggravate preexisting lung disease.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:
Carbon oxides
Nitrogen oxides (NOx)
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Further information : Use water spray to cool unopened containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
Pick up and arrange disposal without creating dust.
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mancozeb (ISO)	8018-01-7	TWA (Total)	1 mg/m ³	US WEEL
		C	5 mg/m ³ (Manganese)	OSHA Z-1
methenamine	100-97-0	TWA	10 mg/m ³	Dow IHG

Engineering measures : Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.
Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, use an approved respirator.
Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use safety glasses (with side shields).

Skin and body protection : Use protective clothing chemically resistant to this material.
Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Powder

Color : Yellow

Odor : Sulfur-like

SAFETY DATA SHEET



Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

Odor Threshold : No data available

pH : No data available

Melting point/range : No data available

Freezing point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Method: closed cup
Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Bulk density : No data available

Solubility(ies)
Water solubility : No data available

Autoignition temperature : Not applicable

Viscosity
Viscosity, dynamic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition : Decomposition products depend upon temperature, air supply

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

products and the presence of other materials.
Decomposition products can include and are not limited to:
Carbon oxides
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute inhalation toxicity : Acute toxicity estimate: 5.91 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**mancozeb (ISO):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
LD50 (Rat): > 10,000 mg/kg

methenamine:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

ethylene thiourea:

Acute oral toxicity : LD50 (Rat): 1,832 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

Skin corrosion/irritation**Components:****methenamine:**

Species : Rabbit
Result : No skin irritation

ethylene thiourea:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Components:****methenamine:**

Species : Rabbit
Result : No eye irritation

ethylene thiourea:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Components:****mancozeb (ISO):**

Species : Guinea pig
Assessment : May cause sensitization by skin contact.

methenamine:

Species : Guinea pig
Assessment : The product is a skin sensitizer, sub-category 1B.

ethylene thiourea:

Species : Mouse
Assessment : Does not cause skin sensitization.
Remarks : Skin contact may cause an allergic skin reaction in a small proportion of individuals.

Germ cell mutagenicity**Components:****mancozeb (ISO):**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were predominantly negative.,
Animal genetic toxicity studies were negative.

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

methenamine:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were inconclusive.

ethylene thiourea:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative in some cases and positive in other cases., Animal genetic toxicity studies were negative.

Carcinogenicity**Components:****mancozeb (ISO):**

Carcinogenicity - Assessment : Has caused cancer at high doses in laboratory rats.

methenamine:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

ethylene thiourea:

Carcinogenicity - Assessment : Has caused cancer in laboratory animals.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen
ethylene thiourea 96-45-7

Reproductive toxicity**Components:****mancozeb (ISO):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant
Has caused birth defects in laboratory animals only at doses toxic to the mother., Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

methenamine:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects or any other fetal effects in laboratory animals.

ethylene thiourea:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.
Presumed human reproductive toxicant

Dithane® M45

Version 1.0 Revision Date: 03/08/2022 SDS Number: 800080003266 Date of last issue: -
Date of first issue: 03/08/2022

STOT-single exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:**methenamine:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

ethylene thiourea:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity**Components:****mancozeb (ISO):**

Remarks : In animals, effects have been reported on the following organs:
Thyroid.
Liver.

methenamine:

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

ethylene thiourea:

Remarks : In animals, effects have been reported on the following organs:
Pituitary gland
Liver.
Thyroid.

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:**mancozeb (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

methenamine:

Based on available information, aspiration hazard could not be determined.

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

ethylene thiourea:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****mancozeb (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.088 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.073 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EyC50 (Scenedesmus capricornutum (fresh water algae)): 0.044 mg/l Exposure time: 120 h
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 299 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	oral LD50 (Colinus virginianus (Bobwhite quail)): > 3200 mg/kg bodyweight. oral LD50 (Apis mellifera (bees)): > 100 µg/bee Exposure time: 48 h End point: mortality contact LD50 (Apis mellifera (bees)): > 100 µg/bee Exposure time: 48 h End point: mortality

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

methenamine:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 49,800 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 36,000 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 3,000 mg/l Exposure time: 14 d NOEC (Selenastrum capricornutum (green algae)): 1,500 mg/l

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

- Exposure time: 14 d
- Toxicity to microorganisms : NOEC: > 100 mg/l
Exposure time: 2 h
- ethylene thiourea:**
- Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 7,500 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 21.6 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent
- LC50 (Daphnia magna (Water flea)): 26.4 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 93.8 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Method: OECD Test Guideline 201 or Equivalent
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2 mg/l
Exposure time: 21 d
Test Type: flow-through test
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
GLP: yes

Persistence and degradability**Components:****mancozeb (ISO):**

- Biodegradability : Result: Not biodegradable.
Remarks: Degradation is expected in the soil environment within days to weeks.
Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.
- Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): 17 h (25 °C) pH: 7
- Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitizer: OH radicals
Concentration: 1,500,000 1/cm³

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

Rate constant: 2.1237E-10 cm³/s
Method: Estimated.

methenamine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 54 - 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301C or Equivalent
Remarks: 10-day Window: Not applicable
Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

ThOD : 3.2 kg/kg

ethylene thiourea:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****mancozeb (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 2.1 - 3.1
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: 1.33
Method: Estimated.
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

methenamine:

Partition coefficient: n-octanol/water : log Pow: -4.15
Method: Estimated.
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

ethylene thiourea:

Partition coefficient: n-octanol/water : log Pow: -0.66
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil**Components:****mancozeb (ISO):**

Distribution among environ- : Koc: 1000

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

mental compartments Method: Estimated.
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

methenamine:

Distribution among environmental compartments : Koc: < 1
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

ethylene thiourea:

Distribution among environmental compartments : Remarks: No relevant data found.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects**Components:****mancozeb (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

methenamine:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

ethylene thiourea:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mancozeb)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Mancozeb)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mancozeb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Stowage category A

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Mancozeb)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Mancozeb)

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Respiratory or skin sensitization
Reproductive toxicity

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

mancozeb (ISO)	8018-01-7	>= 70 - < 90 %
ethylene thiourea	96-45-7	>= 0.1 - < 1 %

US State Regulations**Pennsylvania Right To Know**

mancozeb (ISO)	8018-01-7
ethylene thiourea	96-45-7

California Prop. 65

WARNING: This product can expose you to chemicals including mancozeb (ISO), ethylene thiourea, which is/are known to the State of California to cause cancer, and ethylene thiourea, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-387

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation

Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

SECTION 16. OTHER INFORMATION**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

Dow IHG	:	Dow Industrial Hygiene Guideline
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
Dow IHG / TWA	:	Time weighted average
OSHA Z-1 / C	:	Ceiling
US WEEL / TWA	:	8-hr TWA

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population;

SAFETY DATA SHEET



Dithane® M45

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/08/2022	800080003266	Date of first issue: 03/08/2022

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/08/2022

Product code: GF-3014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN