

**Double X™** 

Issuing Date: 01/11/2019

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1 Product identifier

- Double X<sup>TM</sup>

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

- See product label

# 1.3 Details of the supplier of the safety data sheet

#### Company

Winfield Solutions, LLC P.O. Box 64589 St. Paul, MN 55164-0589 Non-Emergency Business Inquiries: 1-855-494-6343 (Mon-Fri 8 am-5pm CST)

# 1.4 Emergency telephone

FOR MEDICAL EMERGENCY: 1-877-424-7452 (24-hour number)

FOR CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT

CHEMTREC: 1-800-424-9300 (24-hour number)

# **SECTION 2: Hazards Identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

# 2.1 Classification of the substance or mixture HCS 2012 (29 CFR 1910.1200)

- Serious eye damage, Category 1
- Specific target organ systemic toxicity single exposure, Category 3

### 2.2 Label elements

### HCS 2012 (29 CFR 1910.1200)

# **Pictogram**





# Signal Word

- DANGER

# **Hazard Statements**

- Causes serious eye damage.
- May cause respiratory irritation.



Double X™

Issuing Date: 01/11/2019

#### **Precautionary Statements**

#### Prevention

- Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- Use only outdoors or in a well-ventilated area.
- Wear eye protection/ face protection.

#### Response

- IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor for treatment advice.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.

#### Disposal

- Dispose of contents/ container in accordance with Federal, state and local regulations.

#### 2.3 Other hazards which do not result in classification

- None identified

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1 Substance

- Not applicable, this product is a mixture.

#### 3.2 Mixture

### **Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [%]
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-	25322-68-3	>= 20 - < 25
Proprietary Blend	****	>= 75 - < 80

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# **SECTION 4: First Aid Measures**

#### 4.1 Description of first-aid measures

#### **General advice**

- Show this material safety data sheet to the doctor in attendance.
- First responder needs to protect himself.
- Place affected apparel in a sealed bag for subsequent decontamination.

# In case of inhalation

- Negligible or unlikely exposure pathways
- Move to fresh air in case of accidental inhalation of vapors.
- Consult a physician if necessary.

#### In case of skin contact

- In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Seek medical advice if irritation occurs.
- Wash contaminated clothing before reuse.



Double X™

Issuing Date: 01/11/2019

### In case of eye contact

- Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Seek immediate medical advice.

### In case of ingestion

- Do not induce vomiting without medical advice.
- If victim is conscious: Rinse mouth with water. Do not give anything to drink.
- Keep at rest
- Do not leave the victim unattended.
- Seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Effects**

- Risk of serious damage to eyes.
- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to physician

- Treat symptomatically.
- There is no specific antidote available.
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

### **SECTION 5: Firefighting Measures**

Flash point >200 °F (93 °C)

closed cup Method: ANSI

Flammability class: Will burn

Autoignition temperature No data available

Flammability / Explosive limit No data available

# 5.1 Extinguishing media

#### Suitable extinguishing media

- Water spray
- Foam
- Carbon dioxide (CO2)
- Multipurpose powders

### Unsuitable extinguishing media

- High volume water jet (frothing possible)



Double X™

Issuing Date: 01/11/2019

#### 5.2 Special hazards arising from the substance or mixture

### Specific hazards during fire fighting

- Under fire conditions:
- Will burn
- Hazardous decomposition products formed under fire conditions.

#### **Hazardous combustion products:**

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides
- Nitrogen oxides (NOx)
- Chlorine compounds

#### 5.3 Advice for firefighters

#### Special protective equipment for fire-fighters

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

#### Specific fire fighting methods

- Do not use a solid water stream as it may scatter and spread fire.

# Further information

- Standard procedure for chemical fires.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental Release Measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

- Wear suitable protective equipment.
- For further information refer to section 8 "Exposure controls / personal protection."

# 6.2 Environmental precautions

- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Contain the spilled material by diking.
- Do not flush into surface water or sanitary sewer system.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

### 6.3 Methods and materials for containment and cleaning up

#### Methods for containment

- Stop leak if safe to do so.

#### Recovery

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
- Shovel or sweep up.
- Keep in properly labeled containers.

#### Decontamination / cleaning

- Wash nonrecoverable remainder with large amounts of water.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.



**Double X™** 

Issuing Date: 01/11/2019

### Disposal

- Dispose of contents/container in accordance with Federal, state and local regulations. See the product label for further information pertaining to disposal.

#### Additional advice

Material can create slippery conditions.

#### 6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

# **SECTION 7: Handling and Storage**

#### 7.1 Precautions for safe handling

- Ethylene oxide may collect in container head space.
- Provide adequate ventilation.
- Handle in accordance with good industrial hygiene and safety practice.
- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.

#### **Hygiene measures**

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
  - Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this
    material is stored.
  - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
  - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures/Storage conditions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Stable under normal conditions.
- Keep in a dry, cool and well-ventilated place.
- Keep container tightly closed.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer.
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

#### Requirements for storage rooms and vessels

**Recommended storage temperature:** < 104 °F (< 40 °C). Storage above 32° F is recommended. However, if product is allowed to freeze, warm and agitate (recirculate) prior to use.

#### 7.3 Specific end use(s)

- no data available



**Double X™** 

Issuing Date: 01/11/2019

### **SECTION 8: Exposure controls/personal protection**

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

### 8.1 Control parameters

### Components with workplace occupational exposure limits

Components	Value type	Value	Basis
Poly(oxy-1,2-ethanediyl), .alpha hydro.omegahydroxy-	WEEL	10 mg/m3	American Industrial Hygiene Association
	Form of exposure : aerosol		

### 8.2 Exposure controls

### **Control measures**

### **Engineering measures**

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:
  - Effective exhaust ventilation system
  - Extract at emission point

#### Individual protection measures

#### Respiratory protection

- When respirators are required or if irritation occurs, select NIOSH/MSHA approved equipment based on actual or
  potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial
  recommendations
- Use a respirator with an approved filter if a risk assessment indicates this is necessary.

#### Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

# Suitable material

- Neoprene gloves

# Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material
- Eye contact should be prevented through the use of:
  - Safety glasses with side-shields
- In case of contact through splashing:
  - Face-shield



Double X™

Issuing Date: 01/11/2019

#### Skin and body protection

- Recommended preventive skin protection
  - Footwear protecting against chemicals
  - Impervious clothing
  - Full protective suit
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

#### Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
  - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
  - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
  - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

#### **Protective measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local regulations and in cooperation with the supplier of the protective equipment.

# **SECTION 9: Physical and Chemical Properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u> <u>Form</u>: viscous liquid

Physical state: liquid

Color: yellow to light brown

<u>Odor</u> characteristic

slight

Odor Threshold No data available

**<u>pH</u>** 5.0 - 7.0 (100%)

Melting point/freezing point

No data available

Initial boiling point and boiling range

No data available

Flash point > 200 °F (93 °C) closed cup

Method: ANSI

Flammability class: Will burn

Evaporation rate (Butylacetate = 1) No data available



Double X™

Issuing Date: 01/11/2019

Flammability (solid, gas)No data availableFlammability (liquids)No data availableFlammability / Explosive limitNo data availableAutoignition temperatureNo data availableVapor pressureNo data availableVapor densityNo data available

<u>Density</u> 1.15 - 2 g/cm3 ( 68 °F (20 °C))

Relative densityNo data availableSolubilityNo data availablePartition coefficient: n-octanol/waterNo data availableDecomposition temperatureNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

#### 9.2 Other information

No data available

# **SECTION 10: Stability and Reactivity**

### 10.1 Reactivity

- no data available

### 10.2 Chemical stability

- Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

# polymerization

- Hazardous polymerization does not occur.

# 10.4 Conditions to avoid

- Keep away from heat and sources of ignition.
- Keep away from flames and sparks.

# 10.5 Incompatible materials

- Strong oxidizing agents
- Strong reducing agents



# Double X™

Issuing Date: 01/11/2019

### 10.6 Hazardous decomposition products

#### Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides (CO + CO2)
- Nitrogen oxides (NOx)
- Chlorinated compounds

# **SECTION 11: Toxicological Information**

# 11.1 Information on toxicological effects

**Acute toxicity** 

Acute oral toxicity Not classified as harmful if swallowed

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

Acute inhalation toxicity Not classified as harmful by inhalation

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

Acute dermal toxicity

Not classified as harmful by contact with skin

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

Acute toxicity (other routes of

administration)

No data available

<u>Skin corrosion/irritation</u> Not classified as irritating to skin

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

<u>Serious eye damage/eye irritation</u> Risk of serious damage to eyes.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

Respiratory or skin sensitization 
Not classified as sensitizing by skin contact

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.



Double X™

Issuing Date: 01/11/2019

**Mutagenicity** 

**Genotoxicity in vitro/ in vivo**Product is not considered to be genotoxic

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

**Carcinogenicity** The product is not considered to be carcinogenic.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC OSHA NTP IARC

**OSHA** 

Toxicity for reproduction and development

**Toxicity to reproduction / fertility**The product is not considered to affect fertility.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

**Developmental Toxicity/Teratogenicity** The product is not considered to be teratogenic.

The product is not considered to be toxic for development. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

**STOT** 

STOT-single exposure Routes of exposure: Inhalation

Target Organs: Respiratory system

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation according to GHS criteria.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure according to GHS criteria.

According to the available data on the components.

According to the classification criteria for mixtures.

Unpublished reports and/or published data.

**Experience with human exposure** No data available



Double X™

Issuing Date: 01/11/2019

**Aspiration toxicity** 

No data available

# **SECTION 12: Ecological Information**

# 12.1 Toxicity

# **Aquatic Compartment**

Acute toxicity to fish The product itself has not been tested.

Acute toxicity to daphnia and other

aquatic invertebrates

The product itself has not been tested. Toxicity to aquatic plants The product itself has not been tested.

Toxicity to microorganisms The product itself has not been tested.

Chronic toxicity to fish The product itself has not been tested.

Chronic toxicity to daphnia and other

aquatic invertebrates

The product itself has not been tested.

### 12.2 Persistence and degradability

No data available Abiotic degradation

Physical- and photo-chemical elimination No data available

Biodegradation No data available

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water No data available **Bioconcentration factor (BCF)** No data available

# 12.4 Mobility in soil

Adsorption potential (Koc) No data available

Known distribution to environmental compartments

No data available

12.5 Results of PBT and vPvB assessment

No data available



Double X™

Issuing Date: 01/11/2019

#### 12.6 Other adverse effects

#### **Ecotoxicity assessment**

Short-term (acute) aquatic hazard This product has no known ecotoxicological effects.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

**Long-term (chronic) aquatic hazard**This product has no known ecotoxicological effects.

According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

# **SECTION 13: Disposal Considerations**

#### 13.1 Waste treatment methods

# **Product Disposal**

Chemical additions, processing or otherwise altering this material may make the waste management information
presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local
requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult
state and local regulations regarding the proper disposal of this material. See product label for further information
pertaining to disposal considerations.

# Advice on cleaning and disposal of packaging

- Rinse with an appropriate solvent.
- Dispose of in accordance with Federal, state and local regulations.
- See product label for further disposal considerations.

# **SECTION 14: Transport Information**

#### DOT

Not regulated

#### **TDG**

Not regulated

#### **NOM**

Not regulated

# **IMDG**

Not regulated

### **IATA**

Not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.



**Double X™** 

Issuing Date: 01/11/2019

# **SECTION 15: Regulatory Information**

### 15.1 Notification status

Inventory Information	Status	
United States TSCA Inventory	- Listed on Inventory	
Canadian Domestic Substances List (DSL)	- Listed on Inventory	
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory	
Japan. CSCL - Inventory of Existing and New Chemical Substances	One or more components not listed on inventory	
Korea. Korean Existing Chemicals Inventory (KECI)	One or more components not listed on inventory	
China. Inventory of Existing Chemical Substances in China (IECSC)	One or more components not listed on inventory	
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	One or more components not listed on inventory	
Taiwan Chemical Substance Inventory (TCSI)	One or more components not listed on inventory	

# 15.2 Federal Regulations

# **US. EPA EPCRA SARA Title III**

# SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	Yes

The categories not mentioned are not relevant for the product.

#### Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

This material does not contain any components with a section 302 EHS TPQ.

### Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Components	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb



# Double X™

Issuing Date: 01/11/2019

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)			
Components	CAS-No.	Reportable quantity	
Ethylene Oxide	75-21-8	10 lb	

### US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Components	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Sodium hydroxide (Na(OH))	1310-73-2	1000 lb
1,4-Dioxane	123-91-1	100 lb
Acetaldehyde	75-07-0	1000 lb

### 15.3 State Regulations

#### US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product can expose you to chemicals including Quartz (SiO2) (CAS # 14808-60-7), Acetaldehyde (CAS # 75-07-0), Ethylene Oxide (CAS # 75-21-8), 1,4-Dioxane (CAS # 123-91-1), which is/are known to the State of California to cause cancer, and This product can expose you to chemicals including Ethylene Oxide (CAS # 75-21-8), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other Information**

# NFPA (National Fire Protection Association) - Classification

Health 2 moderate
Flammability 1 slight
Instability or Reactivity 0 minimal

### HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health 2 moderate
Flammability 1 slight
Reactivity 0 minimal

PPE Determined by User; dependent on local conditions

Issuing Date: 01/11/2019 (New)

# Key or legend to abbreviations and acronyms used in the safety data sheet

- TWA 8-hr TWA

- ACGIH American Conference of Governmental Industrial Hygienists

- OSHA Occupational Safety and Health Administration

- NTP National Toxicology Program

IARC International Agency for Research on Cancer
 NIOSH National Institute for Occupational Safety and Health



# **Double X™**

Issuing Date: 01/11/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.