

Page 1 of 4

1. Identification

2. Hazard Identification



Eye Irritation	 Causes skin irritation. Causes serious eye irritation. Excessive ingestion may cause irritation of the digestive tract.
•	 : Oral/Dermal/Inhalation Toxicity - 5/5/5; Eye Irritation - 2A; Skin Irritation - 2
Hazard Statement	: May be harmful if swallowed May be harmful in contact with skin Causes serious eye irritation Causes skin irritation May be harmful if inhaled

3. Composition / Information on Ingredients

Component Soluble Potash (K2O):	CAS Number	Weight % 20.00%
Blend of plant nutrients derived from urea, potassium hydroxide and phosphorus acid. GUARANTEED ANALYSIS:	Proprietary	100.00
Total Nitrogen (N): 4.00% Urea Nitrogen		4.00%
Total Phosphoric Acid (P2O5):		30.00%

4. First Aid Measures



Report Date 06-Jun-17

Page 2 of 4

Indication of Immediate Medical : Treatment should be directed toward control of the symptoms. Attention and Special Treatment Needed

5. Fire Fighting Measures	
Extinguishing Media	: Non-combustible liquid. Use extinguishing media suitable for underlying cause of fire.
Specific Hazards Arising from the Chemical	: Product may produce phosphoric pentoxide under fire conditions. May produce hydrogen gas if in contact with certain metals, such as mild steel, aluminum alloy, brass, tin and galvanized metals.
Special Fire Fight Proc	: Wear self-contained breathing apparatus and full protective equipment. Use water spray to keep fire-exposed containers cool.

6. Accidental Release Measure	es
Personal Precautions	: Keep unprotected and unnecessary personnel out of spill area.
Protective Equipment	: Splashproof goggles or face shield, impervious gloves, impervious apron and footwear. If mist is present, use a NIOSH-approved mist-type canister respirator. Eyewash and emergency shower shold be available in work area.
Emergency Procedures	: Dike spilled product to prevent spreading. Do not contaminate water supplies, lakes, streams, ponds or drains.
Methods and Materials for Containment and Cleanup	: Contain and collect spilled product. Reuse material if uncontaminated. If contaminated, absorb material with an absorbent, such as clay or sand, and place in plastic containers for proper disposal.

7. Handling and Storage	
Precautions for Safe Handling	: Keep locked up and out of reach of children. Do not contaminate water, food or feed by storage, handling or disposal. Keep container tightly closed. Do not
Conditions for Safe Storage	allow water to be introduced into the contents of the container. : Store in original container only. Protect from frost. Store at temperatures above 32 Degrees F.

8. Exposure Controls / Personal Protection

TLV/PEL	: No TLV or PEL available for mixture.
Appropriate Engineering Controls	: Local exhaust is normally sufficient.
Personal Protective Equipment	: Splashproof goggles or face shield, impervious gloves, impervious apron and
	footwear. If mist is present, use a NIOSH-approved mist-type canister respirator.
	Eyewash and emergency shower shold be available in work area.

9. Physical and Chemical Properties

Odor/Appearance	: Clear colorless liquid; low odor.
Flash Point, ^o F	: Non-combustible
Boiling Point, ^o F	: 212 Degrees F.
Melting Point(Freezing point), °C	: < -15 Degrees C.
Vapor Pressure, mm Hg @ 20 ºC	: Not established
Vapor Density	: Not established
Solubility in Water	: Soluble
Molecular Formula	: Not applicable, formulated mixture.



Safety Data Sheet

Report Date 06-Jun-17

Page 3 of 4

Density, g/mL @ 25 °C	: 1.435-1.455
Evaporation Rate(Butyl Acetate =	: Not established
1)	
Octanol/Water Partition	: No information found
Coefficient	
pH	: 4.8 to 6.0
Flammable Limits (approximate	: Not applicable
volume % in air)	
Auto-ignition Temperature	: Not applicable
Decomposition temperature	: No information found

10. Stability and Reactivity

Reactivity	No information found
Chemical Stability	Stable
Hazardous Decomposition	Will react with certain metals with evolution of hydrogen giving rise to potentially
Products	flammable and explosive mixtures.
Hazardous Polymerization	Will not occur
Conditions to Avoid	Avoid extremes of temperature
Incompatible Materials	Caustic soda, chlorates, nitrates, calcium carbide, etc., mild steel, aluminum alloy, brass, tin, and galvanized metals.

11. Toxicological Information

Acute Toxicity (Oral LD50)	: No LD50 available. Excessive ingestion may cause irritation of the digestive tract.
Acute Toxicity (Dermal LD50)	: No LD50 available.
Acute Toxicity Inhalation LC50	: No LC50 available. Inhalation of spray mist may produce upper respiratory tract irritation.
Likely Routes of Exposure	: Skin, eyes, ingestion, inhalation
	: May cause skin irritation.
Eye Irritation	: May cause eye irritation.
Skin Sensitization	: No information found
Carcinogenic	: None currently known.
Chronic Effects	: No information found
Other Hazards	: None currently known.

12. Ecological Information

Ecotoxicity	: No information found
Persistence and Degradability	: No information found
Bioaccumulative Potential	: No information found
Mobility in Soil	: No information found
Other Adverse Effects	: No information found

13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.

HELENA	Safety D	oata Shee	ət	Report Date Page	06-Jun-17 4 of 4
Special Precautions for Transportation	 None None None No information found No information found 			N (NMFC Ite	m
15. Regulatory Information					
National Fire Protection Association Rating S.A.R.A Title III Hazard	Health:	2 Rating Level:	Fire: 0 (4-Extreme, 3-High,	Reactiv 2-Moderate	rity: 0 , 1-Slight, 0-Minimum)
Classification (Yes/No)	Immediate(Acute) Hea Delayed (Chronic) Hea Sudden Release Pressu	lth: N of N ıre: ire: N			

16. Other Information

Data of Preparation/Revision : 06-June-2017