

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

1/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name EMESTO® SILVER
Product code (UVP) 86241617
SDS Number 102000036954
PCP Registration No. 30361

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Fungicide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Penflufen	494793-67-8	9.35
Prothioconazole	178928-70-6	1.68

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

2/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
Unsuitable	High volume water jet

Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x), Hydrogen fluoride, Sulphur oxides, Hydrogen chloride (HCl)

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

3/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	510 °C / 950 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

4/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Penflufen	494793-67-8	1.1 mg/m ³ (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m ³ (SK-ABS)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

5/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

Appearance	red
Physical State	suspension
Odor	weak characteristic
Odour Threshold	No data available
pH	5.0 - 6.5 (100 %) (23 °C)
Viscosity, kinematic	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	ca. 1.07 g/cm ³ (20 °C)
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Stable under normal conditions.
Self-accelarating decomposition temperature (SADT)	No data available
Partition coefficient: n-octanol/water	Not applicable
Viscosity	70 - 250 mPa.s (20 °C) Velocity gradient 20 /s 65 - 90 mPa.s (20 °C) Velocity gradient 100 /s
Flammability	No data available
Oxidizing properties	No oxidizing properties
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	510 °C / 950 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Particle size	No data available
Other information	Further safety related physical-chemical data are not known.

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

6/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Skin Absorption, Eye contact, Inhalation

Immediate Effects

Skin Harmful if absorbed through skin.
Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg
Acute inhalation toxicity LC50 (male/female combined Rat) > 3.875 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.
Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye irritation No eye irritation (Rabbit)
Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Penflufen: Based on available data, the classification criteria are not met.
Prothioconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Penflufen did not cause specific target organ toxicity in experimental animal studies.
Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

7/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

Assessment mutagenicity

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): ovaries, Brain, hematopoietic system. The mechanism that triggers these tumours is not relevant to humans.
Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Penflufen did not cause reproductive toxicity in a two-generation study in rats.
Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Assessment developmental toxicity

Penflufen did not cause developmental toxicity in rats and rabbits.
Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Cyprinus carpio (Carp)) 1.41 mg/l static test; Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 40.7 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 71.3 mg/l Growth rate; Exposure time: 72 h

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

8/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

	ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
Biodegradability	Penflufen: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable
Koc	Penflufen: Koc: 280 Prothioconazole: Koc: 1765
Bioaccumulation	Penflufen: Bioconcentration factor (BCF) 142 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate.
Mobility in soil	Penflufen: Moderately mobile in soils Prothioconazole: Slightly mobile in soils
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

9/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

SECTION 14: TRANSPORT INFORMATION

TDG

UN number	3082
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN)

49CFR

Not dangerous goods / not hazardous material

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information	Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.
---------------------	--

Freight Classification:	INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON
-------------------------	---

SECTION 15: REGULATORY INFORMATION

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

10/11
Revision Date: 02/20/2020
Print Date: 02/20/2020

PCP Registration No. 30361

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Hazard statements: Harmful if swallowed or absorbed through skin.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

SAFETY DATA SHEET



EMESTO® SILVER

Version 1.0 / CDN
102000036954

11/11

Revision Date: 02/20/2020
Print Date: 02/20/2020

Revision Date: 02/20/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.