NICHINO AMERICA, INC.

SAFETY DATA SHEET

ET® Herbicide/Defoliant

Section 1. Identification

: ET® Herbicide/Defoliant **GHS** product identifier

Other means of identification

: Active ingredient:

Common name: Pyraflufen-ethyl

Chemical name: Ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1- methylpyrazol-3-yl)-4

fluorophenoxyacetate

Product code : EPA Registration Number: 71711-7

Product use : Herbicide. Defoliant. Emulsifiable concentrate.

: Nichino America Inc Supplier's details

4550 Linden Hill Road, Suite 501

Wilmington, DE 19808

United States

Telephone number: 302-636-9001

e-mail address of person

responsible for this SDS

: Not available.

Emergency telephone number (with hours of

operation)

: In case of fire fire or spill: (800) 424-9300 (24 hours per day) For international shipments: (703) 527-3887 (24 hours per day)

For emergency health and safety inquiries: (800) 348-5832 (24 hours per day)

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 CARCINOGENICITY - Category 2

TOXIC TO REPRODUCTION - Category 1B ASPIRATION HAZARD - Category 1

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : Combustible liquid.

May be fatal if swallowed and enters airways.

Causes skin irritation. Causes serious eye damage. Suspected of causing cancer.

May damage fertility or the unborn child. (oral)

Precautionary statements

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have

been read and understood. Wear protective gloves, protective clothing and eye or face protection. Keep away from flames and hot surfaces. No smoking. Wash hands

thoroughly after handling.

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version :1 1/14

Section 2. Hazards identification

Response: IF exposed or concerned: Get medical advice or attention. IF SWALLOWED:

Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Take off contaminated clothing and wash it before reuse. Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage: Store locked up. Store in a well-ventilated place. Keep cool.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Active ingredient:

Common name: Pyraflufen-ethyl

Chemical name: Ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1- methylpyrazol-3-yl)-4

fluorophenoxyacetate

Product code : EPA Registration Number: 71711-7

| Ingredient name | % | CAS number |
|---|-----------|-------------|
| pyraflufen-ethyl | 2.5 | 129630-19-9 |
| N-methyl-2-pyrrolidone | 7 - 13 | 872-50-4 |
| Solvent naphtha (petroleum), heavy arom. | 60 - 80 | 64742-94-5 |
| Containing: | | |
| 2-methylnaphthalene | 15 - 40 | 91-57-6 |
| 1-methylnaphthalene | 10 - 30 | 90-12-0 |
| naphthalene | 0.5 - 1.5 | 91-20-3 |
| The specific chemical identity and/or percentage of composition is being withheld as a trade secret | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version : 1 2/14

Section 4. First aid measures

person may need to be kept under medical surveillance for 48 hours.

Skin contact
: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a

physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Get medical attention immediately. Call a poison center or physician. Wash out mouth

with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain

an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation.

Ingestion : May be fatal if swallowed and enters airways.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains nausea or vomiting reduced fetal weight increase in fetal deaths skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

See toxicological information (Section 11)

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version : 1 3/14

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use dry chemical, CO2, water spray (fog) or foam. Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides hydrogen chloride hydrogen fluoride

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version :1 4/14

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid exposure obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not swallow. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------|---|
| 2-methylnaphthalene | ACGIH TLV (United States, 1/2021). |
| | Absorbed through skin. |
| | TWA: 0.5 ppm 8 hours. |
| 1-methylnaphthalene | NIOSH REL (United States, 10/2016). |
| | TWA: 0.1 mg/m ³ 10 hours. |
| | OSHA PEL (United States, 5/2018). |
| | TWA: 0.2 mg/m ³ 8 hours. Form: Benzene |
| | soluble |
| | ACGIH TLV (United States, 3/2019). |
| | Absorbed through skin. |
| | TWA: 0.5 ppm 8 hours. |
| naphthalene | ACGIH TLV (United States, 1/2021). |
| · | Absorbed through skin. |
| | TWA: 10 ppm 8 hours. |
| | TWA: 52 mg/m ³ 8 hours. |
| | NIOSH REL (United States, 10/2020). |
| | TWA: 10 ppm 10 hours. |
| | TWA: 50 mg/m³ 10 hours. |
| | STEL: 15 ppm 15 minutes. |
| | STEL: 75 mg/m³ 15 minutes. |
| | OSHA PEL (United States, 5/2018). |
| | TWA: 10 ppm 8 hours. |
| | TWA: 50 mg/m³ 8 hours. |

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version :1

Section 8. Exposure controls/personal protection

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

> appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

Recommended: Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid.

Color : Brownish Yellow.

Odor : Similar to paraffin or naphthalene.

Odor threshold : Not available.

pН : 7.78 (22°C/71.6°F)

Melting point/freezing point Boiling point, initial boiling

: Not available. : Not available.

point, and boiling range

: 89°C/192.2°F Flash point **Flammability** : Not applicable.

Date of issue/Date of revision : 08/08/2022 Date of previous issue Version :1 6/14 : No previous validation

Section 9. Physical and chemical properties and safety characteristics

Lower and upper explosion

limit/flammability limit

: Not available.

Vapor pressure : Not available. Relative vapor density : Not available. Relative density : Not available.

Density : 1.016 g/cm³ (20°C/68°F)

Solubility(ies)

Not available.

Solubility in water : Not available. Partition coefficient: n-: Not applicable.

octanol/water

Auto-ignition temperature

: None observed up to 89.0°C

Decomposition temperature: Not available.

Viscosity : 5.34 mm²/s (25°C/77°F)

Explosive properties : Not available. Oxidizing properties : Not available.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see Section 7).

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld,

braze, solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible materials : Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides hydrogen chloride hydrogen fluoride

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version :1 7/14

Section 11. Toxicological information

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|---------------------------------|-----------------------|---|----------|
| ET® Herbicide/Defoliant | LC50 Inhalation Dusts and mists | Rat - Male, Female | >2.03 mg/l (maximum technically achievable concentration) | 4 hours |
| | LD50 Dermal | Rat - Male, Female | >2000 mg/kg | - |
| | LD50 Oral | Rat - Female | >3712 mg/kg | - |
| | LD50 Oral | Rat - Male | >5000 mg/kg | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|----------|-------------|
| ET® Herbicide/Defoliant | Skin - Moderate irritant | Rabbit | - | - | - |
| | Eyes - Severe irritant | Rabbit | - | - | - |

Conclusion/Summary

Skin: Causes skin irritation.

Eyes : Causes severe eye irritation.

Respiratory: Not available.

Sensitization

| Product/ingredient name | Route of exposure | Species | Result |
|-------------------------|-------------------|------------|-----------------|
| ET® Herbicide/Defoliant | skin | Guinea pig | Not sensitizing |

Conclusion/Summary

Skin: Based on available data, the classification criteria are not met.

Mutagenicity

| Product/ingredient name | Test | Experiment | Result |
|-------------------------|--|---|----------|
| pyraflufen-ethyl | Bacterial Reverse Mutation Test | Subject: Bacteria | Negative |
| | In vitro Mammalian Chromosomal Aberration Test | Experiment: In vitro Subject: Mammalian-Animal | Negative |
| | Micronucleus-test | Subject: Mammalian-Mice | Negative |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|----------------------|---------|------|----------|
| N-methyl-2-pyrrolidone | Negative - Oral - TC | Rat | - | - |

Conclusion/Summary

Classification

: Suspected of causing cancer.

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|--|
| naphthalene | - | 2B | Reasonably anticipated to be a human carcinogen. |

Reproductive toxicity

Date of issue/Date of revision: 08/08/2022Date of previous issue: No previous validationVersion: 18/14

Section 11. Toxicological information

| Product/ingredient name | Maternal toxicity | Fertility | Developmental toxin | Species | Dose | Exposure |
|-------------------------|-------------------|-----------|---------------------|--------------------|--------------------|----------|
| N-methyl-2-pyrrolidone | - | Positive | - | Rat - Male, Female | Oral: 350 mg/kg | - |
| | - | - | Positive | Rat - Male, Female | Oral: 160 mg/kg | - |
| pyraflufen-ethyl | Negative | Negative | Negative | Rat | Oral | - |

Conclusion/Summary

: May damage fertility or the unborn child.

Teratogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|---------|------|----------|
| pyraflufen-ethyl | Negative - Oral | Rat | - | - |
| | Negative - Oral | Rabbit | - | - |

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

| Name | 0 1 | Route of exposure | Target organs |
|------------------------|------------|-------------------|------------------------------|
| N-methyl-2-pyrrolidone | Category 3 | | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | Result |
|-------------------------|--------------------------------|
| ET® Herbicide/Defoliant | ASPIRATION HAZARD - Category 1 |

Information on the likely routes of exposure

: Routes of entry anticipated: Dermal, Inhalation, dermal, Ocular.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation.

Ingestion: May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains nausea or vomiting reduced fetal weight increase in fetal deaths skeletal malformations

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General: No known significant effects or critical hazards.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of

exposure.

Mutagenicity : No known significant effects or critical hazards.Reproductive toxicity : May damage fertility or the unborn child. (oral)

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | (vapors) | Inhalation (dusts and mists) (mg/ I) |
|-------------------------|------------------|-------------------|--------------------------------|----------|---|
| Not applicable | N/A | N/A | N/A | N/A | N/A |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|----------------------|----------------------------|----------|
| ET® Herbicide/Defoliant | Acute EC50 0.76 mg/l | Daphnia | 48 hours |
| | Acute LC50 3.3 mg/l | Fish - Lepomis macrochirus | 96 hours |
| | Acute LC50 1.6 mg/l | Fish - oncorhynchus mykiss | 96 hours |

Conclusion/Summary : Not determined.

Persistence and degradability

Conclusion/Summary: Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not applicable.

Mobility : Not available.

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version : 1 10/14

Section 12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: **Pesticide disposal:** Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | IATA |
|----------------------------|--|-----------------------|--------------------------|-----------------|---|---|
| UN number | NA1993 | Not determined. | Not determined. | Not determined. | UN3082 | UN3082 |
| UN proper shipping name | Combustible liquid, n.o.s (petroleum distillate mixture) | - | - | - | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufenethyl) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen- ethyl) |
| Transport hazard class(es) | Combustible liquid. | - | - | - | 9 | 9 |
| Label | | | | | * | |
| Packing group | III | - | - | - | III | III |
| Environmental hazards | No. | - | - | - | Marine Pollutant: Yes | Yes. |

Additional information

DOT Classification

: Non-bulk packages (less than or equal to 119 gal) of combustible liquids are not regulated as hazardous materials in package sizes less than the product reportable quantity.

Reportable quantity 11394.7 lbs / 5173.2 kg [1345.1 gal / 5091.7 L]. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

Limited quantity Yes.

Packaging instruction Exceptions: 150. Non-bulk: 203. Bulk: 241.

Special provisions 148, IB3, T1, TP1

IMDG

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Emergency schedules F-A, S-F Special provisions 274, 335, 969

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version : 1 11/14

Section 14. Transport information

IATA

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Quantity limitation Passenger and Cargo Aircraft: 450 L. Packaging instructions: 964. Cargo Aircraft Only: 450 L. Packaging instructions: 964. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y964.

Special provisions A97, A158, A197

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable.

to IMO instruments

Section 15. Regulatory information

U.S. Federal regulations

: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

EPA Registration Number: 71711-7

DANGER

Corrosive. Causes irreversible eye damage. Do not get in eye, on skin, or on clothing. Wear goggles or face shield when handling.

Harmful if swallowed.

Harmful if absorbed through skin.

Wash thoroughly with soap and water after handling.

Clean Water Act (CWA) 307: 2-methylnaphthalene; 1-methylnaphthalene; naphthalene

Clean Water Act (CWA) 311: naphthalene

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ

: Not applicable.

SARA 311/312

Date of issue/Date of revision : 08/08/2022 : No previous validation Version :1 12/14 Date of previous issue

Section 15. Regulatory information

Classification : FLAMMABLE LIQUIDS - Category 4

SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 **CARCINOGENICITY - Category 2**

TOXIC TO REPRODUCTION - Category 1B ASPIRATION HAZARD - Category 1

Composition/information on ingredients

| Name | % | Classification |
|--|-----------|---|
| Solvent naphtha (petroleum), heavy arom. | 60 - 80 | ASPIRATION HAZARD - Category 1 |
| N-methyl-2-pyrrolidone | 7 - 13 | FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 1B SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |
| naphthalene | 0.5 - 1.5 | CARCINOGENICITY - Category 2 |

SARA 313

| | Product name | CAS number | % |
|---------------------------------|--------------|---------------------|---------------------|
| Form R - Reporting requirements | | 872-50-4 91-20-3 | 7 - 13 0.5 - 1.5 |
| Supplier notification | | 872-50-4 91-20-3 | 7 - 13 0.5 - 1.5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: 1-METHYLNAPHTHALENE; 1-METHYL-

2-PYRROLIDONE

New York : None of the components are listed.

New Jersey : The following components are listed: 2-METHYL NAPHTHALENE; NAPHTHALENE,

2-METHYL-; 1-METHYL NAPHTHALENE; NAPHTHALENE, 1-METHYL-; 1-METHYL-2-PYRROLIDONE; N-METHYL-2-PYRROLIDONE; 2-PYRROLIDINONE, 1-METHYL-;

NAPHTHALENE; TAR CAMPHOR; MOTH FLAKES

Pennsylvania : The following components are listed: NAPHTHALENE, 1-METHYL-;

2-PYRROLIDINONE, 1-METHYL-

California Prop. 65



⚠ WARNING: This product can expose you to chemicals including Naphthalene, which is known to the State of California to cause cancer, and N-methylpyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| | No significant risk level | Maximum acceptable dosage level |
|------------------------------------|---------------------------|---------------------------------|
| N-methylpyrrolidone Naphthalene | - Yes. | Yes. |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version :1 13/14 ET® Herbicide/Defoliant

Section 15. Regulatory information

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

| Ingredient name | List name | Status |
|-----------------|----------------|--------|
| PAHs | POPs - Annex 3 | Listed |
| PAHs | - | Listed |
| PAHs | - | Listed |

Inventory list

United States : All components are active or exempted. This product is a registered pesticide.

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification |
|-------------------------------------|-----------------------|
| FLAMMABLE LIQUIDS - Category 4 | On basis of test data |
| SKIN IRRITATION - Category 2 | On basis of test data |
| SERIOUS EYE DAMAGE - Category 1 | On basis of test data |
| CARCINOGENICITY - Category 2 | Calculation method |
| TOXIC TO REPRODUCTION - Category 1B | On basis of test data |
| ASPIRATION HAZARD - Category 1 | Expert judgment |

History

Date of printing : 08/08/2022 **Date of issue/Date of** : 08/08/2022

revision

: No previous validation

Version :

Date of previous issue

Key to abbreviations : ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

SGG = Segregation Group

TDG = Transportation of Dangerous Goods

UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 08/08/2022 Date of previous issue : No previous validation Version : 1 14/14