

**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

1/11 Revision Date: 08/27/2019 Print Date: 08/28/2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier	
Trade name	EVERGOL® ENERGY
Product code (UVP)	84921041
SDS Number	102000022382
EPA Registration No.	264-1122
Relevant identified uses of th	e substance or mixture and uses advised against
Use	Seed treatment, Fungicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience 2 T.W. Alexander Drive Research Triangle PK, NC 27709 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-866-99BAYER (1-866-992-2937)

### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

#### Labelling in accordance with regulation HCS 29CFR §1910.1200

#### **Precautionary statements**

Protect from sunlight.

#### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

**2/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

Hazardous Component Name	CAS-No.	Concentration % by weight
Prothioconazole	178928-70-6	7.18
Penflufen	494793-67-8	3.59
Prothioconazole Penflufen Metalaxyl	57837-19-1	5.74

### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. Skin contact Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately. Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayedSymptomsTo date no symptoms are known.Indication of any immediatemedical attention and special treatment neededTreatmentAppropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media	
Suitable	Water spray, Foam, Carbon dioxide (CO2), Dry chemical
Unsuitable	High volume water jet

BAYER

**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

**3/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	445 °C / 833 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.	
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

### SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before



**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

**4/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Penflufen	494793-67-8	1.1 mg/m3 (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Physical State beige suspension

**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382



5/11 Revision Date: 08/27/2019 Print Date: 08/28/2019

Odor	musty
Odour Threshold	No data available
рН	6.0 - 8.0 (100 %) (23 °C)
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	ca. 1.07 g/cm³ (20 °C)
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Not applicable
Partition coefficient: n- octanol/water	Not applicable
Flash point	No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	445 °C / 833 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

# SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	Not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.



**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

6/11 Revision Date: 08/27/2019 Print Date: 08/28/2019

### SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin Absorption, Ingestion, Eye contact, Inhalation	
Immediate Effects		
Skin	Harmful if absorbed through skin.	
Ingestion	Harmful if swallowed.	
Information on toxicological effects		
Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg	
Acute inhalation toxicity	LC50 (Rat) > 2.205 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration.	
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg	
Skin corrosion/irritation	No skin irritation (Rabbit)	
Serious eye damage/eye irritation	No eye irritation (Rabbit)	
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse)	

#### Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Penflufen did not cause specific target organ toxicity in experimental animal studies. Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### ACGIH

None.

NTP

None.

IARC

None.



**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

7/11 Revision Date: 08/27/2019 Print Date: 08/28/2019

#### **OSHA**

None.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

#### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity. Penflufen did not cause developmental toxicity in rats and rabbits. Metalaxyl did not cause developmental toxicity in rats and rabbits.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient prothioconazole.
	LC50 (Cyprinus carpio (Carp)) 0.103 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient penflufen.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 1.3 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient prothioconazole.
	EC50 (Daphnia magna (Water flea)) > 4.66 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.
Toxicity to aquatic plants	ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l Growth rate; Exposure time: 96 h

**EVERGOL® ENERGY** 



Version 3.0 / USA 102000022382

**8/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

	The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.
Biodegradability	Prothioconazole: Not rapidly biodegradable Penflufen: Not rapidly biodegradable Metalaxyl: Not rapidly biodegradable
Кос	Prothioconazole: Koc: 1765 Penflufen: Koc: 280 Metalaxyl: Koc: 163
Bioaccumulation	Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. Penflufen: Bioconcentration factor (BCF) 142 Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7 Does not bioaccumulate.
Mobility in soil	Prothioconazole: Slightly mobile in soils Penflufen: Moderately mobile in soils Metalaxyl: Moderately mobile in soils
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	Do not contaminate water, food, or feed by disposal. Dispose in accordance with all local, state/provincial and federal regulations. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.



**EVERGOL® ENERGY** 

Version 3.0 / USA 102000022382

**9/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

#### **RCRA Information**

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

Not dangerous goods / not hazardous material		
<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, PENFLUFEN SOLUTION)		
<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, PENFLUFEN SOLUTION )		

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

#### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. US Federal Regulations	264-1122	
TSCA list		
Water		7732-18-5
1,2-Propanediol		57-55-6
Polyethylene-polypropylene co	polymer	9003-11-6
<b>US. Toxic Substances Control</b>	ol Act (TSCA	) Section 12(b) Export Notification (40 CFR 707, Subpt D)
Not applicable.		
SARA Title III - Section 302 -	Notification	and Information
Sulphuric acid		7664-93-9
SARA Title III - Section 313 -	Toxic Chem	ical Release Reporting



### **EVERGOL® ENERGY**

Version 3.0 / USA 102000022382

**10/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

Sulphuric acid	7664-93-9	25000lbs	
Magnesium nitrate	10377-60-3	10000lbs	
US States Regulatory Reporting			
CA Prop65			
WARNING: This product contains a chemical known to the State of California to cause cancer. For more			
information go to www.P65Warnings.ca.gov	Ι.		
Sulphuric acid	7664-93-9		
Crystalline quartz (respirable)	14808-60-7		

This product does not contain any substances known to the State of California to cause reproductive harm.

#### US State Right-To-Know Ingredients

1,2-Propanediol	57-55-6	MN, RI
Sulphuric acid	7664-93-9	CA, CT, IL, LA, MN, NJ, RI
Magnesium oxide	1309-48-4	CA, MN, RI
Sodium hydroxide	1310-73-2	CA, CT, IL, MN, NJ, RI
Magnesium nitrate	10377-60-3	CT, NJ, RI
Crystalline quartz (respirable)	14808-60-7	MN, RI

#### **EPA/FIFRA** Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:	Caution!
Hazard statements:	Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing.

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

	acientyme
49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development



# **EVERGOL® ENERGY**

Version 3.0 / USA 102000022382

**11/11** Revision Date: 08/27/2019 Print Date: 08/28/2019

TDG	Transportation of	Dangerous Goods	
TWA	Time weighted av	erage	
UN	United Nations		
WHO	World health orga	nisation	
NFPA 704 (National Fire Protection Association): Health - 2 Flammability - 0 Instability - 0 Others - none			
HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide) Health - 1 Flammability - 0 Physical Hazard - 0 PPE -			
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard			

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 7: Handling and Storage. Section 10. Stability and reactivity.

#### Revision Date: 08/27/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.