

Safety Data Sheet EXTEND 97

SDS Number:	107	Revision:		August 9, 2017
Section 1 · IDENTIF	ICATION			
Product Name	Extend 97			
Other Identification	Spray Adjuvant, Spreader-Sticker			
Product Form	Mixture			
Recommended Use	Agricultural spray adjuvant.			
Manufacturer				
Company Name	Custom Ag Formulators,	Inc.		
Address	3430 S Willow Ave, Fresno, CA 93725, United States			
Telephone	(800) 355-4457			
Website	www.4caf.com			
Emergency Contacts	Custom Ag Formulators,	Inc.	(559) 435-10	52
	CHEMTREC		. ,	00 (Domestic) 87 (International)

Section 2 · HAZARD(S) IDENTIFICATION

	1-7 -		
Classification of the Substance or Mixture			
Classification (GHS-US)			
Eye Irrit. 2A	H319		
Skin Sens. 2	H315		
Carc. 2	H351		
STOT RE 2	H373		
Aquatic Acute 2	H401		
Aquatic Chronic 3	H412		
Full text of H-phrases	s: see section 16		

Label Elements

GHS-US Labeling Hazard Pictograms (GHS-US)

Signal Word (GHS-US) Hazard Statements (GHS-US) Warning
H315- May cause an allergic skin reaction. H319 - Causes serious eye irritation. H351 - Suspected of causing cancer.

GHS07



Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe vapors, mist, or spray.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US)

No data available

Section 3 · COMPOSITION/INFORMATION ON INGREDIENTS

Substance			
Not applicable Mixture			
Name	Product Identifier	%	Classification (GHS-US)
Proprietary glycol	(CAS No) Proprietary	Proprietary	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Proprietary alcohol	(CAS No) Proprietary	Proprietary	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Proprietary ingredient 3	(CAS No) Proprietary	Proprietary	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Proprietary ingredient 4	(CAS No) Proprietary	Proprietary	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Acute 1, H400 Aquatic Chronic 1, H410



Proprietary ingredient 5	(CAS No) Proprietary	Proprietary	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Aquatic Acute 2, H401
Proprietary ingredient 6	(CAS No) Proprietary	Proprietary	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Carc. 2, H351 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

Section 4 · FIRST-A	ID MEASURES
Inhalation	When symptoms occur: go into open air and ventilate suspected area. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Section 5 · FIRE-FIGHTING MEASURES

Suitable extinguishing	Dry powder, alcohol-resistant foam, water in large amounts, carbon dioxide (CO 2).
Unsuitable extinguishing	Do not use a heavy water stream. A heavy water stream may spread burning liquid.
Specific hazards arising	Fire Hazard: Not considered flammable but may burn at high temperatures.
from the chemical	Explosion Hazard: Product is not explosive.
	<i>Reactivity:</i> May react violently with oxidants, causing fire and explosion hazard.
Special protective equipment and precautions for firefighters	Firefighters must wear NIOSH/MSHA approved positive pressure self- contained breathing apparatus with full face mask and full protective clothing.
Fire-fighting equipment/instructions	Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water courses.



Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 · ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Avoid all contact with skin, eyes, or clothing. Avoid breathing vapor, mist, or spray. Use appropriate personal protection equipment (PPE). Evacuate unnecessary personnel.
Methods and materials for	or containment and cleaning up
Large Spills	Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Contact competent authorities after a spill.
Small Spills	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Environmental Prevent entry to sewers and public waters.

Section 7 · HANDELING & STORAGE

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Use appropriate personal protection equipment (PPE). Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist, and spray. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash your hands immediately after handling this product, and once again before leaving the workplace.
Conditions for safe storage, including any incompatibilities	<i>Storage Conditions:</i> Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up.
	<i>Incompatible Products:</i> Strong acids. Strong bases. Strong oxidizers. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Peroxides. Bromine.

Section 8 · EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).



Proprietary i	ngredient 6 (Proprietary)		
USA ACGIH	ACGIH TWA (mg/m³)	1 mg/m ³ (inhalable fraction and vapor)	
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the	
		cutaneous route, Confirmed Animal Carcinogen with Unknown	
		Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	15 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (ppm)	3 ppm	
	(lycol (Proprietary)		
USA ACGIH	ACGIH Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Proprietary a	lcohol (Proprietary)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm	
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
Exposure Cor	ntrols		
Appropriate E	ngineering Controls	: Emergency eye wash fountains should be available in the	
		e. Ensure adequate ventilation, especially in confined areas. Ensure	
	cal regulations are observed.		
Personal Protective Equipment : Protective goggles. Gloves. Protective clothing.			
	ntilation: wear respiratory pro		
	Protective Clothing	: Chemically resistant	
	fabrics. Hand Protection	: Wear chemically	
	ctive gloves. Eye Protection	: Chemical safety goggles.	
Skin and Body		: Wear suitable protective clothing.	
Respiratory Protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.			
Other Information : When using, do not eat, drink or smoke.			

Section 9 · PHYSICAL & CHEMICAL PROPERTIES

Appearance	Amber, liquid.
Odor	Surfactant odor
Odor threshold	N/A
рН	7.61
Melting point/freezing point	N/A / < 35 °F (< 1.67 °C)
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	> 200 °F (> 93.33 °C)
Evaporation rate	N/A
Flammability (solid, gas)	N/A
Upper/lower flammability or explosive li	imits
Flammability limit - lower (%)	N/A
Flammability limit - upper (%)	N/A
Explosive limit - lower (%)	N/A
Explosive limit - upper (%)	N/A
Vapor density	N/A
Relative density	7.8 lbs/gal
Specific gravity Solubility(ies)	N/A

3430 S Willow Ave | Fresno, CA 93725 www.4caf.com | 800-355-4457



Solubility (water)	100%
Partition coefficient (n-octanol/water)	N/A
Auto-ignition temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A

Section 10 · STABILITY & REACTIVITY			
Reactivity	May react violently with oxidants, causing fire and explosion hazard.		
Chemical stability	Material is stable under normal conditions		
Possibility of hazardous reactions	Hazardous polymerization will not occur		
Conditions to avoid	Direct sunlight. Extremely high or low temperatures. Sources of ignition. Incompatible materials.		
Incompatible materials	Strong acids. Strong bases. Strong oxidizers.		
Hazardous decomposition products	Thermal decomposition generates: Corrosive vapors. Carbon oxides (CO, CO2). Nitrogen oxides. Hydrocarbons. Aldehydes. Ketones.		

Section 11 · TOXICOLOGICAL INFORMATION

Section 11 · TOXICOLOGICAL INTON				
Information On Toxicological Effects				
Acute Toxicity: Not classified				
Extend 97				
LD50 Oral Rat	> 5050			
LD50 Dermal Rabbit	> 2020 mg/kg			
Proprietary ingredient 2 (Proprietary)				
ATE (Oral)	500.00 mg/kg body weight			
ATE (Gases)	100.00 ppmV/4h			
ATE (Vapors)	0.50 mg/l/4h			
ATE (Dust/Mist)	0.05 mg/l/4h			
Proprietary ingredient 5 (Proprietary)				
LD50 Oral Rat	12400 mg/kg			
LD50 Dermal Rabbit	> 2000 mg/kg			
Proprietary ingredient 6 (Proprietary)				
LD50 Oral Rat	1820 mg/kg			
Proprietary glycol (Proprietary)				
LD50 Oral Rat	4700 mg/kg			
LD50 Dermal Rat	10600 mg/kg			
ATE (Oral)	500.00 mg/kg body weight			
ATE (Dermal)	10,600.00 mg/kg body weight			
Proprietary alcohol (Proprietary)				
LD50 Oral Rat	4710 mg/kg			
LD50 Dermal Rabbit	4059 mg/kg			
LC50 Inhalation Rat	72.6 mg/l/4h (Exposure time: 4 h)			
Proprietary ingredient 3 (Proprietary)				
LD50 Oral Rat	1310 mg/kg			
Skin Corrosion/Irritation: Not classified.				



pH: 6.93

Serious Eye Damage/Irritation: Causes serious eye irritation. Derived from a read across of primary eye irritation study in White New Zealand rabbits. Effects were fully reversible within 21 days, but elicited primary irritation in 2 of 3 tested animals (Pesticide Assessment Guidelines, Subdivision F, Hazard Evaluation: Series 81-5, EPA 540/9-84-014).			
Respiratory or Skin Sensitization: May cause a	n allergic skin reaction.		
Germ Cell Mutagenicity: Not classified			
Carcinogenicity: Suspected of causing cancer.			
Proprietary ingredient 5 (Proprietary)			
IARC group	2B		
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.		
Proprietary ingredient 6 (Proprietary)			
IARC group	2B		
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.		
Proprietary alcohol (Proprietary)			
IARC group	3		
Reproductive Toxicity: Not classified			
Specific Target Organ Toxicity (Single Exposure	e): Not classified		
Specific Target Organ Toxicity (Repeated Expo	sure): May cause damage to organs through prolonged or		
repeated exposure.			
Aspiration Hazard: Not classified			
Symptoms/Injuries After Inhalation: May cause irritation to the respiratory tract.			
Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.			
Symptoms/Injuries After Eye Contact: Causes serious eye irritation. Redness, pain, swelling, itching,			
burning, tearing, and blurred vision.			

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Section 12 · ECOLOGICAL INFORMATION

Toxicity				
Ecology - General	: Toxic to aquatic life. Harmful to aquatic life with long lasting			
effects.				
Proprietary ingredient (Proprietary)				
NOEC chronic fish	0.5 mg/l			
Proprietary ingredient 5 (Proprietary)				
LC50 Fish 1	3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])			
EC50 Daphnia 1	2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static])			
ErC50 (algae)	2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus)			
Proprietary ingredient 6 (Proprietary)				
LC50 Fish 1	4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales			
	promelas [flow-through])			
EC50 Daphnia 1	55 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales			
	promelas [static])			
EC50 Other Aquatic Organisms 2	2.1 (2.1 - 2.3) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella			
ErC50 (algae)	2.2 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata			
	[Static])			
NOEC chronic crustacea	0.78 mg/l			
Proprietary glycol (Proprietary)				



LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC 50 Fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
Proprietary alcohol (Proprietary)			
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow- through])		
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)		
LC 50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)		
Persistence and Degradability			
EXTEND 97			
Persistence and Degradability	Not established.		
Bioaccumulative Potential			
Extend 97			
Bioaccumulative Potential	Not established.		
Proprietary ingredient 6 (Proprieta	ary)		
BCF fish 1	(no significant bioconcentration)		
Log Pow	-2.18 (at 25 °C)		
Proprietary glycol (Proprietary)			
Log Pow	-1.93		
Proprietary alcohol (Proprietary)			
Log Pow	0.05 (at 25 °C)		
Mobility in Soil No additional inform	nation available		
Other Adverse Effects			
Other Information	: Avoid release to the environment.		

Section 13 · DISPOSAL CONSIDERATION

Disposal instructions	Consult federal, state and local regulations for disposal requirements.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 · TRANSPORT INFORMATION

General	Not DOT regulated in domestic (USA ground) transportation in package
	sizes less than 3,550 lbs (317 gallons); 1,610 kg (1,200 liters). The DOT
	transportation information below is for shipments with package sizes equal
	to or exceeding this value. IMDG Regulated Marine Pollutant.

DOT - Basic shipping requirements:

UN number	Not regulated for transport
DOT Label	Not regulated for transport
Proper shipping name	Not regulated for transport



Hazard class Not regulated for transport Packing group Not regulated for transport IMGD - Basic shipping requirements: UN number Not regulated for transport *IMGD Label* Not regulated for transport Proper shipping name Not regulated for transport Hazard class Not regulated for transport Packing group Not regulated for transport EMS NO Not regulated for transport IATA - Basic shipping requirements: UN number Not regulated for transport Proper shipping name Not regulated for transport Hazard class Not regulated for transport Packing group Not regulated for transport OCAP Not regulated for transport **Environmental hazards** Marine pollutant N/A Special precautions Read safety instructions, SDS and emergency procedures before handling.

Section 15 · REGULATORY INFORMATION

US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
Proposition 65 (CA)	Warning: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.			
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated				Not regulated
CERCLA Hazardous Substance List (40 CFR 302.4)				
			Reportable Quantity	Not applicable
SARA 304 Emergency release notification			Not regulated	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed			Not listed	
Superfund Amendments and Reauthorization Act of 1986 (SARA)				
	Hazard catego	ries	Immediate Hazard	Yes
			Delayed Hazard	No
			Fire Hazard	No
			Pressure Hazard	No
			Reactivity Hazard	No
SARA 302 Extremely haza	Irdous substance		-	Not listed
SARA 311/312 Hazardous	chemical		Immediate (acute) h	ealth hazard
			Delayed (chronic) he	alth hazard
US State Regulations Proprietary ingredient 5 (P	roprietary)			
U.S California - Propositio			WARNING: This product contains chemicals known to the State of California to cause cancer.	
Proprietary ingredient 6 (P	roprietary)			
U.S California - Propositio			WARNING: This product contains chemicals known to the State of California to cause cancer.	
Proprietary ingredient 6 (P	roprietary)			



- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Proprietary glycol (Proprietary)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Proprietary alcohol (Proprietary)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Section 16 · OTHER INFORMATION

Issue date August 9, 2017

Disclaimer The above information is based on data of which the manufacturer is aware and is believed to be correct as of the date hereon. Since the information contained herein may be applied under conditions beyond the manufacturer's control and which may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, the manufacturer does not assume any responsibility for the results of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.