according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

SECTION 1. IDENTIFICATION

Product name : Exteris Stressgard

Product code : Article/SKU: D00000934 UVP: 81701563 Specification:

102000028297 EPA Registration No: 101563-157

Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.

Address : 5000 Centregreen Way, Suite 400

Cary NC 27513

Telephone : 1-800-331-2867

Emergency telephone : +1 703-741-5970

E-mail address : uscontact@envu.com

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : See product label for restrictions.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Effects on or via lactation

GHS label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H362 May cause harm to breast-fed children.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P261 Avoid breathing mist or vapors.

P263 Avoid contact during pregnancy and while nursing.

P264 Wash skin thoroughly after handling.

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical attention. P321 Specific treatment (see supplemental first aid instructions on this label).

P333 + P313 If skin irritation or rash occurs: Get medical attention

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

Chemical name	CAS-No.	Concentration (% w/w)
Isotridecyl alcohol, ethoxylated, phosphated	73038-25-2	>= 5 - < 10
Propylene glycol	57-55-6	>= 5 - < 10
Alcohols, C12-16, ethoxylated	68551-12-2	>= 1 - < 5
Trifloxystrobin	141517-21-7	>= 1 - < 5
Fluopyram	658066-35-4	>= 1 - < 5
Potassium hydroxide	1310-58-3	>= 0.5 - < 1
Reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	55965-84-9	>= 0.0015 - < 0.06

Actual concentration is withheld as a trade secret

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-	2682-20-4, 26172-55-4
isothiazolin-3-one and 2-methyl-2H-isothiazol-	
3-one (3:1)	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

advice.

If inhaled : Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : Get medical attention.

Most important symptoms and effects, both acute and

delayed

No symptoms known or expected.

May cause an allergic skin reaction.

May cause harm to breast-fed children.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : There is no specific antidote available.

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Oxides of phosphorus Chlorine compounds Nitrogen oxides (NOx) Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not get on skin or clothing. Avoid breathing mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of ters / Permissible		
		exposure)	concentration	
Propylene glycol	57-55-6	TWA	10 mg/m³	US WEEL
Potassium hydroxide	1310-58-3	С	2 mg/m³	ACGIH
		С	2 mg/m³	NIOSH REL

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.4 mm
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

manufacturer. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : green

Odor : characteristic

Odor Threshold : No data available

pH : 6 (73 °F / 23 °C)

Concentration: 100 %

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : > 199.9 °F /> 93.3 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper : No data available

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

flammability limit

Lower explosion limit / Lower

flammability limit

: No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.05 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : 788 °F / 420 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 100 - 400 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Minimum ignition energy : Not applicable

Particle characteristics

Particle size : \leq 4 µm

 \leq 10 μ m

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Alcohols, C12-16, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Trifloxystrobin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Fluopyram:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Mild skin irritation

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Result : Skin irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Alcohols, C12-16, ethoxylated:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Fluopyram:

Species : Rabbit

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Method : OECD Test Guideline 404

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Mild eye irritation

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Result : Irreversible effects on the eye

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Alcohols, C12-16, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Fluopyram:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Potassium hydroxide:

Species : Rabbit

Result : Irreversible effects on the eye

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Result : Irreversible effects on the eye

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Remarks : Based on skin corrosivity.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Alcohols, C12-16, ethoxylated:

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Trifloxystrobin:

Assessment : Probability or evidence of skin sensitization in humans

Remarks : Based on national or regional regulation.

Fluopyram:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Potassium hydroxide:

Test Type : Intracutaneous test

Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of high skin sensitization rate in hu-

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Trifloxystrobin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Fluopyram:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Trifloxystrobin:

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Fluopyram:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May cause harm to breast-fed children.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Application Route: Ingestion

Result: negative

Trifloxystrobin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Studies indicating a hazard to babies during the lactation peri-

od

Fluopyram:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Trifloxystrobin:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Exposure time : 2 y

Trifloxystrobin:

Species : Rat

NOAEL : 10 mg/kg

Application Route : Ingestion

Exposure time : 2 y

Fluopyram:

Species: Dog, maleNOAEL: 13.2 mg/kgLOAEL: 67.6 mg/kgApplication Route: Ingestion

Exposure time : 1 y

Method : OECD Test Guideline 452

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.42 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.75 mg/l

aquatic invertebrates

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Raphidocelis subcapitata (freshwater green alga)):

5.25 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Toxicity to algae/aquatic : EC50: > 0.1 - 1 mg/l Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version SDS Number: Date of last issue: 02/01/2024 Revision Date: 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

plants Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

Toxicity to microorganisms NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Alcohols, C12-16, ethoxylated:

LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia): > 0.1 - 1 mg/l

Remarks: Based on data from similar materials

Trifloxystrobin:

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.015 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus (green algae)): 0.0174

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0.0025

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

EC10 (Oncorhynchus mykiss (rainbow trout)): 0.0075 mg/l

Exposure time: 95 d

aquatic invertebrates (Chron-

c toxicity)

Toxicity to daphnia and other : EC10 (Daphnia magna (Water flea)): 0.00328 mg/l

Exposure time: 21 d

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version SDS Number: Date of last issue: 02/01/2024 Revision Date: 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Fluopyram:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 2 mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility.

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 20 mg/l

Exposure time: 48 h

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

ErC50 (Lemna gibba (gibbous duckweed)): 2.51 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 1.6 mg/l

Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.135 mg/l

Exposure time: 33 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.22 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

Toxicity to algae/aguatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l

Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l

Exposure time: 48 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l

Exposure time: 36 d

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.10 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 74.2 % Exposure time: 28 d

Method: OECD Test Guideline 301E

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

П

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Alcohols, C12-16, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Remarks: Based on data from similar materials

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 62 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n- : log Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

Trifloxystrobin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 431 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 4.5

octanol/water Method: OECD Test Guideline 107

Fluopyram:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 18 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 3.3

octanol/water Method: OECD Test Guideline 107

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Partition coefficient: n-

octanol/water

: log Pow: < 1

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version SDS Number: Date of last issue: 02/01/2024 Revision Date: 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

П

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues It is best to use all of the product in accordance with label

> directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local

quidelines.

Do not dispose of waste into sewer.

Follow advice on product label and/or leaflet. Contaminated packaging

Empty containers retain residue and can be dangerous.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

(Trifloxystrobin, Isotridecyl alcohol, ethoxylated, phosphated)

Class 9 Packing group Ш 9 Labels Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Trifloxystrobin, Isotridecyl alcohol, ethoxylated, phosphated)

9 Class Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN 3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

964

964

(Trifloxystrobin, Isotridecyl alcohol, ethoxylated, phosphated)

Class

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Trifloxystrobin, Isotridecyl alcohol, ethoxylated, phosphated)

Class : 9 Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes(Trifloxystrobin, Isotridecyl alcohol, ethoxylated, phosphat-

ed)

Remarks : Above applies only to containers over 119 gallons or 450 li-

ters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ Calculated product R0	
		(lbs)	(lbs)
Potassium hydroxide	1310-58-3	1000	146198

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Reproductive toxicity

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5
Isotridecyl alcohol, ethoxylated, phosphated 73038-25-2
Propylene glycol 57-55-6
C.I. Pigment Green 7 1328-53-6
Potassium hydroxide 1310-58-3

Active substance : 20 g/l


Trifloxystrobin

12.5 g/l Fluopyram

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / C : Ceiling limit

NIOSH REL / C : Ceiling value not be exceeded at any time.

US WEEL / TWA : 8-hr TWA

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-

according to the OSHA Hazard Communication Standard



Exteris Stressgard

Version Revision Date: SDS Number: Date of last issue: 02/01/2024 3.0 11/06/2024 11259680-00003 Date of first issue: 08/15/2023

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 11/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8