

Date of Preparation: March 26, 2020

Section 1: IDENTIFICATION

Product Name: Factor 540

Pest Control Product Number: 27988

Product Use: Non-selective weed control.

Restrictions on Use: Not available.

Manufacturer/Supplier: Interprovincial Cooperative LTD. (IPCO)

945 Marion Street

Winnipeg, MB R2J 0K7

Phone Number: 204.233.3461

Emergency Phone: 204.233.3461

CANUTEC: 1-888-CAN-UTEC (226-8832), 613-996-6666 or

*666 on a cellular phone.

March 26, 2020 **Date of Preparation of SDS:**

Section 2: HAZARD(S) IDENTIFICATION

GHS INFORMATION

Classification: Eye Irritation, Category 2A

LABEL ELEMENTS

Hazard

Pictogram(s):

Warning

Signal Word:

Hazard Causes serious eye irritation.

Statements:

Precautionary Statements

Prevention: Wash thoroughly after handling.

Wear protective gloves, protective clothing and eye protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Storage: Not applicable.

Disposal: Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is considered hazardous by the Hazardous Products Regulations.



Date of Preparation: March 26, 2020

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s) Common name / CAS No. % wt./wt.

Synonyms

Glyphosate-potassium Not available. 70901-12-1 47.53 - 50.47

Section 4: FIRST-AID MEASURES

Inhalation: If inhaled: Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation.

Signs/symptoms may include cough, sneezing, nasal discharge,

headache, hoarseness, and nose and throat pain.

Eye Contact: If in eyes: Rinse cautiously with water for at least 20 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred

or hazy vision.

Skin Contact: If on skin: Wash with plenty of water. Call a poison center or doctor if you

feel unwell.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion: If swallowed: Call a poison center or doctor if you feel unwell. If vomiting

occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset,

nausea, vomiting and diarrhea.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria. This material will not burn until the water has evaporated. Residue can burn. Dense smoke is produced when product burns.

Sensitivity to Mechanical Impact: This material is not sensitive to mechanical impact. **Sensitivity to Static Discharge:** This material is not sensitive to static discharge.

MEANS OF EXTINCTION

Suitable Extinguishing Media: Small Fire: Dry chemical, CO2, water spray or regular foam.

Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media: Not available.



Factor 540

Date of Preparation: March 26, 2020

Products of Combustion: Oxides of carbon. Oxides of nitrogen. Oxides of phosphorus.

Protection of Firefighters: Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Keep unauthorized personnel away. Stay upwind. Keep out of low

areas. Ventilate closed spaces before entering.

Personal Precautions: Do not touch or walk through spilled material. Use personal

protection recommended in Section 8.

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways.

Methods for Containment: Stop leak if without risk. Do not flush to sewer or allow to enter

waterways.

Methods for Clean-Up: Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Other Information: See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Wash thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Glyphosate-potassium [CAS No. 70901-12-1]

ACGIH: No TLV established. **OSHA:** No PEL established.

PEL: Permissible Exposure Limit **TLV:** Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)











Factor 540

Date of Preparation: March 26, 2020

Eye/Face Protection: Wear chemical safety goggles. Ensure that eyewash

stations are close to the workstation location. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in

29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection: Wear protective gloves. Consult manufacturer specifications

for further information.

Skin and Body Protection: Wear protective clothing.

Respiratory Protection: Not required under normal use conditions. or self-contained

breathing apparatus must be used.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to

ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid.

Colour: Yellow.
Odour: Amine.

Odour Threshold: Not available.

Physical State: Liquid.

pH: 4.5 to 4.9

Melting Point / Freezing

Point:

Flash Point:

< 0 °C (32 °F)

Not available.

Initial Boiling Point: $100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$ Boiling Range: $100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$

Evaporation Rate: Not available.

Flammability (solid, gas): Not applicable.

Lower Flammability Limit: Not available.

Upper Flammability Limit: Not available.

Vapor Pressure: Not available.

Vapor Density: Not available.

Relative Density: 1.3573 (Water = 1) at 20 °C (68 °F)

Solubilities: Miscible in water.

Partition Coefficient: n-

Octanol/Water:

Not available.



Date of Preparation: March 26, 2020

Auto-ignition Temperature: Not available.

Decomposition

SAFETY DATA SHEET

Not available.

Temperature:

Not available

Viscosity: Not available.

Percent Volatile, wt. %: Not available.

VOC content, wt. %: Not available.

Density: Not available.

Coefficient of Water/Oil

Distribution:

Not available.

Section 10: STABILITY AND REACTIVITY

Reactivity: Contact with incompatible materials. Exposure to heat.

Chemical Stability: Stable under normal storage conditions.

Possibility of Hazardous

Reactions:

None known.

Conditions to Avoid: Contact with incompatible materials. Exposure to heat.

Incompatible Materials: Acids. Oxidizers. Halogens. Peroxides. Iron. Galvanized steel.

Unlined steel.

Hazardous Decomposition Products: Not available.

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Oral: > 5000 mg/kg (rat) (similar formulation)

Dermal: > 5000 mg/kg (rat) (similar formulation)

Inhalation: > 1.20 mg/L (rat, aerosol), 4H

Component Toxicity

Component CAS No. LD50 oral LD50 dermal LC50

Glyphosate-potassium 70901-12-1 Not available. Not available. Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing,

nasal discharge, headache, hoarseness, and nose and throat pain.

Eye: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain,

tearing, and blurred or hazy vision.

Skin: May cause skin irritation. Signs/symptoms may include localized redness, swelling,

and itching.



Factor 540

Date of Preparation: March 26, 2020

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain,

stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization: Guinea pig, Buehler test:

Positive incidence: 0 %

N- (phosphonomethyl) glycine; {glyphosate}

Respiratory Sensitization: Not available.

Medical Conditions Not available.

Aggravated By Exposure:

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Rabbit, dermal, 21 days:

NOAEL toxicity: > 5,000-mg/kg body weight/day

Target organs/systems: none

Other effects: none Rat, oral, 3 months:

NOAEL toxicity: > 20,000-mg/kg diet

Target organs/systems: none

Other effects: none

Carcinogenicity: This product does not contain any carcinogens or potential

carcinogens above reportable thresholds as listed by ACGIH, IARC,

OSHA, or NTP.

Mouse, oral, 24 months:

NOEL tumor: > 30,000-mg/kg diet NOAEL toxicity: ~ 5,000-mg/kg diet

Tumors: none

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

Rat, oral, 24 months:

NOEL tumor: > 20,000-mg/kg diet NOAEL toxicity: ~ 8,000-mg/kg diet

Tumors: none

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

Mutagenicity: Not available.

Reproductive Effects: Rat, oral, 3 generations:

NOAEL toxicity: > 30-mg/kg body weight NOAEL reproduction: > 30-mg/kg body weight

Target organs/systems in parents: none

Other effects in parents: none

Target organs/systems in pups: none

Other effects in pups: none



Date of Preparation: March 26, 2020

Developmental Effects

SAFETY DATA SHEET

Teratogenicity: Rat, oral, 6 - 19 days of gestation:

NOAEL toxicity: 1,000-mg/kg body weight NOAEL development: 1,000-mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival. Developmental effects: weight loss, post-implantation loss, delayed ossification. Effects on offspring only

observed with maternal toxicity.

Rabbit, oral, 6 - 27 days of gestation:
NOAEL toxicity: 175-mg/kg body weight
NOAEL development: 175-mg/kg body weight
Target organs/systems in mother animal: none
Other effects in mother animal: decrease of survival

Developmental effects: none

Embryotoxicity: Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not available.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Other Adverse Effects: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Disposal should be in accordance with applicable regional, national

and local laws and regulations. Local regulations may be more

stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.

Canada Transportation of Dangerous Goods (TDG)

Proper Shipping Name:

Class:

Not applicable.

UN Number:

Packing Group:

Label Code:

Not applicable.

Not applicable.

Not applicable.

Date of Preparation: March 26, 2020

Section 15: REGULATORY INFORMATION

Federal Regulations

SAFETY DATA SHEET

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

No components are listed.

State Regulations

Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

California

California Prop 65: This product does not contain chemicals known to the State of California

to cause cancer, birth defects or other reproductive harm.

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS: March 26, 2020

Version: 1.0

GHS SDS Prepared by: Deerfoot Consulting Inc.

Phone: (403) 720-3700