

SAFETY DATA SHEET Farmers First Inhabit P

HMIS			
HEALTH	3		
FLAMMABILITY	0		
PHYSICAL HAZARD	0		
PPE	D		

	SECTION 1: CH	EMICAL PRODUCT &	COMPA		FICATION		
PRODUCT IDENTIFIER:	Farmers First Inha	bit P	Pr	oduct# 10	5		
GENERAL USE:	Used as a part of a pla	ant nutrition program.					
PRODUCT DESCRIPTION:	A clear, light greenish	amber liquid having a sligl	ht charact	eristic odor.			
SUPPLIER INFORMATION: For Additional SDS call:	Generic Crop Science LL 1887 Whitney Mesa Drive Henderson Nevada 89014-2069 PHONE: (844) 200-FARM	#9740 Emergency telephone Booky Mountain Boiso	on Control a	or Emergency N t 866-767-5040.	ledical Assistan For Chemical E	mergency Assist	mal) contact ance (Spill, Le
	SEC	CTION 2: HAZARDS I	DENTIFIC	CATION			
HAZARDS Ca	ause severe irritation or b	r, strongly acidic liquid havi urns to all tissues contacte The NIOSH I.D.L.H. for Ph	d. Phosp	horic Acid m	ay generate f		
SI H. PI	CLASSIFICATION: SKIN CORROSION – CATEGORY 1A SIGNAL WORD: DANGER HAZARD STATEMENT: H314; causes severe skin burns and eye damage PRECAUTIONARY STATEMENT: P260; Do not breathe dusts/mist/vapors. P280; Wear protective gloves/protection/face protection P264; Wash hands thoroughly after handling				ves/protectiv		
Si H.	IGNAL WORD: WARNIN Azard Statement: H	RD CATEGORY 5 - MAY E G I303 - WARNING – may be E MENT : P312; Call a poise	e harmful	if swallowed	-	el unwell	
	SECTION 3: CO	OMPOSITION & INFOR			EDIENTS		
	SECTION 3: C	OMPOSITION & INFOR	MATION	I ON INGR		0	SHA
<u>COMPONENT</u>		OMPOSITION & INFOR	RMATION			PEL _(TWA)	SHA STEL
<u>COMPONENT</u> Phosphoric Acid	CAS #			ACO	GIH		
	<u>CAS #</u> 9 7664-38-2	<u>OSHA HAZARD</u> Corrosive; Lung Toxin	<u>WT %</u>	ACC TLV _(TWA)	GIH Stel	PEL _(TWA)	STEL

		SECTION 4: FIRST AID MEASURES				
INHALATION:	method if victim ingested	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.				
EYE CONTACT:		In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention immediately.				
SKIN CONTACT:		In case of contact, immediately flush skin with plenty of clean running water for at least 15 minutes, while removing contaminated clothing and shoes. If burn or irritation occurs, call a physician.				
INGESTION:		If swallowed DO NOT induce vomiting. Get medical attention immediately. If victim is fully conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person.				
NOTE TO PHYSICIANS:	Phosphoric Acid solutions have a low oral toxicity, but they can be severely irritating and/or corrosive to the eyes, skin and mucous membranes. If ingested, consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.					
	S	ECTION 5: FIRE FIGHTING MEASURES				
Flashpoint and	d Method: This product	does not flash.				
Flammable Lir	nits (in air, % by volume)	Lower: Not applicable Upper: Not applicable				
Autoignition T	emperature: Not application	able				
GENERAL HAZAF	GENERAL HAZARD: This product is not combustible, but it will generate flammable / explosive Hydrogen gas on contact with many metals. The Uniform Fire Code health hazard classification for this product is: Corrosive (Acidic). Dilute solutions of this product may also be corrosive. It may produce hazardous mists or hazardous decomposition products.					
FIRE FIGHTING IN	ISTRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO ₂ or dry chemicals.				
		Use a water spray or fog to cool the containers exposed to the heat of a fire.				
FIRE FIGHTING E	FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing apparatus.					
HAZARDOUS CO	HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas with toxic phosphorus oxides, and trace toxic oxide amounts of potassium, nitrogen, sulfur, iron, zinc, manganese, magnesium, calcium, sodium and carbon.					
	SECT	ION 6: ACCIDENTAL RELEASE MEASURES				
RELEASE TO LAND: Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.						
RELEASE TO WATER:		ective equipment and clothing if contact with hazardous material can occur. Stop or divert ated water and remove for disposal and/or treatment. As appropriate, notify all downstream nation.				
SECTION 7: HANDLING AND STORAGE						
STORAGE TEMP		STORAGE PRESSURE: Ambient				
GENERAL: Store in a cool, dry, well-ventilated, area away from incompatible materials and products. Do not get this product in eyes, on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use only with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.						

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,					
MEASURES: below the ACGIH-TLV or OSHA-PEL.					
RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT					
RESPIRATOR:	For exposure above the ACGIH-TLV or OSHA-PEL, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air.				
	For exposures to Phosphoric Acid greater than 25 mg/m ³ , a supplied air respirator operated in the continuous flow mode is recommended. For exposures to Phosphoric Acid greater than 50 mg/m ³ , a full facepiece respirator with a high-efficiency particulate filter, a full facepiece supplied air respirator or a full facepiece self-contained breathing apparatus (SCBA) is recommended. For exposures to Phosphoric Acid above 1,000 mg/m ³ , a full facepiece (SCBA), operated in the positive pressure and pressure demand mode, is recommended by NIOSH. Note: Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.				
EYES:	Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note: Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.				
GLOVES:			Natural Rubber, or Viton gloves. termining the suitability of gloves prior		
CLOTHING & EQUIPMENT:					
FOOTWEAR:			Natural Rubber boots. Note: Always on itability of footwear prior to use.	consult the footwear manufacturer's	
	SECTION 9:	PHYSICAL	AND CHEMICAL PROPERTIES		
Appearance:	Clear, light greenish amb	ber	Bulk Density (pounds/ft3):	Not applicable	
Physical State:	Liquid		Vapor Pressure:	No data available	
Odor:	Slight, characteristic		Vapor Density (air=1):	No data available	
Odor Threshold:	No data available		Evaporation Rate (n-Butyl Acetate=1):	No data available	
Molecular Formula:	Mixture		VOC Content / Organic Matter:	No data available / 0.01%	
Molecular Weight:	Not applicable		% Volatile:	No data available	
Boiling Point:	Greater than 100° C. (21	12° F.)	Solubility in H₂O:	Complete	
Freezing/Melting Poin	t: Less than 0° C. (32° F.)		Octanol/Water Partition Coefficient:	No data available	
Specific Gravity:	1.40 – 1.60 @ 20° C.		pH (as is):	≤1.0	
Density (pounds/gallon)	: Approximately 12.44		pH (1% solution):	Less than 3.0	
	SECTI	ON 10: STA	BILITY AND REACTIVITY		
GENERAL: This product is stable and hazardous polymerization will not occur.					
CONDITIONS TO A	/OID: Do not store this	product belo	w 50° F (10° C) or above 90° F (30° C	2)	
INCOMPATIBLE MATERIAL: Contact with most metals (e.g. mild steel, Aluminum, Magnesium, Zinc & Copper), alloys of these metals, caustics and alkali, sulfides, sulfites, cyanides and chlorine releasers.					
HAZARDOUS DECC	HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas with toxic oxides of phosphorus, and trace toxic oxide amounts of potassium, nitrogen, sulfur, iron, zinc, manganese, magnesium, calcium, sodium and carbon.				
SENSITIVITY TO ME	SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.				
SENSITIVITY TO ST	SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.				

SECTION 11: TOXICOLOGICAL INFORMATION					
Components:	Phosphoric Acid	Proprietary Component			
Eye Contact:	Rabbit: 119 mg; Severe	No data available			
Skin Contact:	Rabbit: 595 mg/24 hours; Severe	No data available			
Oral Rat LD₅₀: Dermal Rabbit LD₅₀:	1,530 mg/kg 2,740 mg/kg	5,750 mg/kg Greater than 7,940 mg/kg			
Inhalation Rat LC₅₀:	Greater than 850 mg/m³/1 hour	No data available			
Human Data:	Unreported Route Man LD _{Lo} : 220 mg/kg	No data available			
Other Toxicological Data:	Oral Man TD _{Lo} : 1,286 uL/kg	No data available			
Carcinogenicity:	No data available	No data available			
Teratogenicity:	No data available	No data available			
Mutagenicity:	No data available	No data available			
Synergistic Products:	None reported	None reported			
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Gastrointestinal tract	Eyes, Skin, Lungs & Central Nervous System			
Medical Conditions Aggravated By Exposure:	Skin, Respiratory or Gastrointestinal disorders	Skin or Respiratory disorders			

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is heavier than water, completely soluble in water and will affect the pH of the water. Inorganic phosphates, in contact with soil, sub-surface or surface waters, may be taken up by plants and utilized as essential nutrients. Phosphates may also form precipitates, usually with Calcium or Magnesium. The resultant compounds are insoluble, becoming part of the soil.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product is related to the pH of the water. For Rainbow trout, the reported LC_{50} is about a pH of 4.0 for a 7 day bioassay. Other species may vary a bit from this pH level, but all susceptible to acidic pH conditions.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATON:

RCRA Corrosive Waste

U.S. EPA WASTE NUMBER/DESCRIPTION: D002

If this product is disposed of as shipped, it meets the criteria of a hazardous waste as defined under 40 CFR 261 due to its corrosivity. If this product becomes a waste, it will be a hazardous waste, which is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. As a hazardous liquid waste, it must be disposed of in accordance with local, state, and federal regulations in a permitted hazardous waste treatment, storage, and disposal facility.

	SECTION 14: TRANSPO	RTATION INFORMATION
DOT PROPER SHIPPING NAME:	Phosphoric acid, solution Hazard Class: 8	UN Number: UN1805 Packing Group: III
	Primary Label: Corrosive Primary/Subsidiary Placards:	Subsidiary Label(s): None Required Corrosive
DOT Reportable Quantity (RQ):	5,000 pounds (H ₃ PO ₄)	RQ for Product: 9,091 pounds (717 gallons)
Marine Pollutant:	No	
2012 North American Emergency F	Response Guidebook No.: 1	54
TDG PROPER SHIPPING NAME:	Phosphoric acid, solution	
	Hazard Class: 8	UN Number: UN1805 Packing Group: III
	Primary Label: Corrosive	Subsidiary Label(s): None Required
	Primary/Subsidiary Placards:	Corrosive
TDG Reportable Quantity (RQ): *	At least 5kg or 5 liters	
TDG Schedule XII:	Not listed	
Begulated Limit (BL): **	230 kg (H ₃ PO ₄)	RL for Product: 418.2 kg (275.1 liters)
Regulated Limit (RL): **	200 kg (1131 O4)	410.2 kg (210.1 molo)

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: <u>OSHA Target Organs:</u>	Phosphoric Acid Eyes, Skin, Mucous membranes, Lungs & Gastrointestinal tract	Proprietary Component Eyes, Skin, Lungs & Central Nervous System
Carcinogenic Potential:		
Regulated by OSHA:	No	No
Listed on NTP Report:	No	No
Listed by IARC:	No	No
IARC Group:	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable
U.S. EPA Requirements		
Release Reporting		
CERCLA (40 CFR 302)		
Listed Substance:	Yes	Not listed
Reportable Quantity:	5,000 pounds	Not applicable
Category:	D	Not applicable
RCRA Waste No.:	Not listed	Not applicable
Unlisted Substance:	Not applicable	Not applicable
Reportable Quantity:	Not applicable	Not applicable
Characteristic:	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable

SECTION 15: REGULATORY INFORMATION (Continued from page 5)					
COMPONENTS:	Phosphoric Acid	Proprietary Component			
SARA TITLE III					
Section 302 & 303 (40 CFR 355): Listed Substance: Reportable Quantity: Planning Threshold:	Not listed Not applicable Not applicable	Not listed Not applicable Not applicable			
Section 311 & 312 (40 CFR 370): Hazard Categories (product): Planning threshold:	Fire: <u>N</u> Sudden Release 10,000 pounds	e of Pressure: <u>N</u> Read 10,000 pounds	tive: <u>N</u> Acute Health: <u>Y</u>	Chronic Health: <u>N</u>	
Section 313 (40 CFR 372): Listed Toxic Chemical:	No (Delisted in June 2000)	Yes (Aqua Ammonia)			
Reporting Threshold:	Not applicable	10,000 pounds			
U.S. TSCA Status Listed (40 CFR 710):	Yes	Yes			
State Regulations State of California: Safe Drinking Carcinogen:	g Water and Toxins Enforcemer No	nt Act, 1986 (Proposition No	65):		
Reproductive Toxin:	No	No			
Other Regulations State Right To Know Laws:	MA, NJ, PA				
Canadian Regulations Product Information: Controlled Product: WHMIS Hazard Symbols: WHMIS Class & Division:	<u>Yes</u> Corrosive Material E				
Ingredient Information: IDL Substance: DSL or NDSL Lists:	Yes DSL	No DSL			
DOE OF NOOE LISTS.		6: OTHER INFORMA	TION		
EPA Registration number:	Not applicable				
-	Used as part of a plant nutritio	n program.			
Special Notes: This product is not formulated to contain any material, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains very small amounts of mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.					
Special Instructions: When making solutions, always add this product to water, or other solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers or chlorinated cleaners as this liberates toxic, corrosive Chlorine gas. Do not add this product to strong alkali or caustic materials and products as this can liberate a large amount of heat and toxic Ammonia gas.					
SDS Revision Information: Revision Date: 02/15/2024					
SDS Distributed by: Generic Cro	op Science, LLC		I		
Prepared By: Mandy Styles		Date Prepared:	02/15/2024		
This Safety Data Sheet is provide Science, LLC assumes legal liabilit believed to be reliable, it is the res the product in accordance with app	y. While Generic Crop Science, ponsibility of the user to investigate	LLC believes the informat ate and verify its validity.	on contained herein is accura	ate and compiled from sources	