

SAFETY DATA SHEET

Issue Date 28-Jul-2014

Revision Date 10-Aug-2017

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier **Product Name**

Gordon's Professional Turf and Ornamental Products FeRROMEC® Liquid Iron 15-0-0

Other means of identification **Product Code Product Size**

PBI FP 9861016 55 U. S. Gal.

Recommended use of the chemical and restrictions on use **Recommended Use** Fertilizers. Uses advised against No information available.

Details of the supplier of the safety data sheet Supplier PBI Gordon Corporation 1217 West 12th Street Kansas City, MO 64101 Emergency telephone number **Emergency Telephone** Chemtrec 1-800-424-9300

Manufacturer PBI Gordon Corporation 1217 West 12th Street Kansas City, MO 64101

Company Name PBI Gordon Corporation 1217 West 12th Street Kansas City, MO 64101

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute Oral Toxicity | Category 4 |
|------------------------------------|------------|
| Skin Corrosion/Irritation Category | Category 2 |
| Serious eye damage/eye irritation | Category 2 |

Label elements

Warning

Emergency Overview

Hazard statements

Harmful if swallowed. Causes skin irritation. Causes serious eve irritation.



Physical state Liquid

Odor No discernible odor

Precautionary Statements - Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

Precautionary Statements - Disposal

· Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS. Number | Weight % |
|---|-------------|----------|
| Urea | 57-13-6 | 32.61 |
| Ferrous Sulfate | 7720-78-7 | 16.32 |
| * The event percentage (concentration) of composition has been withheld as a trade accent | | |

The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

| First aid measures | | |
|--|---|--|
| General advice | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). | |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician. | |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. | |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms persist, call a physician. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control center or physician immediately. | |
| Self-protection of the first aider | Use personal protective equipment as required. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | No information available. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat | |

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective e | equipment and emergency procedures |
|------------------------------------|--|
| Personal precautions | Use personal protective equipment as required. Avoid contact with eyes and skin. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Environmental precautions | |
| Environmental precautions | Prevent entry into waterways, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information. |
| Methods and material for containn | nent and cleaning up |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Cover liquid spill with sand, earth or other non-combustible absorbent material. After cleaning, flush away traces with water. |
| 7. HANDLING AND STORAGE | |

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

| Storage Conditions | Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. |
|------------------------|---|
| Incompatible materials | Strong bases. Incompatible with oxidizing agents. Incompatible with strong acids and bases. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Exposure | Guidelines |
|----------|------------|
| LAPOSUIC | Guiacinico |

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------|--|--|--|
| Ferrous Sulfate 7720-78-7 | TWA: 1 mg/m ³ Fe | (vacated) TWA: 1 mg/m ³ Fe | TWA: 1 mg/m ³ Fe |
| NOSH IDLH Immediately Danger | ous to Life or Health | | |
| Other Information | Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 96 (11th Cir., 1992). | | |
| Appropriate engineering control | <u>s</u> | | |
| Engineering Controls | Local and General Ventilatio | n. | |
| Individual protection measures, | such as personal protective eq | uipment | |
| Eye/face protection | Tight sealing safety goggles. | Tight sealing safety goggles. Face protection shield. | |
| Skin and body protection | Wear protective gloves and p and shoes. | protective clothing. Wear long-sleev | ved shirt, long pants, sock |
| Respiratory protection | respiratory protection should | ed or irritation is experienced, NIO be worn. Positive-pressure supplie ntaminant concentrations. Respirat current local regulations. | ed air respirators may be |
| General Hygiene Considerations | away from food, drink and ar allowed out of the workplace recommended. Avoid contac | or smoke. Wash contaminated clo nimal feeding stuffs. Contaminated . Regular cleaning of equipment, w t with skin, eyes or clothing. Take of ear suitable gloves and eye/face pr | work clothing should not l ork area and clothing is off all contaminated clothir |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Liquid Liquid Green | Odor Odor threshold | No discernible odor No information available |
|---|--|-------------------------|---|
| Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Oxidizing properties | Values2.0-2.5-5 °C / 23 °F121 °C / 250 °F> 96 °C / > 205 °F< 1 | <u>Remarks • Method</u> | |

Other Information

Density

11.0 pounds/gallon

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Will not occur.

Conditions to avoid

(Store below 110 degrees F). Exposure to air over prolonged periods. Exposure to air or moisture over prolonged periods.

Incompatible materials

Strong bases. Incompatible with oxidizing agents. Incompatible with strong acids and bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | |
|---------------------|--|
| Inhalation | May cause irritation of respiratory tract. |
| Eye contact | May cause irritation. May cause burns. |
| Skin Contact | May cause irritation. |
| Ingestion | May cause irritation. May be harmful if swallowed. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|--------------------|-------------|-----------------|
| Urea 57-13-6 | = 8471 mg/kg (Rat) | - | - |
| Ferrous Sulfate 7720-78-7 | = 319 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No information available. No information available. |
|---|---|
| Reproductive toxicity STOT - single exposure STOT - repeated exposure | No information available. No information available. No information available. |
| Chronic toxicity | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. |

| Target Organ Effects Aspiration hazard | Possible risk of irreversible effects. May cause adverse liver effects. Eyes, Gastrointestinal tract (GI), Liver, Respiratory system, Skin, Teeth. No information available. | |
|---|--|--|
| Numerical measures of toxicity - Product Information | | |
| Unknown Toxicity | 0 % of the mixture consists of ingredient(s) of unknown toxicity | |
| The following values are calculated ATEmix (oral) ATEmix (inhalation-dust/mist) | based on chapter 3.1 of the GHS document 1904 mg/kg 2.9 mg/L | |

Ecotoxicity

Toxic to aquatic life

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|-----------------|----------------------|-------------------------------|----------------|-----------------------------|
| | | | microorganisms | |
| Urea | | 16200 - 18300: 96 h Poecilia | | 3910: 48 h Daphnia magna |
| 57-13-6 | | reticulata mg/L LC50 | | mg/L EC50 Static 10000: 24 |
| | | | | h Daphnia magna Straus |
| | | | | mg/L EC50 |
| Ferrous Sulfate | | 0.56: 96 h Cyprinus carpio | | 152: 48 h Daphnia magna |
| 7720-78-7 | | mg/L LC50 semi-static 925: | | mg/L EC50 6.15 - 9.26: 48 h |
| | | 96 h Poecilia reticulata mg/L | | Daphnia magna mg/L EC50 |
| | | LC50 static | | Static |

12. ECOLOGICAL INFORMATION

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). |
|------------------------|---|
| Contaminated packaging | Do not reuse container, unless specified by the manufacturer. |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

Description

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Dept.

FERTILIZERS NOI - NMFC #68140, SUB 6

15. REGULATORY INFORMATION

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| International Inventories | |
|---------------------------|------------|
| TSCA | Listed |
| DSL/NDSL | Listed |
| EINECS/ELINCS | Listed |
| ENCS | Not Listed |
| IECSC | Listed |
| KECL | Listed |
| PICCS | Listed |
| AICS | Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|-----------------|------|-----|------|--------|--------|------|-------|------|-------|------|
| Urea | Х | Х | | Х | | Х | Х | Х | Х | Х |
| Ferrous Sulfate | Х | Х | | Х | | Х | Х | Х | Х | Х |

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Ferrous Sulfate 7720-78-7 | 1000 lb | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-----------------|--------------------------|----------------|--------------------------|
| Ferrous Sulfate | 1000 lb | | RQ 1000 lb final RQ |
| 7720-78-7 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|-----------------|------------|---------------|--------------|
| Ferrous Sulfate | Х | X | Х |
| 7720-78-7 | | | |

International Regulations

Mexico - Grade

Slight risk, Grade 1

| Chemical Name | Carcinogenicity | Exposure Limits |
|-----------------|-----------------|----------------------------------|
| Ferrous Sulfate | | Mexico: TWA 1 mg/m ³ |
| | | Mexico: STEL 2 mg/m ³ |

| 16. OTHER INFORMATION | | | | | |
|-----------------------|------------------|----------------|--------------------|---------------------------------------|--|
| <u>NFPA</u> | Health hazards 3 | Flammability 1 | Instability 0 | Physical and Chemical | |
| HMIS | Health hazards 3 | Flammability 1 | Physical hazards 0 | Properties - Personal protection X | |

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet