




SAFETY DATA SHEET

Fertilgold® B

Rev A 5-3-18



HMIS	
HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PPE	C

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: Fertilgold® B	Product # 1820
GENERAL USE:	Used as a part of a plant nutrition program.
PRODUCT DESCRIPTION:	A slightly hazy amber liquid having a characteristic odor.
INFORMATION PROVIDED BY:	Fertilgold® Organics Manufactured by; Bio Huma Netics, Inc. 1331 W Houston Avenue Gilbert, AZ 85233
For Additional SDS call: (480) 961-1220	PHONE: (480) 961-1220
	CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887

EMERGENCY PHONE NUMBERS

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW: A slightly hazy amber liquid having a characteristic odor. Slight eye and skin irritant. Inhalation of vapors or mists may cause slight irritation to the respiratory tract. Ingestion may cause irritation to the gastrointestinal tract.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – may be harmful if swallowed

PRECAUTIONARY STATEMENT: P312; Call a poison center/doctor/physician if you feel unwell

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Disodium Octaborate Tetrahydrate	12280-03-4	Respiratory Irritant; occasional mild irritation effects to nose and throat may occur from inhalation dusts at levels greater than 10 mg/m ³	16 ± 2	10 mg/m ³ Inhalable Fraction	None	5 mg/m ³ (Respirable)	None
						15 mg/m ³ (Total Dust)	

NDA = No Data Available

N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention.
SKIN CONTACT:	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes, and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	The hazards associated with this product are: If a large amount of this product is swallowed, careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method: Greater than 100° C. (212° F.) Pinsky-Martins Closed Tester (ASTM D 93)

Flammable Limits (in air, % by volume) **Lower:** No data available **Upper:** No data available

Autoignition Temperature: Not determined

GENERAL HAZARD: The Uniform Fire Code health hazard classification for this product is: **Irritant**. This product may produce hazardous vapors or hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water fog, foam, CO₂ or dry chemicals.
Use a water fog or spray to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon dioxide, nitrogen oxides and boron oxide, with trace or ultra-trace toxic oxide amounts, of phosphorus, potassium, sulfur, iron, zinc, manganese, magnesium, calcium and sodium

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND: Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of the liquid using pumps or vacuum truck for disposal in accordance with Federal, State and local regulations. Absorb the remaining liquid using sand, or commercial absorbent; dispose as Federal, State and local requirements dictate. Flush the spill area with water; collect the rinsates for disposal as the regulations require.

RELEASE TO WATER: Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE: Ambient

STORAGE PRESSURE: Ambient

GENERAL: Store in a cool, dry, well ventilated area away from incompatible materials and products. Protect eyes, skin and clothing from contact with this product. Wear recommended personnel protective equipment. Avoid breathing vapors, mists or aerosols. Use with adequate ventilation. Keep the containers tightly closed when not in use. Wash thoroughly after handling this product. The empty containers may be hazardous. They may contain organic residues that can be ignited and will burn. Do not cut, puncture or weld on or near these containers.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general mechanical exhaust ventilation system capable of maintaining emissions in the work area below the ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use creates mists or aerosols, or if an ACGIH-TLV is exceeded, a NIOSH approved full facepiece or half mask air-purifying cartridge respirator equipped with an organic vapor cartridge and a dust / mist pre-filter or supplied air is required. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Butyl Rubber, Neoprene or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: Wear a Butyl Rubber, Neoprene or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Butyl Rubber, Neoprene or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly hazy amber	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	Characteristic	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1
Molecular Formula:	Mixture	VOC Content / Organic Matter:	42 gm/Liter / 19.78%
Molecular Weight:	Not applicable	% Volatile:	Approximately 50%
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.11 – 1.25 @ 20° C.	pH (as is):	7.0 to 7.5
Density (pounds/gallon):	Approximately 9.26	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Store in a cool dry place, do not store in direct sunlight.

INCOMPATIBLE MATERIAL: Strong oxidizers, caustics and acids. It may react with nitrites to create nitrosamines, which may cause cancer.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of carbon nitrogen and boron, with trace or ultra-trace toxic oxide amounts, of phosphorus, potassium, sulfur, iron, zinc, manganese, magnesium, calcium and sodium

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION (additional toxicological information in section 16)

Components:	<u>Disodium Octaborate Tetrahydrate</u>
Eye Contact:	Draize Test in Rabbits; Mild eye irritation
Skin Contact:	Human Standard Draize Test: Non-irritant
Oral Rat LD₅₀:	2,550 mg/kg
Dermal Rabbit LD₅₀:	> 2,000 mg/kg)
Inhalation Rat LC₅₀:	> 2.0 g/m ³
Human Data:	Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust.
Other Toxicological Data:	None
Carcinogenicity:	None reported
Teratogenicity:	No data available
Mutagenicity:	None reported
Synergistic Products:	None reported
Target Organs:	Lungs/Respiratory
Medical Conditions Aggravated By Exposure:	Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is completely soluble in water and is not expected to affect the pH of water. No specific environmental fate data is available, but the organic portion of this product is expected to be biodegradable.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-Hazardous Waste

U.S. EPA WASTE NUMBER/DESCRIPTION: Not applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: NOT DOT REGULATED (UNITED STATES)

Hazard Class: Not applicable UN Number: Not applicable Packing Group: Not applicable
Primary Label: None Required Subsidiary Label(s): None Required
Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not listed RQ for Product: Not applicable

Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED

Hazard Class: Not applicable UN Number: Not applicable Packing Group: Not applicable
Primary Label: None Required Subsidiary Label(s): None Required
Primary/Subsidiary Placards: None Required

TDG Reportable Quantity (RQ): * Not applicable

TDG Schedule XII: Not listed

Regulated Limit (RL): ** Not listed RL for Product: Not applicable

Other Shipping Information: None

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: Disodium Octaborate Tetrahydrate

OSHA Target Organs: Lungs/respiratory

Carcinogenic Potential:

Regulated by OSHA: No
Listed on NTP Report: No
Listed by IARC: No
IARC Group: Not applicable
ACGIH Appendix A: Not listed
A1 Confirmed Human: Not applicable
A2 Suspected Human: Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance: Not listed
Reportable Quantity: Not applicable
Category: Not applicable
RCRA Waste No.: Not applicable

Unlisted Substance: Not applicable
Reportable Quantity: Not applicable
Characteristic: Not applicable
RCRA Waste No.: Not applicable

SECTION 15: REGULATORY INFORMATION (Continued from Page 4)

COMPONENTS: Disodium Octaborate
Tetrahydrate

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance: Not listed
Reportable Quantity: Not applicable
Planning Threshold: Not applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): **Fire:** N **Sudden Release of Pressure:** N **Reactive:** N **Acute Health:** Y **Chronic Health:** N
Planning threshold: 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Not listed
Reporting Threshold: Not applicable

U.S. TSCA Status

Listed (40 CFR 710): Yes

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No
Reproductive Toxin: No

Other Regulations

State Right To Know Laws: None known

Canadian Regulations

Product Information:

Controlled Product: Yes
WHMIS Hazard Symbols: Material Causing Other Toxic Effects
WHMIS Class & Division: D.2A

Ingredient Information:

IDL Substance: Yes
DSL or NDSL Lists: DSL

SECTION 16: OTHER INFORMATION

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm.

Special Instructions:

Store this product in a cool, dry, ventilated area away from incompatible materials and products.

SDS Revision Information: Revised Date: NA

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Frank S. Pidgeon, Sr. EHSS Director

Date Prepared: May 3rd 2018

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma, Inc. Netics assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.