

FIREWORXX[™]

EPA Registration Number: 67702-54-59807

AND OF THE COMPANY/UNDERTAKING Product identifier Trade name	IDENTIFICATION OF THE SUBS			Precau	tionary	Statement	s (Preventio	on):
Trade name. FireWorx** Product type FireWorx** Product type G7702-54-59807 Recommended use Herbicide Details of the supplier of the safety data sheet Contaminated work clothing should not be allowed out of the workplace. Company Information OHP, Inc. PD Box 746 Builton, SC 29910-0746 Phone Number (800) 659-6745 Emergency telephone numbers TRANSPORTATION EMERGENCY TRANSPORTATION EMERGENCY (800) 659-6745 Emergency telephone numbers Transoromation and TRANSPORTATION EMERGENCY (24 hours a day) call (24 hours a day) call Chemical advice/attention. Product Information call 1-800-356-4647 or see ohp.com P33 + P313 If skin irritation occurs: Get medical advice/attention. HAZARDS IDENTIFICATION Specific treatment (See Section 4 of this SDS) Classification Signal Word: Warning Hazard Statements: H337 H336 Causes mild skin irritation H337 May be harmful if inhaled H338 Agu be harmful if inhaled H339 Causes serious eye irritation H331		RTAKIN	G	P261	Avoid	breathing	spray.	
Product type Herbicide EPA Registration No: (#7702-54-59807 Recommended use: Herbicide Details of the supplier of the safety data sheet Company information: (PH, Inc. PO Box 746 Bluffton, SC 29910-0746 Phone Number			P264	Wash	eyes thoro	ughly after h	andling.	
 EPA Registration No: 67702-54-58807 Recommended use: Herbicide Details of the safety data sheet Company information: OHP, Inc. PO Box 746 Bluffton, SC 29910-0746 Phone Number: (800) 659-6745 Emergency telephone numbers TRANSPORTATION EMERGENCY (24 hours a day) call: Chemtrec: 1-800-424-9300 MEDICAL EMERGENCY (24 hours a day) and Product Information call: 1-800-356-4647 or see ohp.com P302 + P312 If in eyes: Rinse cautiously with wate tor several minutes. Remove contact for several minutes. Remove contact in the substance or mixture GHS – US Classification Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 5 H333 May be harmful if inhaled Pictograms: Pictograms: Pictograms: P280 Wear eye protection/face protection. P280 Wear eye protection/face protection. P280 Wear eye protection/face protection. P280 Wear eye protection/state P302 + P312 If on skin (or hair). Wash with plenty of soap and water. P304 + P312 If inhaled: Call a Poison Center or doctor/physician if you feel unwell. P304 + P312 If in eyes: Rinse cautiously with wate +P338 If skin irritation occurs: Get medical advice/attention. P332 + P313 If skin irritation persists: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P344 + 10 + 412 Store in a dry place above 6'C (43°F) and below 35°C (95°F) and old tirect sunlight. P361 Dispose of contents/container to hazardous to special waste coll			P272					
Recommended use	EPA Registration No : 6770	02-54-598	07	DOOO	P280 Wear eye protect			
Details of the supplier of the safety data sheet Company information OHP, Inc. PO Box 746 Biuffton, SC 29910-0746 Phone Number. (800) 659-6745 Emergency telephone numbers TRANSPORTATION EMERGENCY (24 hours a day) call (24 hours a day) call (24 hours a day) call (26 hours a day) and Product Information call 1-800-356-4647 Product Information call 1-800-356-4647 or see ohp.com Specific treatment (See Section 4 of this SDS) If skin irritation occurs: Get medical advice/attention. Classification Sin corrosion/irritation Cat. 3 H316 Serious eye damage/eye irritation Cat. 5 H333 Acute toxicity, inhalation Cat. 5 H333 May be harmful if inhaled Pictograms: Pictograms: Components Victor and Statements Startation H333 May be harmful if inhaled Startements	Recommended use : Herk	bicide						tection.
Company intoinationPO Box 746 Bluffton, SC 29910-0746Phone Number.S00) 659-6745Emergency telephone numbers TRANSPORTATION EMERGENCY (24 hours a day) callP304 + P312If inhaled: Call a Poison Center or doctor/physician if you feel unwell.MEDICAL EMERGENCY (24 hours a day) callP305 + P351If ineyes: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.MEDICAL EMERGENCY (24 hours a day) callP305 + P351If in summers or see ohp.comIf sin irritation occurs: Get medi- cal advice/attention.MAZARDS IDENTIFICATIONP321Classification of the substance or mixture GHS - US ClassificationP316Skin corrosion/irritation Cat. 3H316 Sensitization, skin Cat. 1GHS - US ClassificationP333 + P313Serious eye damage/eye irritation Cat. 2AH319 Acute toxicity, inhalation Cat. 5Hazard Statements: H316 Causes mild skin irritation H317May cause an allergic skin reaction H319 Causes areious eye irritation H333May be harmful if inhaledPictograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:Victograms:<	Details of the supplier of the safe	ty data sh	neet					
Bluffton, SC 29910-0746 of soap and water. Phone Number	Company information: OHP, Inc. PO Box 746							
Emergency telephone numbersdoctor/physician if you feel unwell.TRANSPORTATION EMERGENCY (24 hours a day) call (1800-424-9300) (24 hours a day) call (1800-424-9300) 			9910-0746	P302 -	⊦ P352			sh with plenty
TRANSPORTATION EMERGENCY (24 hours a day) call unwell. MEDICAL EMERGENCY (24 hours a day) call Passe MEDICAL EMERGENCY (24 hours a day) call Passe MEDICAL EMERGENCY (24 hours a day) call Passe Product Information call 1-800-356-4647 or see ohp.com Product Information call 1-800-356-4647 or see ohp.com Product Information call 1-800-356-4647 or see ohp.com HAZARDS IDENTIFICATION Passe Classification of the substance or mixture GHS – US Classification Passe Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 Hazard Statements: Hazard Statements: H317 May cause an allergic skin reaction H319 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Pictograms: Pictograms: Pictograms: Components	Phone Number) 659-674	5	P304 -	⊦ P312			
THANSPORTATION EMERGENCY (24 hours a day) all product Information call Information call Product Information call SDS Information call Information call Information call SDS Information call	Emergency telephone numbers						ysician if you	u feel
MEDICAL EMERGENCY (24 hours a day) and Product Information call + P338 for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Product Information and SDS Information call + P338 for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. HAZARDS IDENTIFICATION Specific treatment (See Section 4 or see ohp.com P321 Specific treatment (See Section 4 of this SDS) HAZARDS IDENTIFICATION Classification of the substance or mixture GHS – US Classification P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. Skin corrosion/irritation Cat. 1 H317 P333 H skin contaminated clothing before reuse. Serious eye damage/eye irritation Signal Word: Warning Pasad Precautionary Statements (Storage): Hazard Statements: H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Scomponents (CAS Reg. No. 124-07-2) Hazard 44% Pictograms: Components (CAS Reg. No. 124-07-2) Yei wiritant				Door				
Information call: 1-800-356-4647 Product Information call: 1-800-356-4647 or see ohp.comInformation call: 1-800-356-4647 Or see ohp.comProduct Information call: 1-800-356-4647 or see ohp.comInformation call: 1-800-356-4647 or see ohp.comMAZARDS IDENTIFICATIONClassification of the substance or mixture GHS - US ClassificationSkin corrosion/irritation Cat. 3H316 Sensitization, skin Cat. 1Serious eye damage/eye irritation Cat. 5H333Acute toxicity, inhalation Cat. 5H333Karard Statements:H316 M317Causes mild skin irritation H317Hay cause an allergic skin reaction H319 Causes serious eye irritationPrecautionary Statements (Disposal):Pictograms:P501Dispose of contents/container to hazardous to special waste col- lection point.Pictograms:Ortific treatment (if inhaled								
SDS Information call 1-800-356-4647 or see ohp.com P321 Specific treatment (See Section 4 of this SDS) HAZARDS IDENTIFICATION P332 + P313 If skin irritation occurs: Get medi- cal advice/attention. Classification of the substance or mixture GHS - US Classification P333 + P313 If skin irritation occurs: Get medi- cal advice/attention. Skin corrosion/irritation Cat. 3 H316 P363 Wash contaminated clothing before reuse. Serious eye damage/eye irritation Cat. 5 H333 P403 + 410 + 412 Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight. Signal Word: Warning P403 + 410 + 412 Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight. Hazard Statements: Hazard Statements: P501 Dispose of contents/container to hazardous to special waste col- lection point. H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Components % (w/w) Hazard Information Pictograms: Caprylic Acid 36% Eye irritation	Information call 1-800-356-4647		11000	+ F 330		lenses, if present and easy to do.		
 HAZARDS IDENTIFICATION Classification of the substance or mixture GHS - US Classification Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Hazard Statements: H316 Causes mild skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye irritation H319 Causes serious eye irritation H317 May cause an allergic skin reaction H318 Causes serious eye irritation H319 Causes serious eye irritation H333 May be harmful if inhaled Hittore irritation H333 Components Work: Varning Hazard Statements: H316 Causes mild skin irritation H317 Causes serious eye irritation H318 Causes serious eye irritation H319 Causes serious eye irritation H310 Causes serious eye irritation H310 Causes serious eye irritation H311 Causes serious eye irritation H312 Causes serious eye irritation H314 Causes serious eye irritation H315 Causes serious eye irritation H317 Causes serious eye irritation H318 Causes serious eye irritation H319 Causes serious eye irritation H310 Causes serious eye irritation H317 Causes serious eye irritation H318 Causes serious eye irritation H319 Causes serious eye irritation H310 Causes serious eye irritation H317 Causes serious eye irritation H318 Causes serious eye irritation <li< td=""><td colspan="2" rowspan="2">SDS Information call : 1-800-356-4647</td><td></td><td>P321</td><td></td><td></td><td>•</td><td>e Section 4</td></li<>	SDS Information call : 1-800-356-4647			P321			•	e Section 4
Classification of the substance or mixture medical advice/attention. GHS - US Classification medical advice/attention. Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Signal Word: Warning Precautionary Statements (Storage): Hazard Statements: H316 H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Pictograms: Quite Correst Quite Correst Pictograms: Quite Correst Quite Correst Quite Correst Quite Correst Parameter Statements: H316 H317 <td< td=""><td></td><td>P332 -</td><td>⊦ P313</td><td></td><td></td><td>: Get medi-</td></td<>				P332 -	⊦ P313			: Get medi-
Classification of the substance or mixture GHS - US Classification Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Varte toxicity, inhalation Cat. 5 H333 Signal Word: Warning Pecautionary Statements (Disposal): Hazard Statements: H316 H317 May cause an allergic skin reaction H319 Causes serious eye irritation H313 May be harmful if inhaled Pictograms: Caprylic Acid Victor Yey irritant Caprylic Acid 44% Eye irritant Capric Acid 36%	HAZARDS IDENTIFICATION			P333 -	⊦ P313			
GHS – US Classification cal advice/attention. Skin corrosion/irritation Cat. 3 H316 Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Signal Word: Warning P403 + 410 + 412 Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight. Hazard Statements: H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Caprolic Acid Pictograms: Capric Acid	Classification of the substance or	r mixture		P337 -	⊾ P313			
Sensitization, skin Cat. 1 H317 Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Signal Word: Warning P403 + 410 + 412 Statements: H316 H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Capric Acid Capric Acid 36%	GHS – US Classification			1007	11010			
Serious eye damage/eye irritation Cat. 2A H319 Acute toxicity, inhalation Cat. 5 H333 Signal Word: Warning P403 + 410 + 412 Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight. Hazard Statements: H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Caprylic Acid (CAS Reg. No. 124-07-2) Capric Acid 36%	Skin corrosion/irritation Cat. 3		H316	P363		Wash cor	taminated c	lothing before
Acute toxicity, inhalation Cat. 5 H333 Acute toxicity, inhalation Cat. 5 H333 Signal Word: Warning P403 + 410 + 412 Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight. Hazard Statements: H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Components % (w/w) Mazard Life Causes Yee irritant Caprylic Acid 44% Eye irritant	Sensitization, skin Cat. 1		H317			reuse.		
Signal Word: Warning (43°F) and below 35°C (95°F) and out of direct sunlight. Hazard Statements: Precautionary Statements (Disposal): H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Caprylic Acid Caprylic Acid 36% Eye irritant	Serious eye damage/eye irritation	Cat. 2A	H319	Precau	tionary	Statement	s (Storage):	:
Signal Word: Warning Precautionary Statements (Disposal): Hazard Statements: P501 Dispose of contents/container to hazardous to special waste collection point. H316 Causes mild skin irritation Causes an allergic skin reaction B319 Causes serious eye irritation H333 May be harmful if inhaled Components Mixture Pictograms: Caprylic Acid 44% Eye irritant Capric Acid 36% Eye irritant	Acute toxicity, inhalation Cat. 5		H333	P403 -	+ 410 +	(43°F)	and below 3	35°C (95°F) and
Hazard Statements: Dispose of contents/container to hazardous to special waste collection point. H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Caprylic Acid Hazard Caprylic Acid 36% Eye irritant	Signal Word: Warning		Precau	tionarv				
Hazard Statements: hazardous to special waste collection point. H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Caprylic Acid Caprylic Acid 24.07-2) Capric Acid 36% Eye irritant							•••	
H310 Causes mild skin initiation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled Pictograms: Components % (w/w) Caprylic Acid 44% Eye irritant Capric Acid 36% Eye irritant	Hazard Statements:							•
H319 Causes serious eye irritation S. COMPOSITION/INFORMATION ON INGREDIENT H333 May be harmful if inhaled Chemical characterization: Mixture Pictograms: Components % (w/w) Hazard Caprylic Acid 44% Eye irritant Capric Acid 36% Eye irritant	H316 Causes mild skin irritati	on				lection	n point.	
H319 Causes serious eye irritation H333 May be harmful if inhaled Chemical characterization: Mixture Pictograms: Components % (w/w) Hazard Causes serious eye irritation Chemical characterization: Mixture Components % (w/w) Hazard Caprylic Acid 44% Eye irritant Capric Acid 36% Eye irritant	H317 May cause an allergic s	skin reacti	on		OITIC			
H333 May be harmful if inhaled Pictograms: Caprylic Acid (CAS Reg. No. 124-07-2) Capric Acid 36% Eye irritant	· · ·							INGREDIEN
Components % (w/w) Information Pictograms: Caprylic Acid (CAS Reg. No. 124-07-2) 44% Eye irritant Capric Acid 36% Eye irritant	-			Chemic	cal char	acterizatio	n: Mixture	
(CAS Reg. No. 124-07-2) 2 Capric Acid 36% Eye irritant					Compor	ients	% (w/w)	
	Pictograms:			(CAS			44%	Eye irritant
				(CAS			36%	Eye irritant



FIREWORXX[™]

EPA Registration Number: 67702-54-59807

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.

Skin In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/ attention.

Eye If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion....: Do not induce vomiting. If person is drowsy or unconscious and vomiting, place on the left side with head down. Seek medical attention.

Most important symptoms and effects, both acute

and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed . . . : No further relevant information available.

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing

Media.....: Regular foam, carbon dioxide, dry chemical, water.

Advice for firefighters

Protective equipment: No special measures required.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear appropriate protective equipment. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental

precautions. Avoid run off to waterways and sewers

Methods and material for containment and cleaning up

Containment/Clean-Up

Measures: Stop leak if can do it without risk. Absorb or cover with dry earth, sand or other absorbent materials and transfer to containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling No special precautions are necessary if used correctly.

Conditions for safe storage, including any incompatibilities

Storage: Store in a dry place above 6°C (43°F) and below 35°C (95°F) and out of direct sunlight in a well-ventilated place away from excessive heat. Keep container closed when not in use. Keep away from incompatible materials.

Incompatible Materials: None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure controls

Personal Protective Equipment



Pictograms

Respiratory..... In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 26 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face: Wear safety goggles

- Hands: Wear protective gloves
- Skin/Body..... Where extensive dermal exposure may be expected, either a chemical suit or a chemical apron will be needed.

General Industrial Hygiene

Considerations.....: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, or drinking. Safety shower and eye wash should be available close to work areas.



FIREWORXX[™]

EPA Registration Number: 67702-54-59807

Environmental Exposure

Controls: Follow best practice for site management and disposal of waste. Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear to dark yellow
Odor: Odor of soap
pH Not applicable
Boiling Point Not determined
Melting Point
Flash Point Non combustible
Flammability Product is not flammable
Decomposition Temperature
Heat of Decomposition: Not determined
Danger of Explosion : Product does not present an explosion hazard
Upper explosion limits: Not determined
Lower explosion limits: Not determined
Vapor Pressure Not applicable
Vapor Density Not applicable
Evaporation Rate Not applicable
Density @ 20°C (68°F) : 0.94 ± 0.1 g/mL
Water Solubility Soluble
Partition coefficient (n-octanol/water) Not determined
Viscosity Not available

10. STABILITY AND REACTIVITY

- Reactivity No dangerous reaction known under conditions of normal use.
- **Chemical Stability**: Stable under normal temperatures and pressures.

Possibility of Hazardous

Reactions	No dangerous reactions known.
Conditions to avoid :	Exposure to excessive heat.
Incompatible Materials	None known
Hazardous Decomposition Products	CO ₂ , CO, NO _x

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity	LD ₅₀ (oral) (rat)
	>5000 mg/kg;
	LD ₅₀ (dermal)
	>5000 mg/kg

Routes of Entry

Skin Causes m	ild skin irrita-
tion. May cause an allergic skin reac	tion.

Eyes	Causes serious eye irrita-
	tion.

- Ingestion..... None identified.
- Inhalation May be harmful if inhaled.

Carcinogenic Categories

IARC (International Agency for Research on Cancer)....: Substance is not listed

NTP (National Toxicology Program)..... Substance is not listed

12. ECOLOGICAL INFORMATION

Toxicity	No further relevant infor- mation available.
Persistence and Degradability	No further relevant infor- mation available.
Mobility in Soil	No further relevant infor- mation available.
Other Adverse Effects :	No studies have been found.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Product Waste: Dispose of content and/ or container in accordance with local, regional, national, and/or international regulations.

Packaging Waste....: Dispose of content and/ or container in accordance with local, regional, national, and/or international regulations.



FIREWORXX[™]

EPA Registration Number: 67702-54-59807

14. TRANSPORT INFORMATION

DOT Classification	Not regulated by US DOT Highway regulations.
U.S. Surface Freight Classification	NMFC item 155050, LTL Class: 70, Herbicide
UN Number	Non-Hazardous. Not reg- ulated.
IMDG Class (sea)	Non-Hazardous. Not reg- ulated.
IATA Class (air)	Non-Hazardous. Not regulated.
Marine Pollutant	No.
Packing Group	Not regulated.
Hazard Label(s)	Non-Hazardous. Not reg- ulated.
ADR Class (road)	Not regulated.
Proper Shipping Name(s) :	Not regulated.
Reportable Quantity	None.

15. REGULATORY INFORMATION

Safety, Health, and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA..... N/A

Section 355 (Extremely Hazardous Substance): Substance is not listed.

Section 313 (Specific Toxic Chemical Listings)....: Substance is not listed.

TSCA (Toxic Substance Control Act): Substance is not listed.

Proposition 65

Chemicals Known to Cause Cancer.....: Substance is not listed.

Chemicals Known to Cause Reproductive Toxicity for Females: Substance is not listed.

Chemicals Known to Ca	use Reproductive		
Toxicity for Males	: Substance is not listed.		
Chemicals Known to Cause Developmental			
Toxicity	 Substance is not listed 		

	Substance is not listed.
National Regulations	Substance is not listed.
State Right to Know	Substance is not listed.

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear eye protection (goggles, face shield or safety glasses) and rubber gloves. Wash thoroughly with soap and water after handling, and before eating, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing equipment washwaters or rinsate.

16. OTHER INFORMATION

Last Revision Date: July 23, 2020

Preparation Date: June 22, 2017

Disclaimer/Statement

of Liability..... The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

> FireWorxx is a trademark of W. Neudorff GmbH KG. OHP982644 (06/22/17)