according to the OSHA Hazard Communication Standard



# **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### **SECTION 1. IDENTIFICATION**

Product name : Floxcor

Manufacturer or supplier's details

**COMPANY IDENTIFICATION** 

Manufacturer/importer : CORTEVA AGRISCIENCE LLC

9330 ZIONSVILLE RD

INDIANAPOLIS, IN, 46268-1053

**UNITED STATES** 

**Customer Information** 

Number

: 1-800-258-3033

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).

+1 800-992-5994 or +1 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

**GHS** label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

H332 Harmful if inhaled.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No.     | Concentration (% w/w) |
|---------------|-------------|-----------------------|
| Fluoxastrobin | 361377-29-9 | 40.3                  |

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

In case of skin contact : In case of contact, immediately flush eyes or skin with plenty

of water for at least 15 minutes while removing contaminated

clothing and shoes.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

If swallowed : Never give something by mouth to an unconscious person.

Call a physician or poison control center immediately.

Do not induce vomiting without medical advice.

Most important symptoms : May cause an allergic skin reaction.

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

08/30/2023 750075100930 Date of first issue: 08/30/2023 1.0

and effects, both acute and

delayed

Notes to physician Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media Water spray

Alcohol-resistant foam

None known.

Unsuitable extinguishing

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

During a fire, smoke may contain the original material in addi-

tion to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

In the event of fire, wear self-contained breathing apparatus.

for fire-fighters

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Ensure adequate ventilation.

Use personal protective equipment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions** If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers, underwater.

See Section 12, Ecological Information.

according to the OSHA Hazard Communication Standard



# **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorb-

ant.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to overpressurization of the container.

Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional infor-

mation.

#### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation Advice on safe handling Use with local exhaust ventilation.

Avoid formation of aerosol.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapors/dust.

Do not smoke.

Handle in accordance with good industrial hygiene and safety

practice.

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the ap-

plication area.

Do not get on skin or clothing.

Do not breathe vapors or spray mist.

Do not swallow.

Avoid contact with skin and eves.

Avoid contact with eyes. Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

Packaging material : Unsuitable material: None known.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** Use a local and/or general ventilation system.

Personal protective equipment

Respiratory protection Where there is potential for airborne exposures in excess of

applicable limits, wear NIOSH approved respiratory protec-

Hand protection

Remarks Protective gloves

Eye protection Use safety glasses (with side shields). Where contact with

> this material is likely, chemical goggles are recommended because eye contact may cause discomfort even though it is

unlikely to cause injury.

Wear protective clothing Skin and body protection

Chemical-resistant shoes

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

liquid Appearance

Color off-white

Odor slight

Odor Threshold No data available

pН 6.8

Concentration: 10 %

Melting point/range Not applicable

Freezing point No data available

Boiling point/boiling range No data available

> 199 °F / > 93 °C Flash point

Evaporation rate No data available

Flammability (solid, gas) Not applicable to liquids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

5/11

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.1095 g/mL

Solubility(ies)

Water solubility : No data available

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : 533 mPa.s

Explosive properties : No data available

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned. May form explosive dust-air mixture.

Conditions to avoid : None known.

Incompatible materials

Hazardous decomposition

products

None.

Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx)

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : LD50: > 5,000 mg/kg

Acute inhalation toxicity : LC50: > 2.17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50: > 5,000 mg/kg

according to the OSHA Hazard Communication Standard



# **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

Components:

Fluoxastrobin:

Acute oral toxicity : Remarks: Very low toxicity if swallowed.

Harmful effects not anticipated from swallowing small

amounts.

LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No adverse effects expected from single exposure.

LC50 (Rat): 4,998 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: Prolonged skin contact is unlikely to result in ab-

sorption of harmful amounts.

LD50 (Rat): > 5,000 mg/kg

Respiratory or skin sensitization

**Components:** 

Fluoxastrobin:

Result : The product is a skin sensitizer, sub-category 1B.

Remarks : For skin sensitization:

Has caused allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Carcinogenicity

**Components:** 

Fluoxastrobin:

Carcinogenicity - Assess- : Did not cause cancer in laboratory animals.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

STOT-single exposure

**Components:** 

Fluoxastrobin:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Repeated dose toxicity

**Components:** 

Fluoxastrobin:

Remarks : No relevant data found.

**Aspiration toxicity** 

**Components:** 

Fluoxastrobin:

Based on physical properties, not likely to be an aspiration hazard.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Components:

Fluoxastrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 435 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.45

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

Persistence and degradability

No data available

Bioaccumulative potential

**Components:** 

Fluoxastrobin:

Partition coefficient: n-: log Pow: 2.86 (68 °F / 20 °C)

according to the OSHA Hazard Communication Standard



# **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

octanol/water

# Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluoxastrobin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Fluoxastrobin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

. 06

Packing instruction (passen-

ger aircraft)

964

964

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

(Fluoxastrobin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes(Fluoxastrobin)
Remarks : Stowage category A

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR Road

Not regulated as a dangerous good

### **Further information**

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

according to the OSHA Hazard Communication Standard



## **Floxcor**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/30/2023 750075100930 Date of first issue: 08/30/2023

#### Full text of other abbreviations

Revision Date : 08/30/2023

Product code: U8V-3-1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN