Flumi® SX Herbicide



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Flumi® SX Herbicide

PRODUCT CODE: 59639-99
VC NUMBER(S): 1420
PRODUCT DESCRIPTION: Herbicide.

Flumi is a registered trademark of Valent U.S.A. LLC

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. LLC P.O. Box 5075 4600 Norris Canyon Road San Ramon, CA 94583

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr): (800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA-required classifications on the product label. Certain sections of this SDS are superseded by federal law under EPA FIFRA for a registered pesticide. Please see Section 15, REGULATORY INFORMATION for an explanation.

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2 (Bone Marrow)

Label elements

EMERGENCY OVERVIEW

Page 2/10

WARNING





Hazard statements

Harmful if inhaled

Suspected of damaging fertility or the unborn child

May cause damage to bone marrow through prolonged or repeated exposure.

Precautionary statements

Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Response

IF EXPOSED OR CONCERNED: Get medical advice/attention

Eves None. Skin None.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion None. FIRE None.

Spill Collect spillage.

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life
- · Harmful to aquatic life with long lasting effects

For information on Transportation requirements, see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	TRADE SECRET
Flumioxazin	103361-09-7	51	
Ammonium sulfate	7783-20-2	16 - 22	*
Kaolin clay	1332-58-7	15 - 17	*
Others	Various CAS#s	10 - 18	*

Emergency Telephone: (800) 892-0099 SDS NO.: 0553 **REVISION NUMBER: REVISION DATE:** 09/11/2020 Flumi® SX Herbicide Page 3 / 10

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identity is withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling (877) 315-9819 (within the United States) or (651) 632-6184 (outside the United States) at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

Treatment is supportive and symptomatic.

5. FIRE FIGHTING MEASURES

Flash point °C Flash point °F

EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

NFPA RATING:

Health: 1
Flammability: 1
Reactivity: 0
Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Will not burn but if involved in a fire toxic fumes may be evolved. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used

^{*} The chemical name, CAS number and/or exact percentage have been withheld as a trade secret

Flumi® SX Herbicide Page 4 / 10

for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse. Read the entire document.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may produce harmful/irritant gas or fumes such as nitrogen oxides, carbon oxides, hydrogen fluoride or organic compounds.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release on to soil or into surface water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Do not contaminate food or feed. Do not put material into food or drink containers. Do not dilute material in food or drink containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

STORAGE:

Keep pesticide in original container only. Store in a cool, dry place, out of direct sunlight. Do not store or transport near food or feed. Not for use or storage in or around the home.

5/10

EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

INFORMATION FOR END USERS

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If ventilation is not adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including long pants, long-sleeved shirt and shoes plus socks, and chemical-resistant gloves. Remove contaminated clothing. Wash before reuse.

EXPOSURE LIMITS

Chemical name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Flumioxazin	None	None	None
Ammonium sulfate	None	None	None
Kaolin clay	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	None
Others	None	None	None

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid

Appearance Granules Odor Slight

Color Light brown **Odor threshold** No information available

Remarks • Method **PROPERTIES** Values

рΗ 5.4 @ 25°C (1% aqueous solution)

No information available Melting point/freezing point Boiling point/boiling range No information available No information available Flash point No information available **Evaporation rate** Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limits No information available No information available Lower flammability limit Vapor pressure No information available Vapor density No information available **Specific Gravity** No information available Water solubility Dispersible in water Solubility in other solvents No information available Partition coefficient No information available

Autoignition temperature No information available **Decomposition temperature** No information available

Viscosity

Not Applicable **Explosive properties** No information available No information available **Oxidizing properties** No information available **Liquid Density**

Emergency Telephone: (800) 892-0099 SDS NO.: 0553

REVISION NUMBER:

Page 6 / 10

Bulk density 30.8 lb.ft.³

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous Decomposition Products

Thermal decomposition or combustion may product harmful/irritant gas or fume such as nitrogen oxides, carbon oxides, hydrogen fluoride or organic compounds.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

The following information is from this formulation or from a similar formulation:

Oral Toxicity LD 50 (rats)	> 5,000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD 50 (rabbits)	> 2,000 mg/kg	EPA Tox Category	Ш
Inhalation Toxicity LC 50 (rats)	> 2.18 mg/L (4 h)	EPA Tox Category	IV
Eye Irritation	Brief and/or minor irritation	EPA Tox Category	Ш
Skin Irritation	Brief and/or minor irritation	EPA Tox Category	IV

Skin Sensitization Probable non-sensitizer EPA Tox Category Not applicable

CARCINOGEN CLASSIFICATION

Chemical name	IARC Group 1 or 2	OSHA - Select Carcinogens	NTP Carcinogen List
Flumioxazin	Not listed	Not listed	Not listed
Kaolin clay	Not listed	Not listed	Not listed
Ammonium sulfate	Not listed	Not listed	Not listed

TOXICITY OF FLUMIOXAZIN TECHNICAL:

SUBCHRONIC: Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

CHRONIC/CARCINOGENICITY: In a one year dog feeding study, Flumioxazin Technical produced treatment-related changes in blood chemistry and increased liver weights at 100 and 1000 mg/kg/day. Minimal treatment-related histological changes were noted in the livers of animals in the 1000 mg/kg/day group. Based on these data the NOEL

is 10 mg/kg/day. Dietary administration of Flumioxazin Technical for 18 months produced liver changes in mice of the 3000 and 7000 ppm groups. There was no evidence of any treatment-related oncogenic effect. The NOEL for this study is 300 ppm. Dietary administration of Flumioxazin Technical for 24 months produced anemia and chronic nephropathy in rats of the 500 and 1000 ppm groups. The anemia lasted throughout the treatment period, however, it was not progressive nor aplastic in nature. No evidence of an oncogenic effect was observed. The NOEL for this study is 50 ppm.

DEVELOPMENTAL TOXICITY: Flumioxazin Technical produces developmental toxicity in rats in the absence of maternal toxicity at doses of 30 mg/kg/day by the oral route and 300 mg/kg/day by the dermal route. The developmental effects noted consisted primarily of decreased number of live fetuses and fetal weights, cardiovascular abnormalities, wavy ribs and decreased number of ossified sacrococcygeal vertebral bodies. The developmental NOEL in the rat oral and dermal developmental toxicity studies were 10 and 100 mg/kg/day, respectively. The response in rabbits was very different from that in rats. No developmental toxicity was noted in rabbits at doses up to 3000 mg/kg/day, a dose well above the maternal NOEL of 1000 mg/kg/day.

Mechanistic studies indicate that the effects seen in the rat are highly unlikely to occur in the human and that flumioxazin would not be a developmental toxicant in the human.

REPRODUCTION: Reproductive toxicity was observed in F1 males, P1 females and F1 females at 300 ppm Flumioxazin Technical, the highest dose tested and a dose that also produced signs of systemic toxicity. Toxicity was also observed in the F1 and F2 offspring at doses of 200 ppm and greater.

MUTAGENICITY: Flumioxazin Technical was not mutagenic in most *in vitro* assays: gene mutation and a chromosome aberration assay in the absence of metabolic activation. In three in vivo assays, chromosome aberration, unscheduled DNA synthesis and micronucleus assay, Flumioxazin Technical was not mutagenic. The only positive response was observed in the *in vitro* chromosome aberration assay in the presence of metabolic activation. Overall, Flumioxazin Technical does not present a genetic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Based upon EPA designation, Flumioxazin Technical is practically non-toxic to avian species. The following results were obtained from studies with Flumioxazin Technical:

Oral LD₅₀ bobwhite quail: greater than 2,250 ppm Dietary LC₅₀ bobwhite quail: greater than 5,620 ppm Dietary LC₅₀ mallard duck: greater than 5,620 ppm.

Flumioxazin Technical in the diet. In mallard ducks, a slight, but not statistically significant reduction in hatchlings and 14-day old survivors was observed. Based on a possible, slight effect on egg production at 500 ppm, the NOEL for this study was 250 ppm.

AQUATIC ORGANISM TOXICITY: Based upon EPA designation, Flumioxazin Technical is slightly to moderately toxic to freshwater fish: moderately toxic to freshwater invertebrates: moderately toxic to estuarine/marine fish and moderately to highly toxic to estuarine/marine invertebrates, based on the following tests:

96-hour LC₅₀ rainbow trout: 2.3 mg/L

96-hour LC50 bluegill sunfish: greater than 21 mg/L 48-hour LC₅₀ Daphnia magna: greater than 5.5 mg/L

Emergency Telephone: (800) 892-0099 SDS NO.: 0553 REVISION NUMBER: **REVISION DATE:** 09/11/2020 Flumi® SX Herbicide Page 8 / 10

96-hour LC₅₀ sheepshead minnow: greater than 4.7 mg/L 96-hour (shell deposition) EC₅₀ eastern oyster: 2.8 mg/L

96-hour LC50 mysid shrimp: 0.23 mg/L

Fish early life-stage (rainbow trout): NOEC >7.7 μ g/L, <16 μ g/L Chronic toxicity (mysid shrimp): NOEC >15 μ g/L, <27 μ g/L Chronic toxicity (Daphnia magna): NOEC >52 μ g/L, <99 μ g/L.

OTHER NON-TARGET ORGANISM TOXICITY:

Flumioxazin Technical is practically non-toxic to bees. The acute contact LC50 in

bees was greater than 105 µg/bee.

OTHER ENVIRONMENTAL INFORMATION:

This product is toxic to non-target plants and aquatic invertebrates.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by US DOT or Canada TDG.

EMERGENCÝ RESPONSE

GUIDEBOOK NO.:

Not Applicable

ICAO/IATA SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Flumioxazin), 9,

III, Marine Pollutant

REMARKS: •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

Dangerous Goods regulations – see IATA Special Provision A197 •For US shipping, Emergency Response Guidebook No. 171

IMDG SHIPPING NAME: UN 3077, Environmentally Hazardous Substance, Solid, N.O.S. (flumioxazin),

Marine pollutant

REMARKS: •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

Dangerous Goods regulations – see IMDG 2.10.2.7

•For US shipping, Emergency Response Guidebook No. 171

EMS NO.: F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

Page 9 / 10

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- Keep out of reach of children.
- · Harmful if inhaled or absorbed through skin.
- · Causes moderate eye irritation
- Avoid breathing dust or spray mist.
- · Avoid contact with eyes, skin and clothing.

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

SARA (311, 312):

Immediate Health:YesChronic Health:YesFire:NoSudden Pressure:NoReactivity:No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Ammonium sulfate

MA Right To Know Present

PA Right To Know Environmental hazard

Kaolin clay

MA Right To Know Present
NJ Right To Know 4016
PA Right To Know Present
RI Right To Know Listed
MN Hazardous Substance Present

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

Flumi® SX Herbicide Page 10 / 10

REASON FOR ISSUE: Updated Manufacturer/Distributor Address and General Review.

SDS NO.: 0553 EPA REGISTRATION NUMBER: 59639-99

REVISION NUMBER: 2

REVISION DATE: 09/11/2020 **SUPERCEDES DATE:** 04/23/2020

RESPONSIBLE PERSON(S): Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label.

2020 Valent U.S.A. LLC

Emergency Telephone: REVISION NUMBER:

(800) 892-0099

SDS NO.: REVISION DATE: 0553

ON DATE: 09/11/2020