

SAFETY DATA SHEET

Revision date 28-Jun-2023 Revision Number 1

1. Identification

Product identifier

Product Name FluroStar Max

Other means of identification

Product Code(s) 33281

UN number or ID number 3082

Synonyms None

Registration Number(s) 33281

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Follow label instructions

Details of the supplier of the safety data sheet

Initial supplier identifier

ALBAUGH LLC 1525 NE 36th St, Ankeny, IA 50021 USA

Emergency telephone number

CANUTEC (613) 996-6666

2. Hazard(s) identification

Classification

| Skin corrosion/irritation | Category 3 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2B |
| Skin sensitization | Category 1 |
| Reproductive toxicity | Category 1B |

Label elements

Danger

Hazard statements

Causes eye irritation
May cause an allergic skin reaction
May damage fertility or the unborn child
Causes mild skin irritation



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust, fume, gas, mist, vapors and spray

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice and attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice and attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

May be harmful if swallowed. May be harmful in contact with skin. May be harmful if inhaled. Causes mild skin irritation. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Unknown acute toxicity

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

The product contains no substances which at their given concentration, are considered to be hazardous to health

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|------------|-------------|---|---|
| Fluroxypyr-meptyl | 81406-37-3 | 40.0-50.0 | - | |
| N,N-dimethylacetamide | 127-19-5 | 38.40-40.78 | - | |
| Solvent Naphtha (Petroleum), Heavy Aromatic | 64742-94-5 | <2.6 | - | |
| Other Ingredients | PROPRIETAR | >2.0 | - | |
| | Υ | | | |
| NMP (N-methyl-2-pyrrolidone) | 872-50-4 | <0.26 | - | |
| Naphthalene | 91-20-3 | < 0.26 | - | |

33281 - FluroStar Max Revision date 28-Jun-2023

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Get medical attention if irritation develops and persists.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Use extinguishing measures that are appropriate to local circumstances and the **Suitable Extinguishing Media**

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | Alberta | British Columbia | Ontario | Quebec |
|--------------------------|----------------------------|----------------------|----------------------------|----------------------------|
| N,N-dimethylacetamide | TWA: 10 ppm | TWA: 10 ppm | TWA: 10 ppm | TWA: 10 ppm |
| 127-19-5 | TWA: 36 mg/m ³ | Skin | Skin | TWA: 36 mg/m ³ |
| | Skin | Adverse reproductive | | Skin |
| | | effect | | |
| NMP | | | TWA: 400 mg/m ³ | |
| (N-methyl-2-pyrrolidone) | | | | |
| 872-50-4 | | | | |
| Naphthalene | TWA: 10 ppm | TWA: 10 ppm | TWA: 10 ppm | TWA: 10 ppm |
| 91-20-3 | TWA: 52 mg/m ³ | Skin | Skin | TWA: 52 mg/m ³ |
| | STEL: 15 ppm | | | STEL: 15 ppm |
| | STEL: 79 mg/m ³ | | | STEL: 79 mg/m ³ |
| | Skin | | | _ |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). None required for consumer use.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color brown
Odor Slight spicy

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

рΗ 5.0 4.0 -@ 25 °C Melting point / freezing point No data available None known Initial boiling point and boiling range202 °C / 395.6 °F Flash point > 100 °C / 212 °F None known None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known Miscible in water Water solubility None known None known Solubility in other solvents No data available Partition coefficient No data available None known None known **Autoignition temperature** 358 °C / 676.4 °F **Decomposition temperature** None known No data available mm²/s @ 20 °C

Kinematic viscosity

No data available mm²/s @ 20 °C

Dynamic viscosity

No data available

No data available

None known

Other information

Explosive properties
Oxidizing properties
No information available.
No information available.
No information available.
No information available
No information available
No information available
VOC content
No information available
Liquid Density
1.05 g/cm3 @ 25°C*
No information available

*Listed density is an approximate value and does not necessarily represent that of a specific batch

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

33281 - FluroStar Max Revision date 28-Jun-2023

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes eye irritation. May

cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation. May be harmful in

contact with skin.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Prolonged contact may

cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Unknown acute toxicity

 Oral LD50
 > 5000 mg/kg

 Dermal LD50
 > 5000 mg/kg

 Inhalation LC50
 > 5.5 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--|---|-----------------------|
| Fluroxypyr-meptyl 81406-37-3 | = 3162 mg/kg (Rat) > 5000 mg/kg (Rat) | = 2 g/kg (Rat) | - |
| N,N-dimethylacetamide 127-19-5 | = 4263 mg/kg (Rat) | = 2240 mg/kg (Rabbit) | = 8.81 mg/L (Rat) 1 h |
| Solvent Naphtha (Petroleum), Heavy Aromatic 64742-94-5 | > 5000 mg/kg (Rat) | > 2 mL/kg(Rabbit) | > 590 mg/m³(Rat)4 h |
| NMP (N-methyl-2-pyrrolidone) 872-50-4 | = 3914 mg/kg (Rat) | = 8 g/kg(Rabbit) | > 5.1 mg/L (Rat)4 h |
| Naphthalene 91-20-3 | = 1110 mg/kg(Rat) = 490 mg/kg(Rat) | = 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit) | > 340 mg/m³(Rat)1 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation H316 - Causes mild skin irritation.

Serious eye damage/eye irritation Irritating to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|------------------------|-------|----------|------------------------|------|
| N,N-dimethylacetamide | A3 | Group 2B | - | X |
| 127-19-5 | | · | | |
| Naphthalene 91-20-3 | А3 | Group 2B | Reasonably Anticipated | Х |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 2B*: Not carcinogenic in rats or mice. Listed as Category 2B by the International Agency for Research on Cancer (IARC) but expert opinion based on weight of evidence is that classification as a carcinogen is not warranted.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|--------------------------|-----------------------|----------------------------|----------------|-------------------------|
| | | | microorganisms | |
| N,N-dimethylacetamide | EC50: >500mg/L (72h, | - | - | EC50: >500mg/L (48h, |
| 127-19-5 | Desmodesmus | | | Daphnia magna) |
| | subspicatus) | | | |
| Solvent Naphtha | EC50: =2.5mg/L (72h, | LC50: =19mg/L (96h, | - | EC50: =0.95mg/L (48h, |
| (Petroleum), Heavy | Skeletonema costatum) | Pimephales promelas) | | Daphnia magna) |
| Aromatic | | LC50: =2.34mg/L (96h, | | |
| 64742-94-5 | | Oncorhynchus mykiss) | | |
| | | LC50: =1740mg/L (96h, | | |
| | | Lepomis macrochirus) | | |
| | | LC50: =45mg/L (96h, | | |
| | | Pimephales promelas) | | |
| | | LC50: =41mg/L (96h, | | |
| | | Pimephales promelas) | | |
| NMP | EC50: >500mg/L (72h, | LC50: =832mg/L (96h, | - | EC50: =4897mg/L (48h, |
| (N-methyl-2-pyrrolidone) | Desmodesmus | Lepomis macrochirus) | | Daphnia magna) |
| 872-50-4 | subspicatus) | LC50: =1072mg/L (96h, | | |
| | | Pimephales promelas) | | |
| | | LC50: =1400mg/L (96h, | | |
| | | Poecilia reticulata) LC50: | | |
| | | =4000mg/L (96h, | | |
| | | Leuciscus idus) | | |
| Naphthalene | EC50: =0.4mg/L (72h, | LC50: 5.74 - 6.44mg/L | - | LC50: =2.16mg/L (48h, |
| 91-20-3 | Skeletonema costatum) | (96h, Pimephales | | Daphnia magna) EC50: |
| | | promelas) LC50: | | =1.96mg/L (48h, Daphnia |
| | | =1.6mg/L (96h, | | magna) EC50: 1.09 - |
| | | Oncorhynchus mykiss) | | 3.4mg/L (48h, Daphnia |
| | | LC50: 0.91 - 2.82mg/L | | magna) |

| (96h, Oncorhynchus | |
|-------------------------|--|
| mykiss) LC50: =1.99mg/L | |
| (96h, Pimephales | |
| promelas) LC50: | |
| =31.0265mg/L (96h, | |
| Lepomis macrochirus) | |

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| N,N-dimethylacetamide 127-19-5 | 0.8 |
| Solvent Naphtha (Petroleum), Heavy Aromatic 64742-94-5 | 6.1 |
| NMP (N-methyl-2-pyrrolidone) 872-50-4 | -0.46 |
| Naphthalene 91-20-3 | 3.6 |

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

TDG

Notes Section 1.45.1 of the TDG Regulations provides an exemption from

documentation and safety marks only for this product and only when transported

by a road or railway vehicle.

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Special Provisions 16, 99

Marine pollutant name Fluroxypyr-meptyl, Naphthalene.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Fluroxypyr-meptyl,

Naphthalene), 9, III

IATA

UN3082 **UN number or ID number** Transport hazard class(es) 9 Packing group Ш

Technical Name Fluroxypyr-meptyl,

Special Provisions Naphthalene A97, A158, A197

ERG Code

IMDG

UN3082 **UN** number or ID number Transport hazard class(es) Ш Packing group F-A, S-F **EmS-No** 274, 335, 969 **Special Provisions** Р

Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

16. Other information

NFPA Health hazards 2 Instability 0 Special hazards -Flammability 1 **HMIS** Health hazards 2 * Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

STEL TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 28-Jun-2023

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet