SAFETY DATA SHEET



1. Identification

Product identifier FOLI-GRO 6-18-6

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------------------|--------------------------|------------|-----------|
| Citric Acid | | 5949-29-1 | 3 - < 5 |
| Copper Sulfate | | 7758-98-7 | 3 - < 5 |
| Zinc Chloride | | 7646-85-7 | 3 - < 5 |
| EDTA | | 60-00-4 | 1 - < 3 |
| Manganese Sulfate | | 7785-87-7 | 1 - < 3 |
| Other components below reporta | ble levels | | 80 - < 90 |

Percentage ranges of composition to protect confidentiality or due to batch variation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Material name: FOLI-GRO 6-18-6 656 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016 Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special Treat symptomatically.

treatment needed General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|-----------------------------------|---------|-----------|----------------|
| Manganese Sulfate (CAS 7785-87-7) | Ceiling | 5 mg/m3 | |
| Zinc Chloride (CAS 7646-85-7) | PEL | 1 mg/m3 | Fume. |
| US. ACGIH Threshold Limit Value | es | | |
| Components | Туре | Value | Form |
| Copper Sulfate (CAS 7758-98-7) | TWA | 1 mg/m3 | Dust and mist. |
| | | 0.2 mg/m3 | Fume. |

Material name: FOLI-GRO 6-18-6

SDS US

| US. ACGIH Threshold Limit Values | | | |
|--------------------------------------|---------------|------------|----------------------|
| Components | Туре | Value | Form |
| Manganese Sulfate (CAS 7785-87-7) | TWA | 0.1 mg/m3 | Inhalable fraction. |
| · | | 0.02 mg/m3 | Respirable fraction. |
| Zinc Chloride (CAS 7646-85-7) | STEL | 2 mg/m3 | Fume. |
| , | TWA | 1 mg/m3 | Fume. |
| US. NIOSH: Pocket Guide to Cher | mical Hazards | | |
| Components | Туре | Value | Form |
| Copper Sulfate (CAS 7758-98-7) | TWA | 1 mg/m3 | Dust and mist. |
| Manganese Sulfate (CAS 7785-87-7) | STEL | 3 mg/m3 | Fume. |
| , | TWA | 1 mg/m3 | Fume. |
| Zinc Chloride (CAS 7646-85-7) | STEL | 2 mg/m3 | Fume. |
| • | TWA | 1 mg/m3 | Fume. |

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Green liquid. **Appearance** Physical state Liquid. **Form** Liquid. Green. Color Odorless. Odor Not available. **Odor threshold** pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available. range Flash point Not available. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%)

Material name: FOLI-GRO 6-18-6

Explosive limit - lower (%)

Explosive limit - upper (%)

Not available. Not available. Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 10.51 lb/gal Specific gravity 1.26

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

| Species | Test Results |
|---------|------------------------|
|) | |
| | |
| | |
| Rat | > 2000 mg/kg, 24 Hours |
| | |
| Mouse | 5400 mg/kg |
| -98-7) | |
| | |
| | |
| Rat | > 2000 mg/kg, 24 Hours |
| | |
| Rat | 482 mg/kg |
| | Rat Mouse -98-7) |

Material name: FOLI-GRO 6-18-6 SDS US

Components **Species Test Results**

EDTA (CAS 60-00-4)

Acute

Oral

LD50 Rat 4500 mg/kg

Manganese Sulfate (CAS 7785-87-7)

Acute Oral

LD50 Mouse 2330 mg/kg

> Rat 2150 mg/kg

Zinc Chloride (CAS 7646-85-7)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat 20000 mg.min/m3, 10 Minutes

2000 mg/m3, 10 Minutes

Oral

LD50 Mouse 1260 mg/kg

> Rat 1100 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

Not available. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Material name: FOLI-GRO 6-18-6 SDS US

^{*} Estimates for product may be based on additional component data not shown.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Disposal instructions**

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

DOT BULK BULK

> UN3082 **UN number**

Environmentally hazardous substances, liquid, n.o.s. (Copper Sulfate RQ = 291 LBS), MARINE **UN proper shipping name**

POLLUTANT (Copper Sulfate)

Transport hazard class(es)

9 Class 9 Label(s) Packing group Ш **Environmental hazards**

Yes Marine pollutant

Special precautions for user Not regulated when transported by road in a non-bulk package, in less than reportable quantity

(RQ). See RQ(s). Read safety instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 **Special provisions**

Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substance, liquid, n.o.s. (Copper Sulfate, Zinc Chloride)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Sulfate, Zinc **UN proper shipping name**

Chloride), MARINE POLLUTANT

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш **Environmental hazards**

> Marine pollutant Yes

Material name: FOLI-GRO 6-18-6 656 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016

F-A, S-F **EmS**

Transport in bulk according to Annex II of MARPOL 73/78 and

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

the IBC Code

DOT Bulk packaging type; IATA; IMDG



Marine pollutant



DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant. **General information**

15. Regulatory information

All components are on the U.S. EPA TSCA Inventory List. **US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Copper Sulfate (CAS 7758-98-7) Listed. EDTA (CAS 60-00-4) Listed. Manganese Sulfate (CAS 7785-87-7) Listed. Zinc Chloride (CAS 7646-85-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|------------------------------------|------------|----------|--|
| COPPER COMPOUNDS (WITH EXCEPTIONS) | 7758-98-7 | 3 - < 5 | |
| ZINC COMPOUNDS | 7646-85-7 | 3 - < 5 | |
| MANGANESE COMPOUNDS | 7785-87-7 | 1 - < 3 | |

Material name: FOLI-GRO 6-18-6

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate (CAS 7785-87-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name

On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 09-26-2017

Version # 02

NFPA ratings Health: 0

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: FOLI-GRO 6-18-6 SDS US