SAFETY DATA SHEET



1. Identification

Product identifier FOLI-GRO MICRO 336

Other means of identification

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name 16300 Christensen Rd. Ste 135 **Address**

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

SDS@wilburellis.com E-mail

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Acute toxicity, oral **Health hazards** Category 4

Environmental hazards Not classified. Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

Hazard statement Harmful if swallowed.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Response IF SWALLOWED: Call a poison center or doctor or doctor if you feel unwell. Rinse mouth.

Store away from incompatible materials. Storage

Dispose of contents and container in accordance with government regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Zinc Nitrate		7779-88-6	20 - < 30
Copper (II) Nitrate		3251-23-8	3 - < 5
Copper(II) nitrate trihydrate		10031-43-3	3 - < 5
Manganese Nitrate		20694-39-7	3 - < 5
Manganese Nitrate		10377-66-9	1 - < 3
Other components below reportab	le levels		60 - < 70

Percentage ranges of composition to protect confidentiality or due to batch variation.

Material name: FOLI-GRO MICRO 336

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

Direct contact with eyes may cause temporary irritation.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Manganese Nitrate (CAS 10377-66-9)	Ceiling	5 mg/m3	
Manganese Nitrate (CAS 20694-39-7)	Ceiling	5 mg/m3	

Material name: FOLI-GRO MICRO 336

US. ACGIH Threshold Limit Values Components	s Type	Value	Form
Copper (II) Nitrate (CAS	TWA	1 mg/m3	Dust and mist.
3251-23-8)		0.2 mg/m3	Fume.
Copper(II) nitrate trihydrate (CAS 10031-43-3)	TWA	1 mg/m3	Dust and mist.
(0.2 mg/m3	Fume.
Manganese Nitrate (CAS 20694-39-7)	TWA	0.1 mg/m3	Inhalable fraction.
Manganese Nitrate (CAS 10377-66-9)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
Manganese Nitrate (CAS 20694-39-7)	TWA	0.02 mg/m3	Respirable fraction
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
Copper (II) Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.
Copper(II) nitrate trihydrate (CAS 10031-43-3)	TWA	1 mg/m3	Dust and mist.
Manganese Nitrate (CAS 20694-39-7)	STEL	3 mg/m3	Fume.
Manganese Nitrate (CAS 10377-66-9)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
Manganese Nitrate (CAS 20694-39-7)	TWA	1 mg/m3	Fume.

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point -0.4 °F (-18 °C) estimated

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Percent volatile 61.45 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Copper (II) Nitrate (CAS 3251-23-8)

Acute Oral

LD50 Mouse, Rat 794 mg/kg

Rat 940 mg/kg

Copper(II) nitrate trihydrate (CAS 10031-43-3)

Acute Oral

LD50 Mouse, Rat 794 mg/kg

Material name: FOLI-GRO MICRO 336

SDS US

787 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016

Test Results Components **Species** Rat 940 mg/kg

Manganese Nitrate (CAS 10377-66-9)

Acute Oral

LD50 Rat > 300 mg/kg

7.5 mmole/kg

Manganese Nitrate (CAS 20694-39-7)

Acute Oral

LD50 Rat > 300 mg/kg

7.5 mmole/kg

Zinc Nitrate (CAS 7779-88-6)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat 20000 mg.min/m3, 10 Minutes

2000 mg/m3, 10 Minutes

Oral

LD50 Mouse 1891 mg/kg 1000 mg/kg Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Not available. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

^{*} Estimates for product may be based on additional component data not shown.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents and container in accordance with government regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Copper (II) Nitrate (CAS 3251-23-8)

Manganese Nitrate (CAS 10377-66-9)

Manganese Nitrate (CAS 20694-39-7)

Listed.

Zinc Nitrate (CAS 7779-88-6)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

	Chemical name	CAS number	% by wt.	
_	ZINC COMPOUNDS	7779-88-6	20 - < 30	
	COPPER COMPOUNDS (WITH EXCEPTIONS)	3251-23-8	3 - < 5	
	MANGANESE COMPOUNDS	10377-66-9	1 - < 3	

Material name: FOLI-GRO MICRO 336

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Nitrate (CAS 10377-66-9) Manganese Nitrate (CAS 20694-39-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 09-26-2017

Version # 02

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: FOLI-GRO MICRO 336

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).