SAFETY DATA SHEET



1. Identification

Product identifier FOLI-GRO MICRO PLEX

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
EDTA Acid		60-00-4	3 - < 5
Zinc Sulfate		7733-02-0	3 - < 5
Aqua Ammonia		1336-21-6	1 - < 3
Citric Acid		77-92-9	1 - < 3

Material name: FOLI-GRO MICRO PLEX

Chemical name	Common name and synonyms	CAS number	%
Ferric Nitrate Nonahydrate		7782-61-8	1 - < 3
Monoethanolamine		141-43-5	1 - < 3
Zinc Nitrate		7779-88-6	1 - < 3
Other components below reportable levels			80 - < 90

Percentage ranges of composition to protect confidentiality or due to batch variation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Avoid discharge into drains, water courses or onto the ground.

General fire hazards No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: FOLI-GRO MICRO PLEX

practices.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Aqua Ammonia (CAS 1336-21-6)	PEL	35 mg/m3	
,		50 ppm	
Monoethanolamine (CAS 141-43-5)	PEL	6 mg/m3	
,		3 ppm	
US. ACGIH Threshold Limit Va	lues		
Components	Туре	Value	
Aqua Ammonia (CAS 1336-21-6)	STEL	35 ppm	
	TWA	25 ppm	
Ferric Nitrate Nonahydrate (CAS 7782-61-8)	TWA	1 mg/m3	
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	
US. NIOSH: Pocket Guide to C	hemical Hazards		
Components	Туре	Value	
Aqua Ammonia (CAS 1336-21-6)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
Ferric Nitrate Nonahydrate (CAS 7782-61-8)	TWA	1 mg/m3	
Monoethanolamine (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
ogical limit values	lo biological exposure limits noted	for the ingredient(s)	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Green liquid.

Physical state Liquid.

Form Liquid.

Color Green.

Odor Metallic
Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 10.40 lb/gal

Specific gravity 1.25

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological

characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

cal and vision. Skin irritation. May cause redness and pain.

Material name: FOLI-GRO MICRO PLEX

SDS US

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Citric Acid (CAS 77-92-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Mouse	5400 mg/kg
EDTA Acid (CAS 60-00-4)		
<u>Acute</u>		
Oral		
LD50	Rat	4500 mg/kg
Ferric Nitrate Nonahydrate (CAS 7782-61-8)	
<u>Acute</u>	,	
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Mouse	1025 mg/kg
	Rat	> 2000 mg/kg
Monoethanolamine (CAS 14		2 2000 mg/ng
Acute	1-43-3)	
<u>Acute</u> Dermal		
LD50	Rabbit	2881 mg/kg, 24 Hours
LDOU	Habbit	
		2.46 - 2.83 ml/kg, 24 Hours
Inhalation	Det	4000
LC50	Rat	10 - 20 mg/l, 4 Hours
Oral	_	
LD50	Rat	1515 mg/kg
		1089 mg/kg
		1.19 ml/kg
Zinc Nitrate (CAS 7779-88-6	3)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Inhalation		
Aerosol		
LC50	Rat	20000 mg.min/m3, 10 Minutes
		2000 mg/m3, 10 Minutes
Oral		
LD50	Mouse	1891 mg/kg
	Rat	1000 mg/kg
Zinc Sulfate (CAS 7733-02-		V
Acute	~,	
<u>Acute</u> Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Oral		, 1000g, ng, 1
LD50	Mouse	1891 mg/kg
LDOU		
	Rat	2280 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Serious eye damage/eye

Causes skin irritation.
Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents and container in accordance with government regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

DOT BULK

BULK

UN number UN3082

UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s. (zinc sulfate RQ = 28571 LBS, zinc nitrate

RQ = 38023 LBS)

Transport hazard class(es)

Class 9 9 Label(s) Ш Packing group

Special precautions for user Not regulated for transportation when shipped in non-reportable quantities. See RQ. Read safety

instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (Zinc Sulfate, Zinc Nitrate)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** Yes 9L **ERG Code**

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN3082 **UN number**

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Sulfate, Zinc Nitrate),

MARINE POLLUTANT

Transport hazard class(es)

9 **Class** Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant Yes

EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

DOT Bulk packaging type; IATA; IMDG



Material name: FOLI-GRO MICRO PLEX

SDS US

773 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016

Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Aqua Ammonia (CAS 1336-21-6)

EDTA Acid (CAS 60-00-4)

Ferric Nitrate Nonahydrate (CAS 7782-61-8)

Zinc Nitrate (CAS 7779-88-6)

Zinc Sulfate (CAS 7733-02-0)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: FOLI-GRO MICRO PLEX

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 09-26-2017

Version # 02

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy

himself that he has all current data relevant to his particular use.

Material name: FOLI-GRO MICRO PLEX

SDS US

773 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016