

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

1. PRODUCT IDENTIFICATION

Product identifier on label: **FORCE® 3G Insecticide**
Product No.: A12868A
Use: Insecticide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Single Category 1
Oral: Category 4
Inhalation: Category 4
Skin Sensitizer: Category 1B
Carcinogenicity: Category 1A

Signal Word (OSHA): Danger

Hazard Statements: Harmful if swallowed
May cause an allergic skin reaction
Harmful if inhaled
May cause cancer
Causes damage to organs

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye protection.
If swallowed: Call a poison center, doctor or Syngenta if you feel unwell. Rinse mouth.
If on skin: Wash with plenty of soap and water.

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Call a poison center, doctor or Syngenta.
Call a poison center, doctor or Syngenta if you feel unwell.
See Section 4 First Aid Measures.
If skin irritation or rash occurs: Get medical advice.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.
May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | Common Name | CAS Number | Concentration |
|--|---|--------------|---------------|
| Crystalline Silica, Quartz and Cristobalite | Crystalline Silica, Quartz and Cristobalite | 14808-60-7 | Trade Secret |
| Clay Granules | Clay Granules | 1302-78-9 | Trade Secret |
| Other ingredients | Other ingredients | Trade Secret | 97.0% |
| (2,3,5,6-tetrafluoro-4-methylphenyl)methyl-(1a,3a)-(Z)-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate | Tefluthrin | 79538-32-2 | 3.0% |

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Allergic skin reaction

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.
Treat symptomatically.

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Avoid dust formation.

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

| Chemical Name | OSHA PEL | ACGIH TLV | Other | Source |
|---|---|--|---|--------|
| Crystalline Silica, Quartz and Cristobalite | 10 mg/m ³ /(%SiO ₂ +2) (respirable dust) | 0.025 mg/m ³ (respirable silica) | 0.05 mg/m ³ (respirable dust) | NIOSH |

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

| | | | | |
|-------------------|--|--|-----------------------------------|----------------|
| Clay Granules | 15 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable) | 10 mg/m ³ TWA (total); 3 mg/m ³ TWA (respirable) | Not Established | Not Applicable |
| Other ingredients | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Tefluthrin | Not Established | Not Established | 0.04 mg/m ³ TWA (skin) | Syngenta |

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 of MSDS).

Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tan-brown solid granules

Odor: Not Available

Odor Threshold: Not Available

pH: 5.3 (1% w/w dilution in deionized water)

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): Not Applicable

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Tefluthrin 6 x 10⁻⁵ mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 38 - 45 lbs/ft³

Solubility (ies): Tefluthrin Insoluble

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

Decomposition Temperature: Not Available
Viscosity: Not Available
Other: Not Available

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
Chemical stability: Stable under normal use and storage conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to Avoid: None known.
Incompatible materials: None known.
Hazardous Decomposition Products: Not Available

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Itching, tingling, burning or numbness

Delayed, immediate and chronic effects of exposure: Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

| | | |
|---------------------|---------------------------------|--------------------------|
| Ingestion: | Oral (LD50 Male Rat) : | 969 mg/kg body weight |
| Dermal: | Dermal (LD50 Rabbit) : | > 2000 mg/kg body weight |
| Inhalation: | Inhalation (LC50 Rat) : | 1.77 mg/l air - 4 hours |
| Eye Contact: | Slightly Irritating (Rabbit) | |
| Skin Contact: | Not Available | |
| Skin Sensitization: | A mild skin sensitizer (Rabbit) | |

Reproductive/Developmental Effects

Tefluthrin: No evidence in the rat or rabbit.

Chronic/Subchronic Toxicity Studies

Tefluthrin: In 90-day and 1 year studies in dogs, elicited ataxia or tremors at the highest doses tested (1.5 and 2.0 mg/kg/d respectively).
Causes SFS as with other pyrethroids.

Carcinogenicity

Tefluthrin: Not considered to be carcinogenic. Not mutagenic.

FORCE® 3G Insecticide

Date: 6/17/2015
Replaces: 7/16/2014

| | |
|--|--------------------------|
| Chemical Name | NTP/IARC/OSHA Carcinogen |
| Crystalline Silica, Quartz and Cristobalite | IARC 1; ACGIH A2 |
| Clay Granules | No |
| Other ingredients | No |
| (2,3,5,6-tetrafluoro-4-methylphenyl)methyl-(1a,3a)-(Z)-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate | No |

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

Toxicity of Other Components

Clay Granules

Prolonged inhalation of excessive concentrations of dust may lead to lung injury.

Crystalline Silica, Quartz and Cristobalite

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Tefluthrin: CNS

Inert Ingredients

Clay Granules: Respiratory tract

Crystalline Silica, Quartz and Cristobalite: Respiratory tract

Cristobalite:

Other ingredients: Not Applicable

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Tefluthrin:

Fish (Rainbow Trout) 96-hour LC50 0.06 ppb

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.07 ppb

Bird (Mallard Duck) 14-day LD50 4190 mg/kg

Environmental Fate

Tefluthrin:

The information presented here is for the active ingredient, tefluthrin.

Not persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h.).

FORCE® 3G Insecticide

Date: 6/17/2015

Replaces: 7/16/2014

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Tefluthrin), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Tefluthrin)

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if absorbed through skin, inhaled or swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Skin exposure may result in a transient sensation described as a tingling, itching, burning or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2-30 hours without apparent skin damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

EPA Registration Number(s):

100-1075

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

FORCE® 3G Insecticide

Date: 6/17/2015
 Replaces: 7/16/2014

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 2
 Flammability: 1
 Reactivity: 0

| | |
|---|----------|
| 0 | Minimal |
| 1 | Slight |
| 2 | Moderate |
| 3 | Serious |
| 4 | Extreme |
| * | Chronic |

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 10/21/1998

Revision Date: 6/17/2015

Replaces: 7/16/2014

Section(s) Revised: 2, 4, 11

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.