

Revision date : 2024/01/29 Version: 11.0

Page: 1/15 (30595735/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Freehand CA 1.75G Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:305512Registration number:EPA Registration number: 7969-358Molecular formula:C29 H33 N4 CI O8 SSynonyms:pendimethalin ; dimethenamid-p

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Eye Irrit.	2A	Eye irritation
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Carc.	1A	Carcinogenicity

Revision date: 2024/01/29 Version: 11.0

Page: 2/15 (30595735/SDS_CPA_US/EN)

Aquatic Chronic Repr.	2 2 (unborn child)	Hazardous to the aquatic environment - chronic Reproductive toxicity
Label elements		
Pictogram:		
Signal Word: Danger		
Hazard Statement:		
H319	Causes serious eye irritation	on.
H361	Suspected of damaging the	e unborn child.
H350	May cause cancer.	
H411	Toxic to aquatic life with lo	ng lasting effects.
H400	Very toxic to aquatic life.	
Precautionary Stateme	nte (Provention):	
Precautionary Stateme		ptective clothing and eye protection or face
F200	protection.	Sective clothing and eye protection of face
P201	Obtain special instructions	before use
P273	Avoid release to the enviro	
P280	Wear eye protection.	innont.
P202		ty precautions have been read and
•_	understood.	
P264	Wash contaminated body p	parts thoroughly after handling.
Precautionary Stateme	onte (Response):	
P305 + P351 + P338		sly with water for several minutes. Remove
		nd easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: (
P391	Collect spillage.	
P337 + P313	If eye irritation persists: Ge	t medical attention.
	,	
Precautionary Stateme	ents (Storage):	
P405	Store locked up.	
Precautionary Stateme		
P501	Dispose of contents/contain	ner in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS): May produce an allergic reaction. Contains: dimethenamid-P This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date: 2024/01/29 Version: 11.0

pendimethalin CAS Number: 40487-42-1 Content (W/W): 1.0 % Synonym: Pendulum Technical dimethenamid-P CAS Number: 163515-14-8 Content (W/W): 0.75 % Synonym: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1methylethyl]crystalline silica CAS Number: 14808-60-7 Content (W/W): > 0.0 - < 10.0% Synonym: No data available. Gamma-butyrolactone CAS Number: 96-48-0 Content (W/W): >= 0.3 - < 1.0% Synonym: Dihydro-2-(3H)-furanone; 4-Hydroxybutyric acid lactone, y-Butyrolactone

crystalline silica CAS Number: 14808-60-7 Content (W/W): > 0.0 - < 1.0% Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: orange-red coloured urine caused by dye (not associated with methemoglobinemia)

Revision date: 2024/01/29 Version: 11.0

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, halogenated compounds, silica compounds The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Revision date: 2024/01/29 Version: 11.0

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Revision date: 2024/01/29 Version: 11.0 Page: 6/15 (30595735/SDS CPA US/EN)

crystalline silica	OSHA Z1:	PEL 0.05 mg/m3 Respirable dust ;
-	OSHA Z3:	TWA value 2.4 millions of particles per cubic foot
		of air Respirable; The exposure limit is
		calculated from the equation, 250/(%SiO2+5),
		using a value of 100% SiO2. Lower percentages
		of SiO2 will yield higher exposure limits.
	OSHA Z3:	TWA value 0.1 mg/m3 Respirable; The
		exposure limit is calculated from the equation,
		10mg/m3)/(%SiO2+2), using a value of 100%
		SiO2. Lower percentages of SiO2 will yield higher
		exposure limits.
	OSHA, US:	TWA value 0.05 mg/m3 (Respirable dust);
	OSHA, US:	OSHA Action level 0.025 mg/m3 (Respirable dust);

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be

Revision date: 2024/01/29 Version: 11.0

decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value: Melting point:	solid characteristic Not determined due to potential health hazard by inhalation. yellow to brown approx. 3.0 - 5.0 (25 °C) > 100 °C The statements are based on the properties of the individual components.
Boiling point:	The product is a non-volatile solid., not applicable
Flash point:	not applicable, the product is a solid
Flammability:	Based on the structure or composition there is no indication of flammability
Vapour pressure:	not applicable
Bulk density:	38 lb/ft3
Vapour density:	not applicable
Partitioning coefficient n-	The statements are based on the
octanol/water (log Pow):	properties of the individual components.
Self-ignition	not self-igniting Information based on
temperature:	the main component/s.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	not applicable, the product is a solid
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated. Revision date: 2024/01/29 Version: 11.0

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

strong oxidizing agents, strong reducing agents

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Moderately toxic after single ingestion. Slightly toxic after short-term skin contact. Slightly toxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 2,000 mg/kg (OECD Guideline 423) No mortality was observed.

Inhalation Type of value: LC50 Species: rat Value: > 5.103 mg/l Exposure time: 4 h An aerosol with respirable particles was tested. No mortality was observed.

Dermal Type of value: LD50 Species: rat Value: > 2,000 mg/kg (OECD Guideline 402) No mortality was observed.

Assessment other acute effects Assessment of STOT single:

Revision date: 2024/01/29 Version: 11.0

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

<u>Skin</u> Species: rabbit Result: non-irritant Method: OECD Guideline 404

<u>Eye</u> Species: rabbit Result: Irritant. Method: OECD Guideline 405

Sensitization Assessment of sensitization: No sensitizing effect.

Buehler test Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The respirable fraction is < 0.1 %, therefore the classification regarding inhalation toxicity does not apply.

Information on: pendimethalin

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: dimethenamid-P

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

The respirable fraction is < 0.1 %, therefore the classification regarding inhalation toxicity does not apply.

Revision date: 2024/01/29 Version: 11.0

Information on: dimethenamid-P

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: pendimethalin

Assessment of carcinogenicity: In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed. In long-term studies in rats the substance induced thyroid tumors. A marked decrease in body weight gain and an increase in benign thyroid proliferative lesions were observed in the lifetime rat study at the highest dose tested. The substance is not considered to pose a carcinogenic risk at low human exposure levels.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information Misuse can be harmful to health.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: pendimethalin LC50 (96 h) 0.196 mg/l, Oncorhynchus mykiss

Information on: dimethenamid-P LC50 (96 h) 6.3 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Revision date: 2024/01/29 Version: 11.0

Page: 11/15 (30595735/SDS_CPA_US/EN)

Information on: pendimethalin EC50 (48 h) 0.147 mg/l, Daphnia magna

Information on: dimethenamid-P EC50 (48 h) 12 mg/l, Daphnia magna

Aquatic plants

Information on: pendimethalin EC50 (72 h) 0.00408 mg/l, Selenastrum capricornutum EC10 (72 h) 0.00157 mg/l, Selenastrum capricornutum

Information on: dimethenamid-P EC50 (72 h) 0.0303 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.0156 mg/l (growth rate), Pseudokirchneriella subcapitata EC50 (14 d) 0.031 mg/l (growth rate), Lemna gibba EC10 (14 d) 0.0064 mg/l (growth rate), Lemna gibba

Chronic toxicity to fish

Information on: pendimethalin No observed effect concentration (288 d) 0.0063 mg/l, Pimephales promelas

Information on: dimethenamid-P No observed effect concentration (90 d) 0.120 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: pendimethalin No observed effect concentration (21 d) 0.0173 mg/l, Daphnia magna

Information on: dimethenamid-P No observed effect concentration (21 d) 0.680 mg/l, Daphnia magna

<u>Assessment of terrestrial toxicity</u> Acutely harmful to terrestrial organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Information on: pendimethalin

Not readily biodegradable (by OECD criteria).

Information on: dimethenamid-P

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Revision date: 2024/01/29 Version: 11.0

Assessment bioaccumulation potential

Information on: dimethenamid-P

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential

Information on: pendimethalin

Bioconcentration factor: 5,100 Based on a weight of evidence, the compound will not bioaccumulate.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

The substance will slowly evaporate into the atmosphere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: dimethenamid-P

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Revision date: 2024/01/29 Version: 11.0

14. Transport Information

Land transport
USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG Hazard class:	9
Packing group:	ů.
ID number:	UN 3077
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PENDIMETHALIN, DIMETHENAMID-P)
Air transport	
IATA/ICAO	
Hazard class:	9
Packing group:	

r doking group.	
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	(contains PENDIMETHALIN, DIMETHENAMID-P)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

TSCA, US released / listed Crop Protection

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations		
State RTK	CAS Number	Chemical name
PA	14808-60-7	crystalline silica
NJ	40487-42-1	pendimethalin
	14808-60-7	crystalline silica
	14808-60-7	crystalline silica

Revision date: 2024/01/29 Version: 11.0

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. Hazards to humans and domestic animals. HARMFUL IF SWALLOWED. Causes moderate eye irritation. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2024/01/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO

Revision date: 2024/01/29 Version: 11.0 Page: 15/15 (30595735/SDS_CPA_US/EN)

OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET